

## News

### about the Field Studies of the Cesa

urn:lsid:zoobank.org:pub:E7795A2C-E924-4162-AA34-BCC146DC5E9C

## *Bembix olivacea* (F.) in Van Province of East Turkey (Crabronidae, Hymenoptera)

Ahmet Ömer Koçak Meltem Yalçın

**Abstract:** *Bembix olivacea* (F.) in Van Province of East Turkey (Crabronidae, Hymenoptera). *Cesa News* 83: 1-3, 4 figs.

This short paper deals with the first record of *Bembix olivacea* in Van Province in East Turkey. The species is illustrated morphologically. Range of the species is also mapped.

**Key words:** *Bembix olivacea*, Crabronidae, Hymenoptera, fauna, distribution, Turkey, Van.

During the field studies of the second author, a male specimen of *Bembix olivacea* (Fabricius) was found in Van Province for the first time. The aim of this short paper is to report this faunistic capture in the province, at the same time to give further information about the species from the distributional standpoints.

During the eco-faunistic survey of the second author, the male of the species is found at one site only, during feeding on the flowers of *Mentha* sp. in August. The species prefers hot places in its biotops and it seems rare and very local in this subalpine/alpine located province.

Morphologically, this male is illustrated in figs.1-3. It is easily distinguishable from other species of the genus in Turkey by its pale grayish green coloration of the body and highly reduced black maculations.

The species was described by Fabricius in 1787 with the name combination "*Bembex olivacea*" from Tunis.<sup>1</sup> This is also the valid name of the species in the genus *Bembix* Fabricius, 1775. Range of the species is shown in the map (Fig.4). Information on the distribution in Turkey is rather poor. Number of the hitherto known province is 17 (20.9% of all the provinces).


<sup>1</sup> Lectotype ♂ designated by van der Vecht in 1961.

Material examined:

1 ♂ East Turkey: Van Province, Gevaş, Uğurveren village 1670m 9 8 2012 on *Mentha* flowers (*Lamiaceae*) leg. M.Yalçın (coll.Cesa).



**Figs. 1-3.** *Bembix olivacea* (male). Head, maculation on ventral side of the terminal abdominal segments and the genitalia, dorsal side of the genitalia (Cesa©)



**Fig. 4-** *Bembix olivacea* (F.). yellow markings based upon literary data, red ones are new records. These maps are based upon the info-system of the Cesa.<sup>2</sup> Basic map of Van lake basin is adopted from Google Earth.

## Selected References:

- Fabricius, J.C., 1787, *Mantissa Insectorum...* Tom I, xvi+348 pp. Hafniae.
- Ljubomirov, T. & E. Yildirim, 2008, *Annotated catalogue of the Ampulicidae, Sphecidae and Crabronidae (Insecta, Hymenoptera) of Turkey*. 316pp. Pensoft, Sofia & Moscow.
- Pulawski, W.J., 2012, Catalog of Sphecidae sensu lato (=Apoidea excluding Apidae). [http://research.calacademy.org/ent/catalog\\_sphecidae/1621](http://research.calacademy.org/ent/catalog_sphecidae/1621) [access 2 October, 2012]
- Tüzün, A., Gülmez, Y. & N. Bağrıaçık, 1999, Studies on Sphecidae of Aegean Region (Insecta, Hymenoptera). *Entomofauna* 20 (23): 381-388.
- Yildirim, E. & T. Ljubomirov, 2005, Contribution to the knowledge of Sphecidae and Crabronidae (Hymenoptera, Aculeata) fauna of Turkey. *Linzer biol. Beitr.* 37 (2): 1785-1808.

<sup>2</sup> <http://www.cesa-tr.org/Infos.htm>



*News*  
*about the Field Studies of the Cesa*

urn:lsid:zoobank.org:pub:8B73299B-2C5C-49F0-BCA1-8969030253DF

## *Cerocoma festiva* in Van Province of East Turkey (Meloidae, Coleoptera)

Ahmet Ömer Koçak   Muhabbet Kemal   Meltem Yalçın   Buket Bakan

**Abstract:** *Cerocoma festiva* in Van Province of East Turkey (Meloidae, Coleoptera). *Cesa News* 83: 4-7, 7 figs. *Cerosoma festiva* Faldermann is reported here from Van province for the first time. Adults illustrated on *Eryngium* (Apiaceae). It is also reported from *Astrodaucus orientalis* (Apiaceae) and *Euphorbia* (Euphorbiaceae). Distributional maps are given.

**Key words:** *Cerocoma festiva*, Meloidae, Coleoptera fauna, distribution, Turkey, Van.

During the field studies of the authors within the project of the Cesa, Entomofauna of Turkey, various adult populations of the species *Cerocoma festiva* Faldermann have been observed in mountain steppe of the Van Province (East Turkey). The genus *Cerocoma* has been thoroughly revised recently by Turco & Bologna (2011). It has been divided into five subgenera. The subgenus *Metacerocoma* Kaszab, 1951 is represented in west Palearctic by five species, four of them reported also in Turkey so far.



**Fig. 1-** *Cerocoma festiva* Fald. On *Eryngium* (Apiaceae), East Turkey, Van Prov., Ermişler 1680m 31 7 2012 M Kemal (Cesa©)




**Figs. 2, 3-** *Cerocoma festiva* Fald. During cleaning antennae by using fore legs. East Turkey, Van Prov., Ermişler 1680m 31 7 2012 M Kemal (Cesa©)





**Figs. 4-6** – Upperside of head between eyes, protibia of fore leg, antennae and various shapes of antennomeres (Cesa©)



**Fig. 7** – *Cerocoma festiva* Fald. - Yellow markings based upon literary data, red ones are new records. These maps are based upon the info-system of the Cesa.<sup>3</sup> Basic map of Van lake basin is adopted from Google Earth.

<sup>3</sup> <http://www.cesa-tr.org/Infos.htm>

The species *Cerocoma (Metacerocoma) festiva* Faldermann, 1837 was described from “Transcaucasus”, and known also from Uzbekistan, Kazakhstan, Turkmenistan, Iran, Iraq, Azerbaijan, Armenia, and East Turkey (Tunceli, Muş, Erzurum, and Van [present record]). Bologna (1979) did not mention this species from Turkey. In Van province, adults of this species are fond of feeding *Euphorbia (Euphorbiaceae)*, *Eryngium* and *Astrodaucus orientalis (Apiaceae)* flowers from late June to early August.

Phenology: July. Habitat: Degraded mountain steppe dominated by *Euphorbia*, *Eryngium* and roadside with various *Apiaceae* plants between the elevation of 1680 and 2250m.

Material examined:

East Turkey: 1♂ Van Province: Muradiye, Ermişler 1680m 31 7 2012 on *Eryngium (Apiaceae)* M.Kemal leg., 1♂ Kurubaş geçidi 2250m on *Euphorbia (Euphorbiaceae)* M.Kemal leg.; 2♂ Gevaş, Kızıltaş on *Astrodaucus orientalis (Apiaceae)* 1745m 23 6 2012 M.Yalçın leg.; 2♂ Gürpınar, Zerneke barajı 1960m 2 7 2011 B.Bakan leg.

## Selected References:

- Bologna, M.A.**, 1979. Meloidae di Turchia. I. Contributo (Coleoptera). *Fragmenta Entomologica*, 15, 143–199 [correct page citation].
- Turco, F. & M.A. Bologna**, 2011. Systematic revision of the genus *Cerocoma* Geoffroy, 1762 (Coleoptera, Meloidae, Cerocomini). *Zootaxa* 2853: 1–71, figs.

## News

## about the Entomofaunal Activities of the Cesa

urn:lsid:zoobank.org:pub:C3732DD8-D448-4AA5-9B70-47CBA54FB3BC

## Number of the species of the Lepidoptera fauna of the selected countries, with sample lists of some classical localities in the Old World <sup>4</sup>

Ahmet Ömer Koçak    Muhabbet Kemal

**Abstract:** Number of the species of the Lepidoptera fauna of the selected countries with sample lists of some classical localities in the Old World. *Cesa News* 83: 8-55.

Brief information about ongoing projects of the Cesa are given. Newly updated number of species of selected continent, states, as well as some classical collecting localities are given. Sample lists of the species from the database are also mentioned from the selected 21 localities: Durban (Dbn), Weenen (Wnn), Calabar (Caa), Aroa river (Aro), Nairobi (Nai), Beirut (Bei), Kirovabad (Kir), Ordubad (Ord), Kazikoparan (76C), Zomba (Zom), Pundalayo (Pdy), Fars (Fa), Kuldja (Ku), Shan States (Shn), Tenasserim (Tns), Khasi Hills (Khs), Murree (Mre), Rangoon (Rgo), Erivan (Eri), Kızılcahamam (o6R), Hatay (31).

**Key words:** *Lepidoptera*, fauna, Old World.

Database projects of the Cesa are considered very important and basic for the planned taxonomical and faunistical surveys in various Old World states (Koçak & Kemal, 2007, 2008, 2009, 2010, 2011, 2012; Kemal & Koçak, 2011). Database programs contain various information, not only at the level of high geographical units such as continents, states, regions (Table 1), but also for smallest sites, i.e., cities, districts, villages, national parks or isolated mountains (see sample lists of 21 countries).

Our database program doesnot contain just a specific list of a certain area. Information on the taxonomical and nomenclatural status of each taxon is almost always controlled, before typing into the related program. In one of those ongoing programs, essential preliminary information on the 101443 taxa have been checked up and written into the database so far.

In all faunistical publications of the Cesa, the specially constituted codes of the states, regions, territories, or localities are used. These geographical codes (currently 6383) are freely obtainable from the internet.<sup>5</sup> Sample lists of the species of some classical localities, selected at random among 6383, are given below:

**Table 1** – Number of the lepidopteran species of Africa and some countries in the Old World  
(Updated: 1 September, 2012)

Region, states etc	Number of species	Region, states etc	Number of species	Region, states etc	Number of species
Africa	19500 <sup>&lt;</sup>	South Africa	7650	Uganda	1845
Mozambique	0728	Madagascar	1398	Malawi	0865
Zimbabwe	1334	Zaire	2585	Cameroon	1971
Ethiopia	1390	Sudan	0576	Somalia	0355
Kenya	1920	Tanzania	1797	Nigeria	1383
Algeria	1319	Marocco	1167	Tunis	0830
India	6802	Sri Lanka	2041	Thailand	4575
Indonesia	5521	Philippines	2594	Russia	6112
Caucasus	3043	Turkey	5282	Iran	3503
Pakistan	1337	Afghanistan	1698	Uighur Ili	1343

<sup>4</sup> Temporary Results of the EOW Project of the Cesa

<sup>5</sup> [http://www.members.tripod.com/entcesa\(Code.pdf](http://www.members.tripod.com/entcesa(Code.pdf) [stand 3 11 2012]



## Sample Lists

Recorded lepidopteran species of some smaller regions, cities, districts or sites in the World, selected at random from the geographical code list of the Cesa, are mentioned below. Scientific names are listed alphabetically under the related families.

### Durban (Dbn) [South Africa]

- |  |   |   |
|--|---|---|
| 1. <i>Acraea</i> (Actinote) <i>encedon</i> (Linnaeus,1758) (Acraeidae)               | 36. <i>Anarsia</i> (s.str.) <i>semnopa</i> Meyrick,1921 (Gelechiidae)             | 69. <i>Chiasmia</i> <i>simplicilinea</i> (W.Warren,1905) (Geometridae)              |
| 2. <i>Acraea</i> (Actinote) <i>obeira</i> Hewitson,1863 (Acraeidae)                  | 37. <i>Brachmia</i> <i>convolvuli</i> Walsingham,1907 (Gelechiidae)               | 70. <i>Chiasmia</i> <i>sororcula</i> (W.Warren,1897) (Geometridae)                  |
| 3. <i>Acraea</i> (s.str.) <i>aganice</i> Hewitson,1852 (Acraeidae)                   | 38. <i>Brachmia</i> <i>septella</i> (Zeller,1852) (Gelechiidae)                   | 71. <i>Chiasmia</i> <i>subcurvaria</i> (Mabille,1898) (Geometridae)                 |
| 4. <i>Acraea</i> (s.str.) <i>horta</i> (Linnaeus,1764) (Acraeidae)                   | 39. <i>Brachmia</i> <i>verberata</i> Meyrick,1911 (Gelechiidae)                   | 72. <i>Chiasmia</i> <i>umbrata</i> (W.Warren,1897) (Geometridae)                    |
| 5. <i>Acraea</i> (s.str.) <i>natalica</i> Boisduval,1847 (Acraeidae)                 | 40. <i>Chrysoesthia</i> <i>stipelloides</i> (Janse,1950) (Gelechiidae)            | 73. <i>Chiasmia</i> <i>umbratilis</i> (Butler,1875) (Geometridae)                   |
| 6. <i>Ceromitia</i> <i>durbanica</i> (Janse,1945) (Adelidae)                         | 41. <i>Dichomeris</i> <i>externella</i> (Zeller,1852) (Gelechiidae)               | 74. <i>Chlorissa</i> <i>dorsicristata</i> (W.Warren,1905) (Geometridae)             |
| 7. <i>Amerila</i> <i>bauri</i> Möschler,1884 (Arctiidae)                             | 42. <i>Dicranucha</i> <i>serialis</i> (Meyrick,1908) (Gelechiidae)                | 75. <i>Chlorissa</i> <i>inornata</i> L.B.Prout,1930 (Geometridae)                   |
| 8. <i>Popoudina</i> <i>linea</i> (Walker,1855) (Arctiidae)                           | 43. <i>Dicranucha</i> <i>sterictis</i> (Meyrick,1908) (Gelechiidae)               | 76. <i>Chlorissa</i> <i>ruficristata</i> (L.B.Prout,1916) (Geometridae)             |
| 9. <i>Spilosoma</i> <i>leighi</i> (Rothschild,1910) (Arctiidae)                      | 44. <i>Hypatima</i> <i>albogrisea</i> (Walsingham,1881) (Gelechiidae)             | 77. <i>Chrysocraspeda</i> <i>leighata</i> W.Warren,1904 (Geometridae)               |
| 10. <i>Antanartia</i> <i>schaeneia</i> (Trimen,1879) (Argynniidae)                   | 45. <i>Lanceopenna</i> <i>prominula</i> (Meyrick,1913) (Geometridae)              | 78. <i>Chrysocraspeda</i> <i>nigribasalis</i> W.Warren,1909 (Geometridae)           |
| 11. <i>Eurytela</i> <i>hiarbas</i> (Drury,1782) (Argynniidae)                        | 46. <i>Zalithia</i> <i>octophora</i> (Meyrick,1918) (Gelechiidae)                 | 79. <i>Cleora</i> <i>betularia</i> (W.Warren,1897) (Geometridae)                    |
| 12. <i>Hypolimnas</i> <i>misippus</i> (Linnaeus,1764) (Argynniidae)                  | 47. <i>Allochrostes</i> <i>saliata</i> (R.Felder & Rogenhofer,1875) (Geometridae) | 80. <i>Coenina</i> <i>poecilaria</i> (Herrich-Schäffer,[1854]) (Geometridae)        |
| 13. <i>Hypolimnas</i> <i>misippus</i> <i>misippus</i> (Linnaeus,1764) (Argynniidae)  | 48. <i>Anacleora</i> <i>extremaria</i> (Walker,1860) (Geometridae)                | 81. <i>Colocleora</i> <i>divisaria</i> (Walker,1860) (Geometridae)                  |
| 14. <i>Precis</i> (Junonia) <i>natalica</i> (C.Felder & R.Felder,1860) (Argynniidae) | 49. <i>Anacleora</i> <i>pulverosa</i> (W.Warren,1904) (Geometridae)               | 82. <i>Comostolopsis</i> <i>germana</i> L.B.Prout,1916 (Geometridae)                |
| 15. <i>Precis</i> (Junonia) <i>orithya</i> (Linnaeus,1758) (Argynniidae)             | 50. <i>Aphilopota</i> <i>subalbata</i> (W.Warren,1905) (Geometridae)              | 83. <i>Comostolopsis</i> <i>stillata</i> (R.Felder & Rogenhofer,1875) (Geometridae) |
| 16. <i>Pseudacraea</i> <i>lucretia</i> (Cramer,[1775]) (Argynniidae)                 | 51. <i>Argyrographa</i> <i>moderata</i> (Walker,1862) (Geometridae)               | 84. <i>Conolophia</i> <i>conscitaria</i> (Walker,1861) (Geometridae)                |
| 17. <i>Salamis</i> <i>anacardii</i> (Linnaeus,1758) (Argynniidae)                    | 52. <i>Argyrographa</i> <i>trofonia</i> (Cramer,[1779]) (Geometridae)             | 85. <i>Dolosis</i> <i>illacerata</i> L.B.Prout,1912 (Geometridae)                   |
| 18. <i>Nigilgia</i> <i>pseliota</i> (Meyrick,1920) (Brachodidae)                     | 53. <i>Aspilatopsis</i> <i>admiranda</i> (W.Warren,1905) (Geometridae)            | 86. <i>Drepanogynis</i> <i>mixtaria</i> Guenée,[1858] (Geometridae)                 |
| 19. <i>Brenthia</i> <i>leucotoma</i> Meyrick,1918 (Choreutidae)                      | 54. <i>Bathycolpodes</i> <i>chloronesis</i> L.B.Prout,1930 (Geometridae)          | 87. <i>Ectropis</i> <i>spoliataria</i> (Walker,1860) (Geometridae)                  |
| 20. <i>Coleophora</i> <i>scaleuta</i> Meyrick,1911 (Coleophoridae)                   | 55. <i>Cartaletis</i> <i>libyssa</i> (Hopffer,1858) (Geometridae)                 | 88. <i>Epicosymbia</i> <i>dentisignata</i> (Walker,[1863]) (Geometridae)            |
| 21. <i>Ascalenia</i> <i>conformata</i> Meyrick,1921 (Cosmopterigidae)                | 56. <i>Celidomphax</i> <i>rubrimaculata</i> (W.Warren,1905) (Geometridae)         | 89. <i>Eulycia</i> <i>extorris</i> (W.Warren,1904) (Geometridae)                    |
| 22. <i>Eulophonotus</i> <i>myrmeleon</i> (R.Felder,1874) (Cossidae)                  | 57. <i>Chiasmia</i> (Godonela) <i>streniata</i> (Guenée,[1858]) (Geometridae)     | 90. <i>Eupagia</i> <i>determinata</i> Walker,1860 (Geometridae)                     |
| 23. <i>Amata</i> <i>kuhlweini</i> (Lefébvre,1831) (Ctenuchidae)                      | 58. <i>Chiasmia</i> <i>abnormata</i> (L.B.Prout,1917) (Geometridae)               | 91. <i>Heterorachis</i> <i>devocata</i> (Walker,1861) (Geometridae)                 |
| 24. <i>Epitoxis</i> <i>amazoula</i> (Boisduval,1847) (Ctenuchidae)                   | 59. <i>Chiasmia</i> <i>alternata</i> (W.Warren,1899) (Geometridae)                | 92. <i>Heterorachis</i> <i>disconotata</i> L.B.Prout,1916 (Geometridae)             |
| 25. <i>Euchromia</i> <i>amoena</i> (Möschler,1872) (Ctenuchidae)                     | 60. <i>Chiasmia</i> <i>amarata</i> (Guenée,[1858]) (Geometridae)                  | 93. <i>Heterorachis</i> <i>fuscoterminata</i> L.B.Prout,1915 (Geometridae)          |
| 26. <i>Euchromia</i> <i>formosa</i> (Guérin-Ménéville,1829) (Ctenuchidae)            | 61. <i>Chiasmia</i> <i>brongusaria</i> (Walker,1860) (Geometridae)                | 94. <i>Heterorachis</i> <i>platti</i> Janse,1935 (Geometridae)                      |
| 27. <i>Amauris</i> (Amaura) <i>echeria</i> (Stoll,[1790]) (Danaidae)                 | 62. <i>Chiasmia</i> <i>feraliata</i> (Guenée,[1858]) (Geometridae)                | 95. <i>Horisme</i> <i>filia</i> L.B.Prout,1913 (Geometridae)                        |
| 28. <i>Amauris</i> (Amaura) <i>ochlea</i> (Boisduval,1847) (Danaidae)                | 63. <i>Chiasmia</i> <i>infixaria</i> (Walker,[1863]) (Geometridae)                | 96. <i>Idaea</i> <i>lipara</i> (L.B.Prout,1917) (Geometridae)                       |
| 29. <i>Amauris</i> (Amauris) <i>niavius</i> (Linnaeus,1758) (Danaidae)               | 64. <i>Chiasmia</i> <i>inquinata</i> M.Krüger,1999 (Geometridae)                  | 97. <i>Lasiochlora</i> <i>bicolor</i> (Thierry-Mieg,1907) (Geometridae)             |
| 30. <i>Negera</i> <i>natalensis</i> (R.Felder,1874) (Drepanidae)                     | 65. <i>Chiasmia</i> <i>kirbyi</i> (Wallengren,1875) (Geometridae)                 | 98. <i>Lasiochlora</i> <i>diducta</i> (Walker,1861) (Geometridae)                   |
| 31. <i>Fulgoraacia</i> <i>fulvipuncta</i> (Distant,1913) (Epiropidae)                | 66. <i>Chiasmia</i> <i>multistrigata</i> (W.Warren,1897) (Geometridae)            | 99. <i>Lophorrhachia</i> <i>rubricorpus</i> (W.Warren,1898) (Geometridae)           |
| 32. <i>Compsoctena</i> <i>primella</i> Zeller,[1854] (Eriocottidae)                  | 67. <i>Chiasmia</i> <i>natalensis</i> (W.Warren,1904) (Geometridae)               | 100. <i>Menopra</i> <i>serrataria</i> (Walker,1860) (Geometridae)                   |
| 33. <i>Ethmia</i> <i>coscineutis</i> Meyrick,1911 (Ethmiidae)                        | 68. <i>Chiasmia</i> <i>rectistriaria</i> (Herrich-Schäffer,1854) (Geometridae)    | 101. <i>Metallochloa</i> <i>grisea</i> L.B.Prout,1915 (Geometridae)                 |
| 34. <i>Striphnopteryx</i> <i>edulis</i> (Boisduval,1847) (Eupterotidae)              |   | 102. <i>Micrologia</i> <i>dolosa</i> W.Warren,1897 (Geometridae)                    |
| 35. <i>Anacampsis</i> <i>cosmia</i> Meyrick,1921 (Gelechiidae)                       |   |   |

103. *Mixocera frustratoria* (Wallengren, 1863) (Geometridae)  
 104. *Mixocera viridans* L.B. Prout, 1912 (Geometridae)  
 105. *Nassinia caffraria* (Linnaeus, 1767) (Geometridae)  
 106. *Neromia impostura* L.B. Prout, 1915 (Geometridae)  
 107. *Ochroplutodes haturata* (Walker, 1860) (Geometridae)  
 108. *Omphacodes delicata* (W. Warren, 1905) (Geometridae)  
 109. *Omphalucha crenulata* (W. Warren, 1897) (Geometridae)  
 110. *Omphax bacoti* L.B. Prout, 1912 (Geometridae)  
 111. *Omphax plantaria* Guenée, [1858] (Geometridae)  
 112. *Omphax trilobata* Janse, 1935 (Geometridae)  
 113. *Palaeonyssia trisecta* (W. Warren, 1897) (Geometridae)  
 114. *Pareclipsis incerta* L.B. Prout, 1916 (Geometridae)  
 115. *Petovia marginata* (Walker, 1854) (Geometridae)  
 116. *Phaioграмма stibolepida* (Butler, 1879) (Geometridae)  
 117. *Piercia subterlimbata* (L.B. Prout, 1917) (Geometridae)  
 118. *Piercia vittata* Janse, 1933 (Geometridae)  
 119. *Pingasa rhadamaria* (Guenée, [1858]) (Geometridae)  
 120. *Pingasa ruginaria* (Guenée, [1858]) (Geometridae)  
 121. *Plateoplia acrobelia* (Wallengren, 1875) (Geometridae)  
 122. *Platypepla spurcata* (W. Warren, 1897) (Geometridae)  
 123. *Plegapteryx anomalus* Herrich-Schäffer, [1856] (Geometridae)  
 124. *Prasinocyma niveisticta* L.B. Prout, 1912 (Geometridae)  
 125. *Problepsis digammata* Kirby, 1896 (Geometridae)  
 126. *Pseudomaenas oncodogramma* L.B. Prout, 1917 (Geometridae)  
 127. *Rhadinomphax divincta* (Walker, 1861) (Geometridae)  
 128. *Rhodesia viridalbata* W. Warren, 1905 (Geometridae)  
 129. *Rhodometra satura* L.B. Prout, 1916 (Geometridae)  
 130. *Scopula fimbriolata* (W. Warren, 1902) (Geometridae)  
 131. *Scopula internata* (Guenée, [1858]) (Geometridae)  
 132. *Scopula opperta* L.B. Prout, 1920 (Geometridae)  
 133. *Scopula rossi* (L.B. Prout, 1913) (Geometridae)  
 134. *Scopula sublobata* (W. Warren, 1898) (Geometridae)  
 135. *Somatina figurata* W. Warren, 1897 (Geometridae)  
 136. *Thalassodes quadraria* Guenée, [1858] (Geometridae)  
 137. *Victoria fuscithorax* W. Warren, 1905 (Geometridae)  
 138. *Xanthorhoe exorista* L.B. Prout, 1922 (Geometridae)  
 139. *Zamarada deceptrix* W. Warren, 1914 (Geometridae)  
 140. *Zamarada differens* Bastelberger, 1907 (Geometridae)  
 141. *Zamarada erugata* D.S. Fletcher, 1974 (Geometridae)  
 142. *Zamarada metallicata* W. Warren, 1914 (Geometridae)  
 143. *Zamarada transvisaria* (Guenée, [1858]) (Geometridae)  
 144. *Zerenopsis lepida* (Walker, 1854) (Geometridae)  
 145. *Zeuctoboarmia cataimena* (L.B. Prout, 1915) (Geometridae)  
 146. *Glyphipteryx decachrysa* Meyrick, 1918 (Glyphipterygidae)  
 147. *Acrocercops combreticola* Vari, 1961 (Gracillariidae)  
 148. *Amblyptila cynanchi* Vari, 1961 (Gracillariidae)  
 149. *Caloptilia* (Sphyrophora) *sapina* Vari, 1961 (Gracillariidae)  
 150. *Caloptilia* (s.str.) *vibrans* (Meyrick, 1918) (Gracillariidae)  
 151. *Caloptilia* (s.str.) *vicinola* Vari, 1961 (Gracillariidae)  
 152. *Conopomorpha fustigera* (Meyrick, 1928) (Gracillariidae)  
 153. *Cuphodes melanostola* (Meyrick, 1918) (Gracillariidae)  
 154. *Dialectica carcharota* (Meyrick, 1912) (Gracillariidae)  
 155. *Lamprolectica apicistrigata* (Walsingham, 1891) (Gracillariidae)  
 156. *Macarostola flora* (Meyrick, 1926) (Gracillariidae)  
 157. *Polysoma lithochrysum* (Meyrick, 1930) (Gracillariidae)  
 158. *Schedocercops maeruae* Vari, 1961 (Gracillariidae)  
 159. *Semnocera procellaris* (Meyrick, 1914) (Gracillariidae)  
 160. *Stomphastis aphrocyma* (Meyrick, 1918) (Gracillariidae)  
 161. *Stomphastis conflua* (Meyrick, 1914) (Gracillariidae)  
 162. *Stomphastis thraustica* (Meyrick, 1908) (Gracillariidae)  
 163. *Acleros mackenii* (Trimen, 1868) (Hesperiidae)  
 164. *Coeliades forestan* (Stoll, [1782]) (Hesperiidae)  
 165. *Sarangesa seineri* Strand, 1909 (Hesperiidae)  
 166. *Eutricha capensis* (Linnaeus, 1767) (Lasiocampidae)  
 167. *Eutricha obscura* (Walker, 1855) (Lasiocampidae)  
 168. *Odontocheilopteryx* (s.str.) *myxa* Wallengren, 1860 (Lasiocampidae)  
 169. *Moronga missdebeerae* Zolotuhin & Prozolov, 2010 (Lasiocampidae)  
 170. *Braura ligniclusula* Walker, 1855 (Lasiocampidae)  
 171. *Cophomantella furnaria* (Meyrick, 1913) (Lecithoceridae)  
 172. *Dragmatucha bivia* Meyrick, 1908 (Lecithoceridae)  
 173. *Homaloxestis cholopis* (Meyrick, 1906) (Lecithoceridae)  
 174. *Idiopteryx obliquella* (Walsingham, 1881) (Lecithoceridae)  
 175. *Odites* (s.str.) *citrantia* Meyrick, 1908 (Lecithoceridae)  
 176. *Odites* (s.str.) *nubeculosa* Meyrick, 1918 (Lecithoceridae)  
 177. *Libythea* (Jera) *labdaca* Westwood & Hewitson, 1851 (Libytheidae)  
 178. *Caffricola vicina* Alberti, 1954 (Limacodidae)  
 179. *Gavara velutina* Walker, [1858] (Limacodidae)  
 180. *Latoia johannes* (Distant, 1898) (Limacodidae)  
 181. *Micraphe lateritia* Karsch, 1896 (Limacodidae)  
 182. *Omocnoides isophanes* Janse, 1964 (Limacodidae)  
 183. *Anthene princeps* (Butler, 1876) (Lycaenidae)  
 184. *Aslauga australis* Cottrell, 1981 (Lycaenidae)  
 185. *Deloneura millari* Trimen, 1906 (Lycaenidae)  
 186. *Durbania amakosa* Trimen, 1862 (Lycaenidae)  
 187. *Euchrysops barkeri* (Trimen, 1893) (Lycaenidae)  
 188. *Iolais* (Epamera) *aemulus* Trimen, 1895 (Lycaenidae)  
 189. *Lepidochrysops patricia* (Trimen, 1887) (Lycaenidae)  
 190. *Lepidochrysops tantalus* (Trimen & Bowker, 1887) (Lycaenidae)  
 191. *Zizina antanossa* (Mabille, 1877) (Lycaenidae)  
 192. *Cimola opalina* Walker, 1855 (Lymantriidae)  
 193. *Creagra liturata* (Guérin-Ménéville, [1844]) (Lymantriidae)  
 194. *Cropera sericea* (Hampson, 1910) (Lymantriidae)  
 195. *Cropera testacea* Walker, 1855 (Lymantriidae)  
 196. *Eudasychira georgiana* (Fawcett, 1900) (Lymantriidae)  
 197. *Eudasychira proleprota* (Hampson, 1905) (Lymantriidae)  
 198. *Euproctis aethiopica* Snellen, 1872 (Lymantriidae)  
 199. *Euproctis crocata* (Boisduval, 1847) (Lymantriidae)  
 200. *Euproctis pallida* (Kirby, 1896) (Lymantriidae)  
 201. *Euproctis punctifera* (Walker, 1855) (Lymantriidae)  
 202. *Euproctis rufopunctata* (Walker, 1862) (Lymantriidae)  
 203. *Gynaephora difficilis* Walker, 1865 (Lymantriidae)  
 204. *Gynaephora discalis* Walker, 1855 (Lymantriidae)  
 205. *Homochira rendalli* (Distant, 1897) (Lymantriidae)  
 206. *Knappetra fasciata* (Walker, 1855) (Lymantriidae)  
 207. *Lacipa pulvereana* Distant, 1898 (Lymantriidae)  
 208. *Lacipa sarcistis* Hampson, 1905 (Lymantriidae)  
 209. *Laelia batoides* (Plötz, 1880) (Lymantriidae)  
 210. *Laelia clarki* Janse, 1915 (Lymantriidae)  
 211. *Laelia curvifigata* (Karsch, 1895) (Lymantriidae)  
 212. *Laelia diascia* Hampson, 1905 (Lymantriidae)  
 213. *Laelia extorta* (Distant, 1897) (Lymantriidae)  
 214. *Laelia figlina* Distant, 1899 (Lymantriidae)  
 215. *Laelia lunensis* (Hampson, 1905) (Lymantriidae)  
 216. *Laelia municipalis* (Distant, 1897) (Lymantriidae)  
 217. *Laelia octophora* (Hampson, 1905) (Lymantriidae)  
 218. *Laelia punctulata* (Butler, 1875) (Lymantriidae)  
 219. *Laelia pyrosoma* (Hampson, 1910) (Lymantriidae)  
 220. *Laelia robusta* Janse, 1915 (Lymantriidae)  
 221. *Laelia rocana* (Swinhoe, 1906) (Lymantriidae)  
 222. *Laelia subrosea* (Walker, 1855) (Lymantriidae)  
 223. *Lepidopalpus hyalina* Janse, 1915 (Lymantriidae)  
 224. *Marblepsis melanocraspis* (Hampson, 1905) (Lymantriidae)  
 225. *Micraora rufescens* Hampson, 1905 (Lymantriidae)  
 226. *Morasa modesta* Walker, 1855 (Lymantriidae)  
 227. *Naroma varipes* (Walker, 1865) (Lymantriidae)  
 228. *Ogoa simplex* Walker, 1856 (Lymantriidae)  
 229. *Palaea albimacula* Wallengren, 1863 (Lymantriidae)  
 230. *Pteredoa monosticta* (Butler, 1898) (Lymantriidae)  
 231. *Rhyptopteryx rhodalipha* (R. Felder & Rogenhofer, 1874) (Lymantriidae)  
 232. *Leucoptera autograptia* Meyrick, 1918 (Lyoniidae)  
 233. *Lebedodes wichgrafi* (Grünberg, 1910) (Metarbelidae)  
 234. *"Hadena" ruptilinea* (Walker, 1857) (Noctuidae)  
 235. *"Perigea" grandirena* (Hampson, 1902) (Noctuidae)  
 236. *"Plusia" angulum* Guenée, 1852 (Noctuidae)  
 237. *Abrostola brevipennis* (Walker, 1858) (Noctuidae)  
 238. *Abrostola triopis* (Hampson, 1902) (Noctuidae)  
 239. *Achaea echo* (Walker, 1858) (Noctuidae)  
 240. *Achaea faber* Holland, 1894 (Noctuidae)  
 241. *Achaea illustrata* Walker, 1858 (Noctuidae)  
 242. *Achaea indeterminata* (Walker, 1865) (Noctuidae)  
 243. *Achaea lienardi* (Boisduval, 1833) (Noctuidae)  
 244. *Achaea mormoides* Walker, 1858 (Noctuidae)

245. *Acontia* (s.str.) *caffraria* (Cramer,1777) (Noctuidae)  
246. *Acontia* (Emmelia) *nubilata* (Hampson,1902) (Noctuidae)  
247. *Acontia* (s.str.) *wahlbergi* Wallengren,1856 (Noctuidae)  
248. *Acropia* *semiviridis* Hampson,1902 (Noctuidae)  
249. *Aegocera* *fervida* Walker,1854 (Noctuidae)  
250. *Agoma* *trimenii* (R.Felder & Rogenhofer,1874) (Noctuidae)  
251. *Agrapha* *fracta* (Walker,1857) (Noctuidae)  
252. *Agrapha* *phoece* (Hampson,1910) (Noctuidae)  
253. *Amazonides* *atrisigna* (Hampson,1911) (Noctuidae)  
254. *Amyna* *axis* Guenée,1852 (Noctuidae)  
255. *Amyna* *punctum* (Fabricius,1794) (Noctuidae)  
256. *Anoba* *angulilinea* (Holland,1894) (Noctuidae)  
257. *Anoba* *atriplaga* (Walker,1858) (Noctuidae)  
258. *Anticarsia* *irrorata* (Fabricius,1781) (Noctuidae)  
259. *Argyrogramma* *signata* (Fabricius,1775) (Noctuidae)  
260. *Ariathisa* *abyssinia* (Guenée,1852) (Noctuidae)  
261. *Athetis* *melanomma* Hampson,1920 (Noctuidae)  
262. *Athetis* *melanosticta* Hampson,1891 (Noctuidae)  
263. *Athetis* *micra* (Hampson,1902) (Noctuidae)  
264. *Athetis* *ocellata* (Janse,1938) (Noctuidae)  
265. *Athetis* *satellitita* (Hampson,1902) (Noctuidae)  
266. *Athetis* *sminta* (Hampson,1902) (Noctuidae)  
267. *Audea* *bipunctata* Walker,[1858] (Noctuidae)  
268. *Bamra* *marmorifera* (Walker,1858) (Noctuidae)  
269. *Bareia* *incidens* Walker,1858 (Noctuidae)  
270. *Beriohansa* *hansali* (R.Felder & Rogenhofer,1874) (Noctuidae)  
271. *Brephos* *decora* (Linnaeus,1764) (Noctuidae)  
272. *Brephos* *festiva* (Jordan,1913) (Noctuidae)  
273. *Brithys* *crini* (Fabricius,1775) (Noctuidae)  
274. *Brithysana* *speyeri* (R.Felder & Rogenhofer,1874) (Noctuidae)  
275. *Calesia* *othello* (Fawcett,1916) (Noctuidae)  
276. *Callixena* *versicolora* Saalmüller,1891 (Noctuidae)  
277. *Catephia* *squamosa* (Wallengren,1856) (Noctuidae)  
278. *Catephia* *striata* Hampson,1902 (Noctuidae)  
279. *Catephia* *virescens* Hampson,1902 (Noctuidae)  
280. *Cerocala* *contraria* (Walker,1865) (Noctuidae)  
281. *Cetola* *radiata* Hampson,1909 (Noctuidae)  
282. *Chasmina* *tibialis* (Fabricius,1775) (Noctuidae)  
283. *Chrysodeixis* *chalcites* (Esper,[1789]) (Noctuidae)  
284. *Conservula* *clarki* Janse,1937 (Noctuidae)  
285. *Craniophora* *paragrapta* (R.Felder & Rogenhofer,1874) (Noctuidae)  
286. *Cryptothripa* *polythymnia* (Hampson,1902) (Noctuidae)  
287. *Cucullia* (s.str.) *chrysota* Hampson,1902 (Noctuidae)  
288. *Cucullia* (s.str.) *terensis* R.Felder & Rogenhofer,1874 (Noctuidae)  
289. *Ecpatia* *dulcistriga* (Walker,1858) (Noctuidae)  
290. *Egira* *natalensis* (Butler,1875) (Noctuidae)  
291. *Entomogramma* *pardus* Guenée,1852 (Noctuidae)  
292. *Erebus* *macrops* (Linnaeus,1768) (Noctuidae)  
293. *Eudocima* *divitiosa* (Walker,1869) (Noctuidae)  
294. *Eudocima* *materna* (Linnaeus,1767) (Noctuidae)  
295. *Euplexia* *augens* R.Felder & Rogenhofer,1874 (Noctuidae)  
296. *Eutelia* *catephoides* (Guenée,1852) (Noctuidae)  
297. *Eutelia* *leighi* Hampson,1905 (Noctuidae)  
298. *Eutelia* *rivata* Hampson,1902 (Noctuidae)  
299. *Exophyla* *molybdea* Hampson,1926 (Noctuidae)  
300. *Exophyla* *multistriata* Hampson,1910 (Noctuidae)  
301. *Exophyla* *platti* Hampson,1902 (Noctuidae)  
302. *Exophyla* *poliotis* (Hampson,1902) (Noctuidae)  
303. *Facidia* *vacillans* (Walker,1858) (Noctuidae)  
304. *Feliniopsis* (*africana*-gr.) *africana* (Schaus & Clements,1893) (Noctuidae)  
305. *Feliniopsis* (*africana*-gr.) *breviuscula* (Walker,1858) (Noctuidae)  
306. *Feliniopsis* (*consummata*-gr.) *consummata* (Walker,1857) (Noctuidae)  
307. *Goniocalpe* *sericealis* (Hampson,1902) (Noctuidae)  
308. *Grammodes* *congenita* Walker,1858 (Noctuidae)  
309. *Helicoverpa* *armigera* (Hübner,[1808]) (Noctuidae)  
310. *Helicoverpa* *armigera* *armigera* (Hübner,[1808]) (Noctuidae)  
311. *Heliocheilus* *stigmatia* (Hampson,1903) (Noctuidae)  
312. *Heliophisma* *klugii* (Boisduval,1833) (Noctuidae)  
313. *Heliolithis* *scutuligera* Guenée,1852 (Noctuidae)  
314. *Heraclia* *africana* (Butler,1875) (Noctuidae)  
315. *Heraclia* *durbania* (Stoneham,1964) (Noctuidae)  
316. *Heraclia* *superba* (Butler,1875) (Noctuidae)  
317. *Hespagarista* *echione* (Boisduval,1847) (Noctuidae)  
318. *Acontia* (s.str.) *bohemani* Wallengren,1856 (sp.rev.) (Noctuidae)  
319. *Hypena* (*Jussalypena*) *abyssinialis* Guenée,1854 (Noctuidae)  
320. *Hypena* (*Jussalypena*) *holophaea* Hampson,1902 (Noctuidae)  
321. *Hypena* (*Jussalypena*) *laceratalis* Walker,[1859] (Noctuidae)  
322. *Hypena* (*Ophiuche*) *lividialis* (Hübner,1796) (Noctuidae)  
323. *Hypena* (*Ophiuche*) *neoplyta* A.E.Prout,1925 (Noctuidae)  
324. *Hypena* (*Pseudodichromia*) *laetalis* Walker,[1859] (Noctuidae)  
325. *Hypena* (*Trichypena*) *fuscularis* Saalmüller,1891 (Noctuidae)  
326. *Hypena* (s.str.) *polycyma* Hampson,1902 (Noctuidae)  
327. *Hypena* (s.str.) *varialis* Walker,[1866] (Noctuidae)  
328. *Hypocala* *rostrata* (Fabricius,1794) (Noctuidae)  
329. *Hypoplexia* *alga* (R.Felder & Rogenhofer,1874) (Noctuidae)  
330. *Hypoplexia* *conjuncta* Hampson,1908 (Noctuidae)  
331. *Iambia* *inferalis* Walker,1863 (Noctuidae)  
332. *Iambia* *melanochlora* (Hampson,1902) (Noctuidae)  
333. *Leucania* *atrimacula* Hampson,1902 (Noctuidae)  
334. *Leucania* *loreyi* (Duponchel,1827) (Noctuidae)  
335. *Leucania* *phaea* Hampson,1902 (Noctuidae)  
336. *Leucotrachea* *melanodonta* (Hampson,1908) (Noctuidae)  
337. *Leucotrachea* *melanoleuca* (Hampson,1902) (Noctuidae)  
338. *Lophoptera* *litigiosa* (Boisduval,1833) (Noctuidae)  
339. *Maurilia* *arcuata* (Walker,[1858]) (Noctuidae)  
340. *Maxera* *zygia* (Wallengren,1863) (Noctuidae)  
341. *Meliaba* *pelopsalis* Walker,[1859] (Noctuidae)  
342. *Mentaxya* *fletcheri* (Berio,1955) (Noctuidae)  
343. *Miniodes* *discolor* Guenée,1852 (Noctuidae)  
344. *Mocis* *conveniensi* (Walker,1858) (Noctuidae)  
345. *Mocis* *frugalis* (Fabricius,1775) (Noctuidae)  
346. *Mocis* *undata* (Fabricius,1775) (Noctuidae)  
347. *Mythimna* (*Aletia*) *consanguis* (Guenée,1852) (Noctuidae)  
348. *Nagia* *melipotica* Hampson,1926 (Noctuidae)  
349. *Nola* *sarniensis* (Van Son,1933) (Noctuidae)  
350. *Nyodes* *acatharta* (Hampson,1913) (Noctuidae)  
351. *Oligia* *ambigua* (Walker,1858) (Noctuidae)  
352. *Omphalestra* *mesoglaucia* (Hampson,1902) (Noctuidae)  
353. *Ophiusa* *violascens* Hampson,1902 (Noctuidae)  
354. *Ovios* *capensis* (Herrich-Schäffer,[1854]) (Noctuidae)  
355. *Paida* *pulchra* (Trimen,1863) (Noctuidae)  
356. *Parallelia* *algira* (Linnaeus,1767) (Noctuidae)  
357. *Parallelula* *palumbiodes* (Hampson,1902) (Noctuidae)  
358. *Paraxestis* *rufescens* Hampson,1902 (Noctuidae)  
359. *Pardasena* *atripuncta* Hampson,1912 (Noctuidae)  
360. *Pardasena* *punctata* Hampson,1902 (Noctuidae)  
361. *Pareuplexia* *prolifera* (Walker,1856) (Noctuidae)  
362. *Pericyma* *mendax* (Walker,[1858]) (Noctuidae)  
363. *Phalerodes* *cauta* (Hampson,1902) (Noctuidae)  
364. *Plecopterodes* *melliflua* (Holland,1897) (Noctuidae)  
365. *Plusiodonta* *wahlbergi* (R.Felder & Rogenhofer,1874) (Noctuidae)  
366. *Plusiophaes* *bipuncta* (Hampson,1902) (Noctuidae)  
367. *Poecilnola* *littoralis* Van Son,1933 (Noctuidae)  
368. *Rhanidophora* *aurantiaca* Hampson,1902 (Noctuidae)  
369. *Sciomesa* *mesoscia* (Hampson,1918) (Noctuidae)  
370. *Spodoptera* *exiguum* (Hübner,[1808]) (Noctuidae)  
371. *Tatorinia* *fumipennis* (R.Felder & Rogenhofer,1874) (Noctuidae)  
372. *Tavia* *nycterina* (Boisduval,1833) (Noctuidae)  
373. *Thysanoplusia* (s.str.) *orichalcea* (Fabricius,1775) (Noctuidae)  
374. *Tracheplexia* *albimaculata* Janse,1937 (Noctuidae)  
375. *Tracheplexia* *amaranta* (R.Felder & Rogenhofer,1874) (Noctuidae)  
376. *Trichoplusia* *tetrastigma* (Hampson,1910) (Noctuidae)  
377. *Tycomarptes* *inferior* (Guenée,1852) (Noctuidae)  
378. *Ugia* *amaponda* (R.Felder & Rogenhofer,1874) (Noctuidae)  
379. *Vietteania* *torrentium* (Guenée,1852) (Noctuidae)  
380. *Idioglossa* *bigemma* Walsingham,1881 (Oecophoridae)  
381. *Princeps* (s.str. (*phorcas*-gr)) *dardanus* (Brown,1776) (Papilionidae)  
382. *Belenois* *creona* (Cramer,[1776]) (Pieridae)  
383. *Belenois* *gidica* (Godart,[1819]) (Pieridae)  
384. *Belenois* *thysa* (Hopffer,1855) (Pieridae)  
385. *Colotis* (s.str.) *antevippe* (Boisduval,1836) (Pieridae)  
386. *Colotis* (s.str.) *erone* (Angas,1849) (Pieridae)  
387. *Eronia* *cleodora* Hübner,[1823] (Pieridae)  
388. *Eronia* *leda* (Boisduval,1847) (Pieridae)  
389. *Mylothris* *trimenia* (Butler,1869) (Pieridae)  
390. *Prodidactis* *mystica* (Meyrick,1918) (Prodidactidae)  
391. *Adaina* *gentilis* Meyrick,1911 (Pterophoridae)  
392. *Agdistis* *malitiosa* Meyrick,1909 (Pterophoridae)  
393. *Amblyptilia* *direptalis* (Walker,1864) (Pterophoridae)  
394. *Exelastis* *vuattouxi* Bigot,1970 (Pterophoridae)  
395. *Exelastis* *crepuscularis* (Meyrick,1909) (Pterophoridae)  
396. *Gypochores* *londti* Ustjuzhanin & Kovtunovich,2010 (Pterophoridae)



- |  |  |  |
|--|--|--|
| 397. <i>Hellinsia acuminata</i> (Meyrick,1920)<br>(Pterophoridae)                    | 417. <i>Buckeria negotiosus</i> (Meyrick,1926)<br>(Pterophoridae)                            | 441. <i>Cephonodes hylas</i> (Linnaeus,1771)<br>(Sphingidae)                           |
| 398. <i>Hellinsia illuta</i> (Meyrick,1917)<br>(Pterophoridae)                       | 418. <i>Bahiria durbanica</i> Balinsky,1994 (Pyralidae)                                      | 442. <i>Daphnis nerii</i> (Linnaeus,1758) (Sphingidae)                                 |
| 399. <i>Picardia orchatias</i> (Meyrick,1908)<br>(Pterophoridae)                     | 419. <i>Bostra xanthorhodalus</i> Hampson,1906<br>(Pyralidae)                                | 443. <i>Hippotion celerio</i> (Linnaeus,1758)<br>(Sphingidae)                          |
| 400. <i>Hellinsia tripunctatus</i> (Walsingham,1881)<br>(Pterophoridae)              | 420. <i>Culladia achroella</i> (Mabille,1899)<br>(Pyralidae)                                 | 444. <i>Hippotion eson</i> (Cramer,1779) (Sphingidae)                                  |
| 401. <i>Hellinsia sphenites</i> (Meyrick,1913)<br>(Pterophoridae)                    | 421. <i>Ematheudes paleatellus</i> Ragonot,1888<br>(Pyralidae)                               | 445. <i>Nephele comma</i> Hopffer,1857 (Sphingidae)                                    |
| 402. <i>Hellinsia madecasseus</i> (Bigot,1964)<br>(Pterophoridae)                    | 422. <i>Euchromius ocellus</i> (Haworth,[1811])<br>(Pyralidae)                               | 446. <i>Odontosida pusilla</i> (Felder,[1874])<br>(Sphingidae)                         |
| 403. <i>Exelastis pumilio</i> (Zeller,1873)<br>(Pterophoridae)                       | 423. <i>Euclasta</i> (s.str.) <i>varii</i> Popescu-Gorj &<br>Constantinescu,1973 (Pyralidae) | 447. <i>Polyptychoides grayii</i> (Walker,1856)<br>(Sphingidae)                        |
| 404. <i>Lantanophaga pusillidactyla</i> (Walker,1864)<br>(Pterophoridae)             | 424. <i>Ostrinia erythralis</i> (Hampson,1913)<br>(Pyralidae)                                | 448. <i>Pseudoclanis postica</i> (Walker,1856)<br>(Sphingidae)                         |
| 405. <i>Titanoptilus stenodactylus</i><br>(T.B.Fletcher,1911) (Pterophoridae)        | 425. <i>Bunaea alcinoe</i> (Stoll,1780) (Saturniidae)  | 449. <i>Temnora murina</i> (Walker,1856)<br>(Sphingidae)                               |
| 406. <i>Megalorhipida tessmanni</i> (Strand,1912)<br>(Pterophoridae)                 | 426. <i>Imbrasia</i> (Gonimbrasia) <i>belina</i><br>(Westwood,1849) (Saturniidae)            | 450. <i>Temnora pylas</i> (Cramer,1779) (Sphingidae)                                   |
| 407. <i>Platyptilia farfarella</i> Zeller,1867<br>(Pterophoridae)                    | 427. <i>Imbrasia</i> (Gonimbrasia) <i>wahlbergii</i><br>(Boisduval,1847) (Saturniidae)       | 451. <i>Automolis rubra</i> (Walker,1856) (Thyretidae)                                 |
| 408. <i>Gypsochares astragalotes</i> (Meyrick,1890)<br>(Pterophoridae)               | 428. <i>Pseudobunaea tyrrhena</i> (Westwood,1849)<br>(Saturniidae)                           | 452. <i>Dysodia subsignata</i> W.Warren,1908<br>(Thyridae)                             |
| 409. <i>Pterophorus albidus</i> (Zeller,1852)<br>(Pterophoridae)                     | 429. <i>Melanitis leda</i> (Linnaeus,1758) (Satyridae)                                       | 453. <i>Rhodoneura discata</i> (W.Warren,1905)<br>(Thyridae)                           |
| 410. <i>Pterophorus rhyparias</i> (Meyrick,1908)<br>(Pterophoridae)                  | 430. <i>Neita durbanii</i> (Trimen,1887) (Satyridae)   | 454. <i>Cryptophlebia leucotreta</i> (Meyrick,1913)<br>(Tortricidae)                   |
| 411. <i>Sphenarches caffer</i> (Zeller,1852)<br>(Pterophoridae)                      | 431. <i>Paralethe dendrophilus</i> (Trimen,1862)<br>(Satyridae)                              | 455. <i>Cydia euclera</i> (Meyrick,1921) (Tortricidae)                                 |
| 412. <i>Stangeia xerodes</i> (Meyrick,1886)<br>(Pterophoridae)                       | 432. <i>Scythris dimensa</i> Meyrick,1920 (Scythridae)                                       | 456. <i>Eccopsis wahlbergiana</i> Zeller,1852<br>(Tortricidae)                         |
| 413. <i>Platyptilia longalis</i> (Walker,1864)<br>(Pterophoridae)                    | 433. <i>Alonina difformis</i> Hampson,1919 (Sesiidae)  | 457. <i>Eucosma lochmaea</i> Meyrick,1920<br>(Tortricidae)                             |
| 414. <i>Stenoptilia zophodactyla</i> (Duponchel,1838)<br>(Pterophoridae)             | 434. <i>Chamanthodon chalypsa</i> Hampson,1919<br>(Sesiidae)                                 | 458. <i>Eugnosta xanthochroma</i> Razowski,1993<br>(Tortricidae)                       |
| 415. <i>Stenoptilodes taprobanes</i> (R.Felder &<br>Rogenhofer,1875) (Pterophoridae) | 435. <i>Paranthrene mesothyris</i> Hampson,1919<br>(Sesiidae)                                | 459. <i>Lobesia</i> (Polychrosis) <i>stenaspis</i><br>(Meyrick,1921) (Tortricidae)     |
| 416. <i>Trichoptilus festus</i> Meyrick,1920<br>(Pterophoridae)                      | 436. <i>Grypopalpia iridescens</i> Hampson,1919<br>(Sesiidae)                                | 460. <i>Metamesia elegans</i> (Walsingham,1881)<br>(Tortricidae)                       |
|  | 437. <i>Camaegeria sophax</i> (Druce,1899) (Sesiidae)  | 461. <i>Olethreutes</i> (Argyroploce) <i>arsiptera</i><br>(Meyrick,1921) (Tortricidae) |
|  | 438. <i>Acherontia atropos</i> (Linnaeus,1758)<br>(Sphingidae)                               | 462. <i>Spilonota sinuosa</i> Meyrick,1917<br>(Tortricidae)                            |
|  | 439. <i>Acherontia atropos atropos</i> (Linnaeus,1758)<br>(Sphingidae)                       | 463. <i>Malambria durbanica</i> Jordan,1907<br>(Zygaenidae)                            |
|  | 440. <i>Basiothia medea</i> (Fabricius,1781)<br>(Sphingidae)                                 |  |

## Weenen (Wnn) [South Africa]

- |   |  |   |
|---|--|---|
| 1. <i>Acantharctia vittata</i> Aurivillius,1900<br>(Arctiidae)                  | 20. <i>Aspilatopsis punctata</i> W.Warren,1897<br>(Geometridae)    | 38. <i>Menophra caeca</i> (L.B.Prout,1913)<br>(Geometridae)           |
| 2. <i>Popoudina linea</i> (Walker,1855) (Arctiidae)                             | 21. <i>Barrama impunctata</i> W.Warren,1897<br>(Geometridae)       | 39. <i>Microloxia ruficornis</i> W.Warren,1897<br>(Geometridae)       |
| 3. <i>Leucaloe eugraphica</i> (Walker,[1865])<br>(Arctiidae)                    | 22. <i>Cabera strigata</i> W.Warren,1897<br>(Geometridae)          | 40. <i>Mixocera albistrigata</i> (Pagenstecher,1893)<br>(Geometridae) |
| 4. <i>Spilosoma butti</i> (Rothschild,1910)<br>(Arctiidae)                      | 23. <i>Chiasmia duplicilinea</i> (W.Warren,1897)<br>(Geometridae)  | 41. <i>Ozola pulverulenta</i> W.Warren,1897<br>(Geometridae)          |
| 5. <i>Spilosoma chioneum</i> (Hampson,1900)<br>(Arctiidae)                      | 24. <i>Chiasmia furcata</i> (W.Warren,1897)<br>(Geometridae)       | 42. <i>Plateoplia acrobela</i> (Wallengren,1875)<br>(Geometridae)     |
| 6. <i>Spilosoma dissimilis</i> Distant,1897<br>(Arctiidae)                      | 25. <i>Chiasmia inconspicua</i> (W.Warren,1897)<br>(Geometridae)   | 43. <i>Platypepla persubtilis</i> M.Krüger,2001<br>(Geometridae)      |
| 7. <i>Logunovium scortillum</i> (Wallengren,1875)<br>(Arctiidae)                | 26. <i>Chiasmia interrupta</i> (W.Warren,1897)<br>(Geometridae)    | 44. <i>Platypepla spurcata</i> (W.Warren,1897)<br>(Geometridae)       |
| 8. <i>Charaxes jahluca</i> (Trimen,1862)<br>(Argynnididae)                      | 27. <i>Chiasmia marmorata</i> (W.Warren,1897)<br>(Geometridae)     | 45. <i>Polystroma subspissata</i> W.Warren,1897<br>(Geometridae)      |
| 9. <i>Precis</i> (Junonia) <i>oenone</i> (Linnaeus,1758)<br>(Argynnididae)      | 28. <i>Chlorissa malescripta</i> (W.Warren,1897)<br>(Geometridae)  | 46. <i>Prasinocyma unipuncta</i> W.Warren,1897<br>(Geometridae)       |
| 10. <i>Precis</i> (s.str.) <i>archesia</i> (Cramer,[1779])<br>(Argynnididae)    | 29. <i>Chlorissa unilinea</i> (W.Warren,1897)<br>(Geometridae)     | 47. <i>Pseudomaenas tricolor</i> (W.Warren,1897)<br>(Geometridae)     |
| 11. <i>Procometis</i> (Hyostola) <i>acharma</i><br>Meyrick,1908 (Autostichidae) | 30. <i>Eulycia subpunctata</i> (W.Warren,1897)<br>(Geometridae)    | 48. <i>Scopula deserta</i> (W.Warren,1897)<br>(Geometridae)           |
| 12. <i>Procometis</i> (Hyostola) <i>oxypora</i><br>Meyrick,1908 (Autostichidae) | 31. <i>Eupithecia sagittata</i> (W.Warren,1897)<br>(Geometridae)   | 49. <i>Scopula dissonans</i> (W.Warren,1897)<br>(Geometridae)         |
| 13. <i>Athrips ochrocosma</i> (Meyrick,1911)<br>(Gelechiidae)                   | 32. <i>Idaea nigrostricta</i> (W.Warren,1897)<br>(Geometridae)     | 50. <i>Scopula obliquiscripta</i> (W.Warren,1897)<br>(Geometridae)    |
| 14. <i>Dichomeris introspectans</i> Meyrick,1926<br>(Gelechiidae)               | 33. <i>Idaea squamulata</i> (W.Warren,1900)<br>(Geometridae)       | 51. <i>Scopula picta</i> (W.Warren,1897)<br>(Geometridae)             |
| 15. <i>Gelechia arotrias</i> Meyrick,1908<br>(Gelechiidae)                      | 34. <i>Idiochlora approximans</i> (W.Warren,1897)<br>(Geometridae) | 52. <i>Scopula punctilineata</i> (W.Warren,1897)<br>(Geometridae)     |
| 16. <i>Gelechia cretulata</i> Meyrick,1927<br>(Gelechiidae)                     | 35. <i>Isoplenia trisinuata</i> W.Warren,1897<br>(Geometridae)     | 53. <i>Scopula rufisalsa</i> (W.Warren,1897)<br>(Geometridae)         |
| 17. <i>Gelechia galatea</i> Meyrick,1926 (Gelechiidae)                          | 36. <i>Isturgia geminata</i> (Walker,1861)<br>(Geometridae)        | 54. <i>Scopula sanguisecta</i> (W.Warren,1897)<br>(Geometridae)       |
| 18. <i>Hypatima binummulata</i> (Meyrick,1929)<br>(Gelechiidae)                 | 37. <i>Lomographa aridata</i> (W.Warren,1897)<br>(Geometridae)     | 55. <i>Somatina figurata</i> W.Warren,1897<br>(Geometridae)           |
| 19. <i>Polyhymno pleuracma</i> Meyrick,1926<br>(Gelechiidae)                    |  |   |

- |  |  |  |
|--|--|--|
| 56. <i>Traminda ocellata</i> (Geometridae) W.Warren,1895               | 74. <i>Zizula hylax hylax</i> (Lycaenidae) (Fabricius,1775)            | 94. <i>Agdistis malitiosa</i> (Pterophoridae) Meyrick,1909             |
| 57. <i>Zamarada ilma</i> (Geometridae) L.B.Prout,1922                  | 75. <i>Stigmella galactacma</i> (Nepticulidae) (Meyrick,1924)          | 95. <i>Cosmoclostis brachybela</i> (Pterophoridae) T.B.Fletcher,1947   |
| 58. <i>Zamarada pulverosa</i> (Geometridae) W.Warren,1895              | 76. <i>Cuneisigna rivulata</i> (Noctuidae) (Hampson,1902)              | 96. <i>Hellinsia adumbrata</i> (Pterophoridae) (Walsingham,1881)       |
| 59. <i>Caffricola kenyensis</i> (Limaecodidae) Talbot,1932             | 77. <i>Acontia (Emmelia) transfigurata</i> (Noctuidae) Wallengren,1856 | 97. <i>Marasmarcha bonaespei</i> (Pterophoridae) (Walsingham,1881)     |
| 60. <i>Anthene amarah</i> (Lycaenidae) (Guérin-Méneville,1849)         | 78. <i>Leucania apparata</i> (Noctuidae) Wallengren,1875               | 98. <i>Megalorhipida leucodactyla</i> (Pterophoridae) (Fabricius,1794) |
| 61. <i>Anthene liodes</i> (Lycaenidae) (Hewitson,1874)                 | 79. <i>Leucania tacuna</i> (Noctuidae) R.Felder & Rogenhofer,1874      | 99. <i>Marasmarcha corniculata</i> (Pterophoridae) (Meyrick,1913)      |
| 62. <i>Anthene millari</i> (Trimen,1893) (Lycaenidae)                  | 80. <i>Leucania usta</i> (Noctuidae) Hampson,1902                      | 100. <i>Pterophorus candidalis</i> (Pterophoridae) (Walker,1864)       |
| 63. <i>Azanus (s.str.) jesous</i> (Lycaenidae) (Guérin-Méneville,1849) | 81. <i>Micragrotis interstriata</i> (Noctuidae) (Hampson,1902)         | 101. <i>Bostra tripartita</i> (Pyralidae) W.Warren,1897                |
| 64. <i>Azanus (s.str.) moriqua</i> (Lycaenidae) (Wallengren,1857)      | 82. <i>Ozarba punctithorax</i> (Noctuidae) Berio,1940                  | 102. <i>Ematheudes toxalis</i> (Pyralidae) J.C.Shaffer,1998            |
| 65. <i>Cigaritis phanes</i> (Lycaenidae) (Trimen,1873)                 | 83. <i>Coesyra balantias</i> (Oecophoridae) Meyrick,1908               | 103. <i>Euchromius klimeschi</i> (Pyralidae) Bleszynski,1961           |
| 66. <i>Crudaria leroma</i> (Lycaenidae) (Wallengren,1857)              | 84. <i>Belenois aurota</i> (Pieridae) (Fabricius,1793)                 | 104. <i>Euchromius ocellus</i> (Pyralidae) (Haworth,[1811])            |
| 67. <i>Iolaus (Aphniolaus) pallene</i> (Lycaenidae) (Wallengren,1857)  | 85. <i>Belenois creona</i> (Pieridae) (Cramer,[1776])                  | 105. <i>Euclasta (Proteuclasta) warreni</i> (Pyralidae) Distant,1892   |
| 68. <i>Lepidochrysops patricia</i> (Lycaenidae) (Trimen,1887)          | 86. <i>Belenois gidica</i> (Pieridae) (Godart,[1819])                  | 106. <i>Lamoria exigua</i> (Pyralidae) Whalley,1864                    |
| 69. <i>Tuxentius calice</i> (Lycaenidae) (Hopffer,1855)                | 87. <i>Colotis (s.str.) auxo</i> (Pieridae) (Lucas,1852)               | 107. <i>Laodamia natalensis</i> (Pyralidae) (Ragonot,1888)             |
| 70. <i>Zizeeria (s.str.) knysna</i> (Lycaenidae) (Trimen,1862)         | 88. <i>Colotis (s.str.) eborea</i> (Pieridae) (Stoll,[1781])           | 108. <i>Scythris delodelta</i> (Scythridae) Meyrick,1930               |
| 71. <i>Zizeeria (s.str.) knysna knysna</i> (Lycaenidae) (Trimen,1862)  | 89. <i>Colotis (s.str.) euippe</i> (Pieridae) (Linnaeus,1758)          | 109. <i>Homogyna ignivittata</i> (Sesiidae) Hampson,1919               |
| 72. <i>Zizina antanossa</i> (Lycaenidae) (Mabille,1877)                | 90. <i>Colotis (s.str.) evagore</i> (Pieridae) (Klug,1829)             | 110. <i>Brachiolia obscurana</i> (Tortricidae) Razowski,1966           |
| 73. <i>Zizula hylax</i> (Lycaenidae) (Fabricius,1775)                  | 91. <i>Colotis (s.str.) ione</i> (Pieridae) (Godart,[1819])            | 111. <i>Eugnosta stigmatica</i> (Tortricidae) (Meyrick,1909)           |
|  | 92. <i>Eronia cleodora</i> (Pieridae) (Hübner,[1823])                  |  |
|  | 93. <i>Eronia leda</i> (Pieridae) (Boisduval,1847)                     |  |

## Calabar (Caa) [Nigeria]

- |  |  |   |
|--|--|---|
| 1. <i>Acraea (Actinote) peneleos</i> (Acraeidae) Ward,1871                   | 26. <i>Euriphene (Euriphene) atossa</i> (Argynnididae) (Hewitson,[1865])           | 50. <i>Larinopoda lagyra</i> (Lycaenidae) (Hewitson,1866)                 |
| 2. <i>Acraea (s.str.) admatha</i> (Acraeidae) Hewitson,1865                  | 27. <i>Euriphene (Euriphene) lysandra</i> (Argynnididae) (Stoll,[1790])            | 51. <i>Larinopoda lircaea</i> (Lycaenidae) (Hewitson,1866)                |
| 3. <i>Ovenna vicaria</i> (Walker,1854) (Arctiidae)                           | 28. <i>Euriphene (Euriphene) milnei</i> (Argynnididae) (Hewitson,1865)             | 52. <i>Micropentila nigeriana</i> (Stempffer & Bennett,1965) (Lycaenidae) |
| 4. <i>Aterica amaxia</i> (Hewitson,1866) (Argynnididae)                      | 29. <i>Euriphene (Euriphene) tadema</i> (Argynnididae) (Hewitson,1866)             | 53. <i>Mimeresia libentina</i> (Lycaenidae) (Hewitson,1866)               |
| 5. <i>Bebearia cutteri</i> (Argynnididae) (Hewitson,1865)                    | 30. <i>Euriphene (Euriphene) chalcis</i> (C.Felder & R.Felder,1860) (Argynnididae) | 54. <i>Neurypexina lyzanius</i> (Lycaenidae) (Hewitson,1874)              |
| 6. <i>Bebearia oxione</i> (Argynnididae) (Hewitson,1866)                     | 31. <i>Euriphene (Euriphene) plautilla</i> (Argynnididae) (Hewitson,1865)          | 55. <i>Pseuderesia eleaza</i> (Lycaenidae) (Hewitson,1873)                |
| 7. <i>Bebearia phantasia</i> (Argynnididae) (Hewitson,1865)                  | 32. <i>Palla violinitens</i> (Crowley,1890) (Argynnididae)                         | 56. <i>Symoptera amasa</i> (Lycaenidae) (Hewitson,1869)                   |
| 8. <i>Bebearia phranza</i> (Argynnididae) (Hewitson,1865)                    | 33. <i>Precis (Junonia) milonia</i> (C.Felder & R.Felder,1867) (Argynnididae)      | 57. <i>Laelia batoides</i> (Plötz,1880) (Lymantriidae)                    |
| 9. <i>Bebearia scrutata</i> (Hecq,1989) (Argynnididae)                       | 34. <i>Precis (Junonia) terea</i> (Drury,[1773]) (Argynnididae)                    | 58. <i>Achaea boris</i> (Geyer,1837) (Noctuidae)                          |
| 10. <i>Bebearia tentyris</i> (Hewitson,1866) (Argynnididae)                  | 35. <i>Negara dissipinosa</i> (Watson,1965) (Drepanidae)                           | 59. <i>Achaea faber</i> (Holland,1894) (Noctuidae)                        |
| 11. <i>Cymothoe aramis</i> (Hewitson,1865) (Argynnididae)                    | 36. <i>Gonoreta contracta</i> (W.Warren,1897) (Drepanidae)                         | 60. <i>Achaea mormoides</i> (Walker,1858) (Noctuidae)                     |
| 12. <i>Cymothoe beckeri</i> (Herrich-Schäffer,[1858]) (Argynnididae)         | 37. <i>Spidia fenestrata</i> (Butler,1878) (Drepanidae)                            | 61. <i>Achaea thermopera</i> (Hampson,1913) (Noctuidae)                   |
| 13. <i>Cymothoe caenis</i> (Drury,[1773]) (Argynnididae)                     | 38. <i>Acrostatheus apicitincta</i> (L.B.Prout,1915) (Geometridae)                 | 62. <i>Aegocera tigrina</i> (Druce,1882) (Noctuidae)                      |
| 14. <i>Cymothoe coccinata</i> (Hewitson,1874) (Argynnididae)                 | 39. <i>Melinoessa stellata</i> (Butler,1878) (Geometridae)                         | 63. <i>Callopietria nephrosticta</i> (Hampson,1908) (Noctuidae)           |
| 15. <i>Cymothoe hypatha</i> (Hewitson,1866) (Argynnididae)                   | 40. <i>Miantochora rufaria</i> (Swinhoe,1904) (Geometridae)                        | 64. <i>Callopietria occidens</i> (Hampson,1908) (Noctuidae)               |
| 16. <i>Cymothoe oemilius</i> (Doumet,1859) (Argynnididae)                    | 41. <i>Plegapteryx anomalus</i> (Herrich-Schäffer,[1856]) (Geometridae)            | 65. <i>Eudocima divitiosa</i> (Walker,1869) (Noctuidae)                   |
| 17. <i>Euphaedra (Euphaedra) aureola</i> (Kirby,1889) (Argynnididae)         | 42. <i>Plegapteryx sphingata</i> (W.Warren,1895) (Geometridae)                     | 66. <i>Eutelia cautabasis</i> (Hampson,1905) (Noctuidae)                  |
| 18. <i>Euphaedra (Euphaedra) ceres</i> (Fabricius,1775) (Argynnididae)       | 43. <i>Victoria gordonii</i> (L.B.Prout,1912) (Geometridae)                        | 67. <i>Eutelia ochricostata</i> (Hampson,1905) (Noctuidae)                |
| 19. <i>Euphaedra (Euphaedra) ferruginea</i> (Staudinger,1886) (Argynnididae) | 44. <i>Pteroteinon caenira</i> (Hewitson,1867) (Hesperiidae)                       | 68. <i>Eutelia ferridorsata</i> (Hampson,1905) (Noctuidae)                |
| 20. <i>Euphaedra (Euphaedra) ruspina</i> (Hewitson,1865) (Argynnididae)      | 45. <i>Pteroteinon laufella</i> (Hewitson,1868) (Hesperiidae)                      | 69. <i>Facidia luteilinea</i> (Hampson,1926) (Noctuidae)                  |
| 21. <i>Euphaedra luperca</i> (Hewitson,1864) (Argynnididae)                  | 46. <i>Deudorix (Hypokopelates) eleala</i> (Hewitson,1865) (Lycaenidae)            | 70. <i>Heraclia hornimani</i> (Druce,1880) (Noctuidae)                    |
| 22. <i>Euriphene (Euriphene) abasa</i> (Hewitson,[1866]) (Argynnididae)      | 47. <i>Deudorix (Hypomyrina) nomenia</i> (Hewitson,1874) (Lycaenidae)              | 71. <i>Heraclia medeba</i> (Druce,1880) (Noctuidae)                       |
| 23. <i>Euriphene (Euriphene) amicia</i> (Hewitson,[1871]) (Argynnididae)     | 48. <i>Falcuna libyssa</i> (Hewitson,1866) (Lycaenidae)                            | 72. <i>Heraclia pallida</i> (Walker,1864) (Noctuidae)                     |
| 24. <i>Euriphene (Euriphene) ampedusa</i> (Hewitson,[1866]) (Argynnididae)   | 49. <i>Hewitsonia dennisangwina</i> (D'Abbrera,1980) (Lycaenidae)                  | 73. <i>Marcipa dimera</i> (Hampson,1926) (Noctuidae)                      |
| 25. <i>Euriphene (Euriphene) aridatha</i> (Hewitson,[1866]) (Argynnididae)   |  | 74. <i>Massaga hesperia</i> (Cramer,1775) (Noctuidae)                     |
|  |  | 75. <i>Massaga virescens</i> (Butler,1874) (Noctuidae)                    |
|  |  | 76. <i>Maurilia albirivula</i> (Hampson,1905) (Noctuidae)                 |

77. Maurilia atrirena Hampson,1918 (Noctuidae)	86. Oraesia provocans Walker,[1858] (Noctuidae)	94. Princeps (s.str. (hesperus-gr)) hesperus (Westwood,[1843]) (Papilionidae)
78. Maurilia heterochroa Hampson,1905 (Noctuidae)	87. Paralephana metaphaera Hampson,1926 (Noctuidae)	95. Bicyclus dorothaea (Cramer,[1779]) (Satyridae)
79. Maurilia phaea Hampson,1905 (Noctuidae)	88. Plecoptera geminilinea Hampson,1926 (Noctuidae)	96. Bicyclus evadne (Cramer,[1779]) (Satyridae)
80. Nagia evanescens Hampson,1926 (Noctuidae)	89. Polydesma umbricola Boisduval,1833 (Noctuidae)	97. Bicyclus iccius (Hewitson,1865) (Satyridae)
81. Nola omphalota (Hampson,1903) (Noctuidae)	90. Rougeotiana rogator (Bryk,1915) (Noctuidae)	98. Bicyclus italicus (Hewitson,1865) (Satyridae)
82. Oglasa phaeonephele Hampson,1926 (Noctuidae)	91. Schausia transiens (Hampson,1901) (Noctuidae)	99. Bicyclus rhacotis (Hewitson,1866) (Satyridae)
83. Oglasa tessellata Hampson,1926 (Noctuidae)	92. Graphium (Arisbe (adamastor-gr.)) ucalegon (Hewitson,1865) (Papilionidae)	100. Bicyclus sanaos (Hewitson,1866) (Satyridae)
84. Oligia melandonta Hampson,1908 (Noctuidae)	93. Princeps (Druryia (zenobia-gr)) gallienus (Distant,1879) (Papilionidae)	101. Bicyclus sciathis (Hewitson,1866) (Satyridae)
85. Ophiusa selenaris (Guenée,1852) (Noctuidae)		102. Bicyclus xeneas (Hewitson,1866) (Satyridae)
		103. Hallelesis asochis (Hewitson,1866) (Satyridae)
		104. Melisa diptera Walker,1854 (Thyretidae)

## Aroa river (Aro) [Papua New Guinea]

1. Macaduma aroa Bethune-Baker,1906 (Arctiidae)	19. Myrioblephara pergrisea W.Warren,1903 (Geometridae)	38. Euproctis fusciradiata Bethune-Baker,1904 (Lymantriidae)
2. Gunda aroa Bethune-Baker,1904 (Bombycidae)	20. Myrioblephara subtrita W.Warren,1903 (Geometridae)	39. Euproctis hypocloa Collenette,1932 (Lymantriidae)
3. Cotana aroa (Bethune-Baker,1904) (Eupterotidae)	21. Papuanticlea subcaesia (W.Warren,1903) (Geometridae)	40. Euproctis merhaba Koçak & Kemal,2006 (Lymantriidae)
4. "Prasinocyma" signifera (W.Warren,1903) (Geometridae)	22. Paradromulia fuscimedia W.Warren,1903 (Geometridae)	41. Euproctis nigroapicalis Bethune-Baker,1904 (Lymantriidae)
5. Calluga purpureoviridis (W.Warren,1903) (Geometridae)	23. Paradromulia laeta W.Warren,1903 (Geometridae)	42. Amaryna aroa (Bethune-Baker,1906) (Noctuidae)
6. Calluga semirasa (W.Warren,1903) (Geometridae)	24. Paradromulia purpurea W.Warren,1903 (Geometridae)	43. Anomis aroa (Bethune-Baker,1906) (Noctuidae)
7. Cassephyra plenimargo (W.Warren,1903) (Geometridae)	25. Paradromulia subdivisa (W.Warren,1903) (Geometridae)	44. Anomis aroanensis Poole,1989 (Noctuidae)
8. Chrysocraspeda lilacina W.Warren,1903 (Geometridae)	26. Paradromulia umbrilinea (W.Warren,1903) (Geometridae)	45. Anophiodes meeki (Bethune-Baker,1908) (Noctuidae)
9. Chrysocraspeda rothschildi W.Warren,1903 (Geometridae)	27. Parapalta aurifera (W.Warren,1903) (Geometridae)	46. Attonda adpersa (R.Felder & Rogenhofer,[1875]) (Noctuidae)
10. Derambila strigicosta (W.Warren,1903) (Geometridae)	28. Problepsis transposita W.Warren,1903 (Geometridae)	47. Bastilla nielsenii Holloway & S.E.Miller,2003 (Noctuidae)
11. Hypochrosis bifurcata (W.Warren,1903) (Geometridae)	29. Yucelaskinia ignea (W.Warren,1903) (Geometridae)	48. Cerynea perrubra Hampson,1910 (Noctuidae)
12. Metallochloa exorista L.B.Prout,1917 (Geometridae)	30. Sabera biaga Evans,1949 (Hesperiidae)	49. Characoma multilinea (Bethune-Baker,1906) (Noctuidae)
13. Myrioblephara callichlora W.Warren,1903 (Geometridae)	31. Suniana sunias (C.Felder,1860) (Hesperiidae)	50. Eutelia ochreiplaga Bethune-Baker,1906 (Noctuidae)
14. Myrioblephara confusa W.Warren,1903 (Geometridae)	32. Narosa aroa Bethune-Baker,1904 (Limacodidae)	51. Mixomelia aroa (Bethune-Baker,1908) (Noctuidae)
15. Myrioblephara flexilinea W.Warren,1903 (Geometridae)	33. Nervicompressa aroa Bethune-Baker,1904 (Limacodidae)	52. Nola aroa (Bethune-Baker,1904) (Noctuidae)
16. Myrioblephara ligdiodes W.Warren,1903 (Geometridae)	34. Celastrina lavendularis (Moore,1877) (Lycaenidae)	53. Oglasa aroa (Bethune-Baker,1908) (Noctuidae)
17. Myrioblephara minima W.Warren,1903 (Geometridae)	35. Euproctis aroa (Bethune-Baker,1904) (Lymantriidae)	54. Pantydia bicolora (Bethune-Baker,1906) (Noctuidae)
18. Myrioblephara muscosa W.Warren,1903 (Geometridae)	36. Euproctis cesa Koçak & Kemal,2006 (Lymantriidae)	55. Banisia venustula (W.Warren,1905) (Thyridae)
	37. Euproctis flavicaput Bethune-Baker,1904 (Lymantriidae)	

## Nairobi (Nai) [Kenya]

1. Acraea (Actinote) esebria Hewitson,1861 (Acraeidae)	10. Teracotona pitmanni Rothschild,1933 (Arctiidae)	19. Aspilatopsis somereni L.B.Prout,1926 (Geometridae)
2. Acraea (s.str.) aganice Hewitson,1852 (Acraeidae)	11. Charaxes ethalion (Boisduval,1847) (Argynnididae)	20. Chiasmia (Godonela) streniata (Guenée,[1858]) (Geometridae)
3. Acantharctia metaleuca Hampson,1901 (Arctiidae)	12. Charaxes eupale (Drury,1782) (Argynnididae)	21. Chiasmia acutiapex M.Krüger,2001 (Geometridae)
4. Amerila androfusca (Pinhey,1952) (Arctiidae)	13. Charaxes kirki Butler,1881 (Argynnididae)	22. Chiasmia brongusaria (Walker,1860) (Geometridae)
5. Amerila bubo (Walker,1855) (Arctiidae)	14. Charaxes pollux (Cramer,[1775]) (Argynnididae)	23. Chiasmia confusata (W.Warren,1899) (Geometridae)
6. Estigmene multivittata Rothschild,1910 (Arctiidae)	15. Precis (Junonia) westermanni (Westwood,1870) (Argynnididae)	24. Chiasmia contaminata (W.Warren,1902) (Geometridae)
7. Estigmene tenuistrigata Hampson,1900 (Arctiidae)	16. Pseudacraea lucretia (Cramer,[1775]) (Argynnididae)	25. Chiasmia curvilineata (W.Warren,1899) (Geometridae)
8. Radiarctia jacksoni (Rothschild,1910) (Arctiidae)	17. Amauris (Amaura) albimaculata Butler,1875 (Danaiidae)	26. Chiasmia featheri (L.B.Prout,1922) (Geometridae)
9. Teracotona jacksoni (Rothschild,1910) (Arctiidae)	18. Tirumala formosa (Godman,1880) (Danaiidae)	



- |   |  |   |
|---|--|---|
| 27. <i>Chiasmia feraliata</i> (Guenée,[1858])               | 66. <i>Zamarada torrida</i> D.S.Fletcher,1974          | 106. <i>Heraclia nandi</i> Kiriakoff,1974 (Noctuidae)       |
| 28. <i>Chiasmia fulvimargo</i> (W.Warren,1899)              | 67. <i>Artitropa erinnyes</i> (Trimen,1862)            | 107. <i>Leucania confluens</i> (Bethune-Baker,1909)         |
| 29. <i>Chiasmia getula</i> (Wallengren,1872)                | 68. <i>Artitropa milleri</i> N.D.Riley,1925            | 108. <i>Lithacodia mesomela</i> Hampson,1914                |
| 30. <i>Chiasmia kenyae</i> M.Krüger,2001                    | 69. <i>Spialia</i> (s.str.) <i>confusa</i> Evans,1937  | 109. <i>Marca proclinata</i> Saalmüller,1891                |
| 31. <i>Chiasmia natalensis</i> (W.Warren,1904)              | 70. <i>Spialia</i> (s.str.) <i>doris</i> (Walker,1870) | 110. <i>Micragrotis cinerosa</i> Bethune-Baker,1911         |
| 32. <i>Chiasmia olindaria</i> (Swinhoe,1904)                | 71. <i>Spialia</i> (s.str.) <i>zebra</i> (Butler,1888) | 111. <i>Mythimna</i> (Morphopoliana) <i>poliastis</i>       |
| 33. <i>Chiasmia rectilinea</i> (W.Warren,1905)              | 72. <i>Bombycomorpha bifascia</i> (Walker,1855)        | (Hampson,1902) (Noctuidae)                                  |
| 34. <i>Chiasmia subvaria</i> (Bastelberger,1907)            | 73. <i>Sena donaldsoni</i> Holland & Smith,1901        | 112. <i>Nola diplozona</i> Hampson,1914 (Noctuidae)         |
| 35. <i>Chiasmia trinotata</i> (W.Warren,1902)               | 74. <i>Alaena ngonga</i> Jackson,1966 (Lycaenidae)     | 113. <i>Odontestra pseudosubgothica</i> Berio,1964          |
| 36. <i>Chiasmia trizonaria</i> (Hampson,1909)               | 75. <i>Aloeides conradi</i> (Aurivillius,1907)         | (Noctuidae)   |
| 37. <i>Derambila jacksoni</i> L.B.Prout,1915                | 76. <i>Cigaritis nairobiensis</i> Sharpe,1904          | 114. <i>Ozarba nairobiensis</i> Berio,1977 (Noctuidae)      |
| 38. <i>Discomiosis anfractilinea</i> L.B.Prout,1915         | 77. <i>Deudorix</i> (Virachola) <i>lorisona</i>        | 115. <i>Phyllophila atripars</i> Hampson,1914               |
| 39. <i>Eupithecia somereni</i> L.B.Prout,1935               | (Hewitson,1862) (Lycaenidae)                           | (Noctuidae)   |
| 40. <i>Eupithecia undiculata</i> L.B.Prout,1932             | 78. <i>Euchrysops brunneus</i> Bethune-Baker,1923      | 116. <i>Plecoptera melanoscia</i> Hampson,1910              |
| 41. <i>Eupithecia zingiberiana</i> D.S.Fletcher,1956        | (Lycaenidae)   | (Noctuidae)   |
| 42. <i>Idaea tornivestis</i> (L.B.Prout,1932)               | 79. <i>Euchrysops subpallida</i> Bethune-Baker,1923    | 117. <i>Plecopterodes synthes</i> Hampson,1913              |
| 43. <i>Idiochloa subrufibasis</i> (L.B.Prout,1930)          | (Lycaenidae)   | (Noctuidae)   |
| 44. <i>Isturgia exospilata</i> (Walker,1861)                | 80. <i>Lepidochrysops lukenia</i> Van Someren,1957     | 118. <i>Tathorhynchus leucobasis</i> Bethune-               |
| 45. <i>Lasiocloa bicolor</i> (Thierry-Mieg,1907)            | 81. <i>Lepidochrysops neonegus</i> (Bethune-           | Baker,1911 (Noctuidae)                                      |
| 46. <i>Lophostola atridisca</i> (W.Warren,1897)             | Baker,1923) (Lycaenidae)                               | 119. <i>Thysanoplusia rostrata</i> (D.S.Fletcher,1963)      |
| 47. <i>Milocera</i> (s.str.) <i>herbuloti</i> M.Krüger,2001 | 82. <i>Lepidochrysops victoriae</i> (Karsch,1895)      | (Noctuidae)   |
| 48. <i>Platypepla persubtilis</i> M.Krüger,2001             | (Lycaenidae)   | 120. <i>Trichoplusia petraea</i> Dufay,1958                 |
| 49. <i>Platypepla schistopenis</i> M.Krüger,2001            | 83. <i>Dasychira thysanoessa</i> Collenette,1933       | (Noctuidae)   |
| 50. <i>Prasinocyma geminata</i> L.B.Prout,1913              | (Lymantriidae)   | 121. <i>Princeps</i> (Druryia (Melindopsis)) <i>rex</i>     |
| 51. <i>Psilocerea leptosyne</i> D.S.Fletcher,1978           | 84. <i>Lacipa florida</i> (Swinhoe,1903)               | (Oberthür,1886) (Papilionidae)                              |
| 52. <i>Psiloclada diaereta</i> L.B.Prout,1923               | (Lymantriidae)   | 122. <i>Princeps</i> (s.str. (phorcas-gr)) <i>dardanus</i>  |
| 53. <i>Pulchralata fowleri</i> D.S.Fletcher,1956            | 85. <i>Lymantria tacita</i> Hering,1927                | (Brown,1776) (Papilionidae)                                 |
| 54. <i>Scopula alma</i> L.B.Prout,1920 (Geometridae)        | 86. <i>Pirga turbida</i> Grünberg,1907 (Lymantriidae)  | 123. <i>Princeps</i> (s.str. (phorcas-gr)) <i>phorcas</i>   |
| 55. <i>Scopula bigeminata</i> (W.Warren,1897)               | 87. <i>Pterodoa siderea</i> M.Hering,1926              | (Cramer,1775) (Papilionidae)                                |
| 56. <i>Scopula isomala</i> L.B.Prout,1932                   | (Lymantriidae)   | 124. <i>Appias</i> (Glutophrissa) <i>sabina</i> (C.Felder & |
| 57. <i>Somatina ctenophora</i> L.B.Prout,1915               | 88. <i>Rhyopteryx summissa</i> M.Hering,1926           | R.Felder,1865) (Pieridae)                                   |
| 58. <i>Xanthorhoe consors</i> (L.B.Prout,1935)              | (Lymantriidae)   | 125. <i>Agdistis malitiosa</i> Meyrick,1909                 |
| 59. <i>Xenimpia misogyna</i> Carcasson,1962                 | 89. <i>Abrostola brevipennis</i> (Walker,1858)         | (Pterophoridae)   |
| 60. <i>Zamarada delta</i> D.S.Fletcher,1974                 | (Noctuidae)  | 126. <i>Platyptilia molopias</i> Meyrick,1906               |
| 61. <i>Zamarada eurygnathus</i> D.S.Fletcher,1974           | 90. <i>Abrostola marmorea</i> Dufay,1958               | (Pterophoridae)   |
| 62. <i>Zamarada iobathra</i> L.B.Prout,1932                 | (Noctuidae)  | 127. <i>Caffrocrambus</i> <i>decolorcelloides</i>           |
| 63. <i>Zamarada labrys</i> D.S.Fletcher,1974                | 91. <i>Acrapex brunnea</i> Hampson,1910                | (Bleszynski,1970) (Pyralidae)                               |
| 64. <i>Zamarada latilimbata</i> Rebel,1948                  | 92. <i>Amazonides griseofusca</i> Hampson,1913         | 128. <i>Caffrocrambus ochreus</i> Bleszynski,1970           |
| 65. <i>Zamarada ochrata</i> W.Warren,1902                   | 93. <i>Amazonides ustula</i> (Hampson,1913)            | (Pyralidae)   |
|   | (Noctuidae)  | 129. <i>Crambus hamponi</i> Bleszynski,1961                 |
|   | 94. <i>Athetis atrispherica</i> Hampson,1914           | (Pyralidae)   |
|   | (Noctuidae)  | 130. <i>Ematheudes kenyaensis</i> J.C.Shaffer,1998          |
|   | 95. <i>Athetis glaucopsis</i> (Bethune-Baker,1911)     | (Pyralidae)   |
|   | (Noctuidae)  | 131. <i>Ematheudes megacantha</i> J.C.Shaffer,1998          |
|   | 96. <i>Athetis scotopsis</i> (Bethune-Baker,1911)      | (Pyralidae)   |
|   | (Noctuidae)  | 132. <i>Ematheudes straminellus</i> Snellen,1872            |
|   | 97. <i>Cerocala contraria</i> (Walker,1865)            | (Pyralidae)   |
|   | (Noctuidae)  | 133. <i>Euchromius geminus</i> Schouten,1988                |
|   | 98. <i>Eublemma postrufa</i> Hampson,1914              | (Pyralidae)   |
|   | (Noctuidae)  | 134. <i>Euchromius mythus</i> Bleszynski,1970               |
|   | 99. <i>Euplexia azyga</i> Hampson,1908 (Noctuidae)     | (Pyralidae)   |
|   | 100. <i>Euplexia melanocyclus</i> Hampson,1908         | 135. <i>Hypiesta argyrogramma</i> Hampson,1919              |
|   | (Noctuidae)  | (Pyralidae)   |
|   | 101. <i>Euxootera melanomesa</i> (Hampson,1913)        | 136. <i>Prionapteryx albescens</i> (Hampson,1919)           |
|   | (Noctuidae)  | (Pyralidae)   |
|   | 102. <i>Euxootera trimaculata</i> Laporte,1984         | 137. <i>Bicyclus safitza</i> (Westwood,[1850])              |
|   | (Noctuidae)  | (Satyridae)   |
|   | 103. <i>Heliocheilus confertissima</i> (Walker,1865)   | 138. <i>Gnophodes betsimena</i> (Boisduval,1833)            |
|   | (Noctuidae)  | (Satyridae)   |
|   | 104. <i>Heliocheilus multiradiata</i> (Hampson,1902)   | 139. <i>Camaegeria massai</i> Bartsch & Berg,2012           |
|   | (Noctuidae)  | (Sesiidae)  |
|   | 105. <i>Heliopsis</i> (Masalia) <i>flavistrigata</i>   | 140. <i>Pseudalcalthoe aspetura</i> Meyrick,1932            |
|   | (Hampson,1903) (Noctuidae)                             | (Sesiidae)  |
|   |  | 141. <i>Automolis margaretha</i> (Kiriakoff,1957)           |
|   |  | (Thyretidae)  |
|   |  | 142. <i>Automolis schoutedeni</i> (Kiriakoff,1953)          |
|   |  | (Thyretidae)  |
|   |  | 143. <i>Megalota purpurana</i> Aarvik,2004                  |
|   |  | (Tortricidae)   |
|   |  | 144. <i>Megalota rhopalitis</i> (Meyrick,1920)              |
|   |  | (Tortricidae)   |

## Beirut (Bei) [Lebanon]

- |  |   |   |
|--|---|---|
| 1. <i>Nemophora istriana</i> (Heydenreich,1851)        | 4. <i>Muscula muscula</i> (Staudinger,1899)                 | 7. <i>Ocnogyna</i> (s.str.) <i>loewii</i> (Zeller,1846) |
| (Adelidae)   | (Arctiidae)   | (Arctiidae)   |
| 2. <i>Alucita zonodactyla</i> Zeller,1847 (Alucitidae) | 5. <i>Ocnogyna</i> (s.str.) <i>bellieri</i> (Lederer,1855)  | 8. <i>Phragmatobia fuliginosa</i> (Linnaeus,1758)       |
| 3. <i>Cymbalophora oetzeni</i> (Lederer,1855)          | (Arctiidae)   | (Arctiidae)   |
|  | 6. <i>Ocnogyna</i> (s.str.) <i>herrichi</i> Staudinger,1879 | 9. <i>Melitaea</i> (Didymaeformis) <i>fascelis</i>      |
|  | (Arctiidae)   | (Fabricius,1787) (Argynnidae)                           |

10. *Apiletria* (s.str.) *luella* Lederer, 1855 (Autostichidae)
11. *Charadraula* *parcella* (Lederer, 1855) (Autostichidae)
12. *Holcopogon* *croesus* Gozmany, 2000 (Autostichidae)
13. *Oecia* *oecophila* (Staudinger, 1876) (Autostichidae)
14. *Symmacantha* *sparsella* (De Joannis, 1891) (Autostichidae)
15. *Brachodes* *beryti* (Stainton, 1867) (Brachodidae)
16. *Millieria* *dolosana* (Herrich-Schäffer, [1854]) (Choreutidae)
17. *Coleophora* *syriaca* Toll, 1942 (Coleophoridae)
18. *Ascalenia* *acaciella* Chrétien, 1915 (Cosmopterigidae)
19. *Stagmatophora* *beata* (Walsingham, 1907) (Cosmopterigidae)
20. *Eteobalea* *sumptuosella* (Lederer, 1855) (Cosmopterigidae)
21. *Pyroderces* *argyrogrammos* (Zeller, 1847) (Cosmopterigidae)
22. *Dyspessa* *ulula* (Borkhausen, 1790) (Cossidae)
23. *Dyspessa* *infusca* (Staudinger, 1892) (Cossidae)
24. *Amata* *antiochena* (Lederer, 1861) (Ctenuchidae)
25. *Amata* *mestralii* (Bugnion, 1837) (Ctenuchidae)
26. *Amata* *turbida* (Turati, 1917) (Ctenuchidae)
27. *Tinagma* *balteolellum* (Fischer v. Röslerstamm, 1841) (Douglassiidae)
28. *Epermenia* (*Calotripis*) *aequidentella* (Hofmann, 1867) (Epermeniidae)
29. *Epermenia* (*Calotripis*) *insecurella* (Stainton, 1849) (Epermeniidae)
30. *Bryotropha* *domestica* (Haworth, 1828) (Gelechiidae)
31. *Deltophora* *maculata* (Staudinger, 1879) (Gelechiidae)
32. *Ornativalva* *plutelliformis* (Staudinger, 1859) (Gelechiidae)
33. *Platyedra* *subcinerea* (Haworth, [1828]) (Gelechiidae)
34. *Achrosis* *berytana* (Rebel, 1911) (Geometridae)
35. *Anticlea* *callidaria* (De Joannis, 1891) (Geometridae)
36. *Docirava* *mundata* (Staudinger, 1892) (Geometridae)
37. *Docirava* *mundulata* (Guenée, [1858]) (Geometridae)
38. *Chiasmia* (*Godonela*) *syriacaria* (Staudinger, 1871) (Geometridae)
39. *Chiasmia* (*Godonela*) *tenuiata* (Staudinger, 1901) (Geometridae)
40. *Eupithecia* *cerussaria* (Lederer, 1855) (Geometridae)
41. *Eupithecia* *dubiosa* Dietze, 1910 (Geometridae)
42. *Eupithecia* *parallelaria* Bohatsch, 1893 (Geometridae)
43. *Eupithecia* *silencolata* Mabille, 1867 (Geometridae)
44. *Eupithecia* *spadiceata* Zerny, 1933 (Geometridae)
45. *Eupithecia* *syriacata* Staudinger, 1879 (Geometridae)
46. *Eupithecia* *ultimaria* Boisduval, 1840 (Geometridae)
47. *Glossotrophia* (*Libanonia*) *sacraria* (A. Bang-Haas, 1910) (Geometridae)
48. *Hierochthonia* *pulverata* (W. Warren, 1901) (Geometridae)
49. *Hypocotis* (*Euchrognophos*) *subtaurica* (Wehrli, 1932) (Geometridae)
50. *Idaea* *capnaria* (Püngeler, 1909) (Geometridae)
51. *Idaea* *epaphrodita* (Wehrli, 1934) (Geometridae)
52. *Idaea* *gracilipennis* (W. Warren, 1901) (Geometridae)
53. *Idaea* *inclinata* (Lederer, 1855) (Geometridae)
54. *Idaea* *intermedia* (Staudinger, 1879) (Geometridae)
55. *Idaea* *palaestinensis* (Sterneck, 1933) (Geometridae)
56. *Idaea* *striolata* (Staudinger, 1892) (Geometridae)
57. *Isturgia* *berytaria* (Staudinger, 1892) (Geometridae)
58. *Isturgia* *perviararia* (Lederer, 1855) (Geometridae)
59. *Isturgia* *perviararia* *perviararia* (Lederer, 1855) (Geometridae)
60. *Nebula* *adlata* (Staudinger, [1895]) (Geometridae)
61. *Nebula* *schneideraria* (Lederer, 1855) (Geometridae)
62. *Nychiodes* (*Fritzwagneria*) *palaestinensis* F. Wagner, 1919 (Geometridae)
63. *Nychiodes* (*Fritzwagneria*) *persuavis* Wehrli, 1929 (Geometridae)
64. *Phaselia* *deliciosaria* (Lederer, 1855) (Geometridae)
65. *Problepsis* *ocellata* (Frivaldszky, 1845) (Geometridae)
66. *Pseudopanthera* *syriacata* (Guenée, 1852) (Geometridae)
67. *Pseudoterpna* *coronillaria* (Hübner, [1817]) (Geometridae)
68. *Rhodostrophia* *discopunctata* Amsel, 1935 (Geometridae)
69. *Scopula* *donovani* (Distant, 1892) (Geometridae)
70. *Scopula* *imitaria* (Hübner, [1799]) (Geometridae)
71. *Scopula* *submutata* (Treitschke, 1828) (Geometridae)
72. *Scopula* *turbulentaria* (Staudinger, 1870) (Geometridae)
73. *Stueningia* *poggearia* (Lederer, 1855) (Geometridae)
74. *Wehrliola* *revocaria* (Staudinger, 1892) (Geometridae)
75. *Xenochlorodes* *olympiaria* (Herrich-Schäffer, [1852]) (Geometridae)
76. *Phyllonorycter* *libanotica* (Deschka, 1972) (Gracillariidae)
77. *Borbo* *borbonica* (Boisduval, 1833) (Hesperiidae)
78. *Carcharodus* (*Lavatheria*) *stauderi* Reverdin, 1913 (Hesperiidae)
79. *Muschampia* *nomas* (Lederer, 1855) (Hesperiidae)
80. *Spialia* (*Neospialia*) *orbifer* (Hübner, [1823]) (Hesperiidae)
81. *Chondrostega* *pastranum* Lederer, 1858 (Lasiocampidae)
82. *Lasiocampa* *terreni* (Herrich-Schäffer, 1847) (Lasiocampidae)
83. *Lemonia* *beirutica* Daniel, 1965 (Lemoniidae)
84. *Chilades* (*Lachides*) *galba* (Lederer, 1855) (Lycaenidae)
85. *Acontia* (*Uracontia*) *titania* (Esper, [1798]) (Noctuidae)
86. *Acronicta* (*Viminia*) *euphorbiae* (Denis, 1785) (Noctuidae)
87. *Aegle* *semicana* (Esper, [1798]) (Noctuidae)
88. *Agropha* *accentifera* (Lefebvre, 1827) (Noctuidae)
89. *Agrochola* (*Anchoscelis*) *hypotaenia* (Bytinski-Salz, 1936) (Noctuidae)
90. *Agrochola* (*Frivaldskyola*) *staudingeri* Ronkay, 1984 (Noctuidae)
91. *Agrotis* (s.str.) *biconicus* Kollar, [1844] (Noctuidae)
92. *Allophyes* *benedictina* (Staudinger, 1892) (Noctuidae)
93. *Amphipyra* *micans* Lederer, 1857 (Noctuidae)
94. *Antennola* *impura* (Mann, 1862) (Noctuidae)
95. *Apamea* (s.str.) *syriaca* (Osthelder, 1933) (Noctuidae)
96. *Atethmia* *centrago* (Haworth, [1809]) (Noctuidae)
97. *Caradrina* (*Boursinidrina*) *syriaca* (Staudinger, 1892) (Noctuidae)
98. *Caradrina* (*Kalchbergiana*) *ingrata* (Staudinger, 1897) (Noctuidae)
99. *Caradrina* (*Paradrina*) *zandi* (Wiltshire, 1952) (Noctuidae)
100. *Catocala* (s.str.) *puerpera* (Giorna, 1791) (Noctuidae)
101. *Chrysodeixis* *chalcites* (Esper, [1789]) (Noctuidae)
102. *Clytie* (s.str.) *syriaca* (Bugnion, 1837) (Noctuidae)
103. *Cryphia* (*Bryoleuca*) *labecula* (Lederer, 1855) (Noctuidae)
104. *Cryphia* (*Bryoleuca*) *rectilinea* (W. Warren, 1909) (Noctuidae)
105. *Cryphia* (*Euthales*) *ochsi* (Boursin, 1941) (Noctuidae)
106. *Cucullia* (*Shargacucullia*) *barthae* Boursin, 1933 (Noctuidae)
107. *Cucullia* (*Shargacucullia*) *lychnitis* (Rambur, 1833) (Noctuidae)
108. *Earias* *syriacana* Bartel, 1903 (Noctuidae)
109. *Acontia* (*Emmelia*) *trabealis* (Scopoli, 1763) (Noctuidae)
110. *Episema* *didymogramma* (Boursin, 1955) (Noctuidae)
111. *Episema* *lemoniopsis* Hacker, 2001 (Noctuidae)
112. *Eublemma* (*Glossodice*) *polygrammum* (Duponchel, [1842]) (Noctuidae)
113. *Eublemma* (*Honeyania*) *ragusanum* (Freyer, 1844) (Noctuidae)
114. *Eublemma* (*albida*-gr.) *gratissimum* (Staudinger, 1892) (Noctuidae)
115. *Eublemma* (*bulia*-gr.) *lutosum* Staudinger, 1892 (Noctuidae)
116. *Eublemma* (*bulia*-gr.) *suppurum* (Staudinger, 1892) (Noctuidae)
117. *Eublemma* (*cochylioides*-gr.) *cochylioides* (Guenée, 1852) (Noctuidae)
118. *Eutelia* *adoratrix* (Staudinger, 1892) (Noctuidae)
119. *Evisa* *schawerdae* Reisser, 1930 (Noctuidae)
120. *Hadena* (*Anepia*) *sancta* (Staudinger, 1859) (Noctuidae)
121. *Helicoverpa* *armigera* (Hübner, [1808]) (Noctuidae)
122. *Helicoverpa* *armigera* *armigera* (Hübner, [1808]) (Noctuidae)
123. *Heliothis* *nubigera* Herrich-Schäffer, [1851] (Noctuidae)
124. *Heteropalpia* *vetusta* (Walker, 1865) (Noctuidae)
125. *Hypena* (*Ophiuche*) *lividialis* (Hübner, 1796) (Noctuidae)
126. *Hypena* (s.str.) *obsitalis* (Hübner, [1813]) (Noctuidae)
127. *Hypena* *munitalis* Mann, 1861 (Noctuidae)
128. *Hypeuthina* *fulgurita* Lederer, 1855 (Noctuidae)
129. *Iranada* *turcorum* (Zerny, 1915) (Noctuidae)
130. *Leucania* *loreyi* (Duponchel, 1827) (Noctuidae)
131. *Lithophane* *lapidea* (Hübner, [1808]) (Noctuidae)
132. *Lithophasia* *venosula* Staudinger, 1892 (Noctuidae)
133. *Luperina* *diversa* (Staudinger, 1892) (Noctuidae)
134. *Macdunnoughia* *confusa* (Stephens, 1850) (Noctuidae)
135. *Megalodes* *eximia* (Freyer, 1845) (Noctuidae)
136. *Mesoligia* *furuncula* ([Denis & Schiffermüller], 1775) (Noctuidae)
137. *Mesoligia* *litterosa* (Haworth, [1809]) (Noctuidae)
138. *Metachrostis* *velocior* (Staudinger, 1892) (Noctuidae)
139. *Metachrostis* *velox* (Hübner, [1813]) (Noctuidae)
140. *Metopoceras* (s.str.) *omar* (Oberthür, 1887) (Noctuidae)
141. *Mythimna* (*Aletia*) *l-album* (Linnaeus, 1767) (Noctuidae)
142. *Mythimna* (*Morphopoliana*) *languida* (Walker, 1858) (Noctuidae)
143. *Nodaria* *nodosalis* (Herrich-Schäffer, [1851]) (Noctuidae)
144. *Nola* *squalida* Staudinger, 1871 (Noctuidae)
145. *Nola* *subchlamydula* Staudinger, 1870 (Noctuidae)
146. *Ozarba* *lascivalis* (Lederer, 1855) (Noctuidae)
147. *Ozarba* *sancta* (Staudinger, 1900) (Noctuidae)
148. *Pamparama* *acuta* (Freyer, [1837]) (Noctuidae)

149. *Parallelia rogenhoferi* (Bohatsch,1880) (Noctuidae)  
 150. *Pericyma squalens* Lederer,1855 (Noctuidae)  
 151. *Plecoptera inquinata* (Lederer,1857) (Noctuidae)  
 152. *Polymixis* (Bischoffia) *apora* (Staudinger,1898) (Noctuidae)  
 153. *Polyphaenis propinqua* Staudinger,1895 (Noctuidae)  
 154. *Pyrois effusa* (Boisduval,1828) (Noctuidae)  
 155. *Scoliopteryx libatrix* (Linnaeus,1758) (Noctuidae)  
 156. *Sideridis* (Dianthivora) *implexa* (Hübner,[1809]) (Noctuidae)  
 157. *Spodoptera cilius* Guenée,1852 (Noctuidae)  
 158. *Stilbia syriaca* Staudinger,1892 (Noctuidae)  
 159. *Stilbina* (s.str.) *hypaenides* Staudinger,1892 (Noctuidae)  
 160. *Tathorhynchus exsiccatus* (Lederer,1855) (Noctuidae)  
 161. *Victrix* (Rasihia) *marginelota* (de Joannis,1888) (Noctuidae)  
 162. *Xanthodes albago* (Fabricius,1794) (Noctuidae)  
 163. *Zekelita* (Ravalita) *ravalis* (Herrich-Schäffer,[1852]) (Noctuidae)  
 164. *Zethes insularis* Rambur,1833 (Noctuidae)  
 165. *Furcula interrupta* Christoph,1867 (Notodontidae)  
 166. *Agonopterix cachritis* (Staudinger,1859) (Oecophoridae)  
 167. *Agonopterix occaecata* (Meyrick,1921) (Oecophoridae)  
 168. *Agonopterix rutana* (Fabricius,1794) (Oecophoridae)  
 169. *Agonopterix* *subpropinquella* (Stainton,1849) (Oecophoridae)  
 170. *Depressaria discipunctella* Herrich-Schäffer,1854 (Oecophoridae)  
 171. *Esperia imitatrix* (Zeller,1847) (Oecophoridae)  
 172. *Holoscolia berytella* Rebel,1902 (Oecophoridae)  
 173. *Pleurota indecorella* Rebel,1917 (Oecophoridae)  
 174. *Pleurota largella* Lederer,1855 (Oecophoridae)  
 175. *Pleurota proteella* Staudinger,1880 (Oecophoridae)  
 176. *Pleurota simplex* Staudinger,1880 (Oecophoridae)  
 177. *Pleurota sparella* (Lederer,1855) (Oecophoridae)  
 178. *Pleurota syriaca* Staudinger,1880 (Oecophoridae)  
 179. *Archon apollinus* (Herbst,1798) (Papilionidae)  
 180. *Iphiclidus podalirius* (Linnaeus,1758) (Papilionidae)  
 181. *Papilio* (s.str.) *machaon* Linnaeus,1758 (Papilionidae)  
 182. *Zerynthia* (Allancastris) *cerisyi* (Godart,1822) (Papilionidae)  
 183. *Belenois aurota* (Fabricius,1793) (Pieridae)  
 184. *Colotis* (s.str.) *fausta* (Olivier,[1804]) (Pieridae)  
 185. *Canephora inquinata* (Lederer,1858) (Psychidae)  
 186. *Eumasia libanotica* Zagulyaev,1995 (Psychidae)  
 187. *Eumasia parietariella* (Heydenreich,1851) (Psychidae)  
 188. *Eumasia syriaca* (Caradja,1920) (Psychidae)  
 189. *Phalacropteryx bruandi* (Lederer,1855) (Psychidae)  
 190. *Capperia hellenica* Adamczewski,1951 (Pterophoridae)  
 191. *Crombrugghia laeta* (Zeller,1847) (Pterophoridae)  
 192. *Emmelina monodactyla* (Linnaeus,1758) (Pterophoridae)  
 193. *Merrifieldia malacodactyla* (Zeller,1847) (Pterophoridae)  
 194. *Pterophorus indocta* (Meyrick,1913) (Pterophoridae)  
 195. *Stangeia siceliota* (Zeller,1847) (Pterophoridae)  
 196. *Stenoptilia zophodactyla* (Duponchel,1838) (Pterophoridae)  
 197. *Wheeleria ivae* (Kasy,1960) (Pterophoridae)  
 198. *Acrobasis atrisquamella* Ragonot,1887 (Pyralidae)  
 199. *Aglossa exsucealis* Lederer,1863 (Pyralidae)  
 200. *Agriphila brionella* (Zerny,1914) (Pyralidae)  
 201. *Agriphila tersella* (Lederer,1855) (Pyralidae)  
 202. *Agriphila trabeatella* (Herrich-Schäffer,[1848]) (Pyralidae)  
 203. *Ancyloides pallens* Ragonot,1887 (Pyralidae)  
 204. *Ancylosis* (Cabotia) *oblitella* (Zeller,1848) (Pyralidae)  
 205. *Ancylosis* (Heterographis) *candidateella* (Lederer,1858) (Pyralidae)  
 206. *Ancylosis* (Heterographis) *convexella* (Lederer,1855) (Pyralidae)  
 207. *Ancylosis* (Heterographis) *faustinnella* (Zeller,1867) (Pyralidae)  
 208. *Ancylosis* (Heterographis) *gracilella* Ragonot,1887 (Pyralidae)  
 209. *Ancylosis* (Heterographis) *harmonielle* (Ragonot,1887) (Pyralidae)  
 210. *Ancylosis* (Heterographis) *hellenica* (Staudinger,1870) (Pyralidae)  
 211. *Ancylosis* (Heterographis) *pectinatella* Ragonot,1887 (Pyralidae)  
 212. *Ancylosis* (Heterographis) *pyrethrella* (Herrich-Schäffer,1860) (Pyralidae)  
 213. *Ancylosis* (Heterographis) *rosidella* (Eversmann,1844) (Pyralidae)  
 214. *Ancylosis* (Heterographis) *samaritanella* (Zeller,1867) (Pyralidae)  
 215. *Ancylosis* (Heterographis) *xylinnella* (Staudinger,1870) (Pyralidae)  
 216. *Ancylosis* (Syria) *biflexella* (Lederer,1855) (Pyralidae)  
 217. *Ancylosis* (s.str.) *cinnamomella* (Duponchel,1836) (Pyralidae)  
 218. *Ancylosis* (s.str.) *iranella* Ragonot,1887 (Pyralidae)  
 219. *Ancylosis* (s.str.) *maculifera* Staudinger,1870 (Pyralidae)  
 220. *Ancylosis* (s.str.) *sareptella* (Herrich-Schäffer,1860) (Pyralidae)  
 221. *Arsissa ramosella* (Herrich-Schäffer,[1855]) (Pyralidae)  
 222. *Bradyrrhoa confiniella* Zeller,1848 (Pyralidae)  
 223. *Cadra abstersella* (Zeller,1847) (Pyralidae)  
 224. *Cadra delatinnella* Roesler,1965 (Pyralidae)  
 225. *Catoptria laevigatella* (Lederer,1870) (Pyralidae)  
 226. *Chrysocrambus syriellus* (Zerny,1934) (Pyralidae)  
 227. *Cybalomia pentadalis* (Lederer,1855) (Pyralidae)  
 228. *Ephestia* (Anagasta) *cypriusella* Roesler,1965 (Pyralidae)  
 229. *Ephestia* (Anagasta) *welseriella* (Zeller,1848) (Pyralidae)  
 230. *Ephestia* (s.str.) *parasitella* Staudinger,1859 (Pyralidae)  
 231. *Epidauria strigosa* (Staudinger,1879) (Pyralidae)  
 232. *Epischmia christophori* Ragonot,1887 (Pyralidae)  
 233. *Euclasta* (s.str.) *splendidalis* (Herrich-Schäffer,[1848]) (Pyralidae)  
 234. *Eudonia delunella* (Stainton,1849) (Pyralidae)  
 235. *Eudonia speideli* Leraut,1982 (Pyralidae)  
 236. *Eurhodope* (Eurhobasis) *cinerea* (Staudinger,1879) (Pyralidae)  
 237. *Euzophera* (s.str.) *bigella* (Zeller,1848) (Pyralidae)  
 238. *Euzophera* (s.str.) *osseatella* (Treitschke,1832) (Pyralidae)  
 239. *Euzophera* (s.str.) *umbrosella* (Staudinger,1879) (Pyralidae)  
 240. *Euzopherodes lutsignella* (Mann,1869) (Pyralidae)  
 241. *Euzopherodes pusilla* (Mabille,1906) (Pyralidae)  
 242. *Euzopherodes vapidella* (Mann,1857) (Pyralidae)  
 243. *Hellula undalis* (Fabricius,1781) (Pyralidae)  
 244. *Herpetogramma licarsialis* (Walker,1859) (Pyralidae)  
 245. *Homoeosoma* (s.str.) *subalbatellum* (Mann,1864) (Pyralidae)  
 246. *Hypsotropa ichorella* (Lederer,1855) (Pyralidae)  
 247. *Loxostege foviferalis* (Hampson,1900) (Pyralidae)  
 248. *Metacrambus carectellus* (Zeller,1847) (Pyralidae)  
 249. *Metallosticha argyrogrammos* (Zeller,1847) (Pyralidae)  
 250. *Metasia* (s.str.) *albicostalis* Hampson,1900 (Pyralidae)  
 251. *Myelois* (Gnathogutta) *osseella* (Ragonot,1887) (Pyralidae)  
 252. *Myelois* (Gnathogutta) *pluripunctella* (Ragonot,1887) (Pyralidae)  
 253. *Nomophila noctuella* ([Denis & Schiffermüller],1775) (Pyralidae)  
 254. *Palpita testalis* (Fabricius,1794) (Pyralidae)  
 255. *Pediasia desertella* (Lederer,1855) (Pyralidae)  
 256. *Pempelia sordida* Staudinger,1879 (Pyralidae)  
 257. *Phycita pedisignella* Ragonot,1887 (Pyralidae)  
 258. *Phycitodes albatella* (Ragonot,1887) (Pyralidae)  
 259. *Phycitodes carlinella* (Heinemann,1865) (Pyralidae)  
 260. *Phycitodes saxicola* (Vaughan,1870) (Pyralidae)  
 261. *Prochoristis rupicapralis* (Lederer,1855) (Pyralidae)  
 262. *Raphimetopus incarnatella* (Ragonot,1887) (Pyralidae)  
 263. *Scirpophaga praelata* (Scopoli,1763) (Pyralidae)  
 264. *Scoparia obsoleta* Staudinger,1879 (Pyralidae)  
 265. *Seleucia semirorella* Ragonot,1887 (Pyralidae)  
 266. *Sitochroa concoloralis* (Lederer,1857) (Pyralidae)  
 267. *Staudingeria* (s.str.) *deserticola* (Staudinger,1870) (Pyralidae)  
 268. *Prionapteryx obeliscota* (Meyrick,1936) (Pyralidae)  
 269. *Susia uberalis* (Swinhoe,1884) (Pyralidae)  
 270. *Synaphe berytalis* Ragonot,1888 (Pyralidae)  
 271. *Synclera traducalis* (Zeller,1852) (Pyralidae)  
 272. *Trachylepidia fructicassella* Ragonot,1887 (Pyralidae)  
 273. *Hipparchia* (s.str.) *syriaca* (Staudinger,1871) (Satyridae)  
 274. *Melanargia* (Turcargia) *titea* (Klug,1832) (Satyridae)  
 275. *Enolmis desidella* (Lederer,1855) (Scythridae)  
 276. *Scythris* (inclusella-gr.) *inclusella* Lederer,1855 (Scythridae)  
 277. *Scythris* (inertella-gr.) *inertella* (Zeller,1855) (Scythridae)  
 278. *Scythris* (pascuella-gr.) *aciella* Bengtsson,1997 (Scythridae)  
 279. *Chamaesphesia azonos* (Lederer,1855) (Sesiidae)  
 280. *Acherontia styx* (Westwood,1847) (Sphingidae)  
 281. *Clarina syriaca* (Lederer,1855) (Sphingidae)  
 282. *Daphnis nerii* (Linnaeus,1758) (Sphingidae)  
 283. *Hippotion celerio* (Linnaeus,1758) (Sphingidae)  
 284. *Hyles conspicua* (Rothschild & Jordan,1903) (Sphingidae)  
 285. *Hyles livornica* (Esper,[1780]) (Sphingidae)  
 286. *Mimas tiliae* (Linnaeus,1758) (Sphingidae)  
 287. *Theretra alecto* (Linnaeus,1758) (Sphingidae)  
 288. *Ateliotum syriacum* (Caradja,1920) (Tineidae)  
 289. *Episcardia* (Bilobatana) *fuscoviolacella* (Ragonot,1895) (Tineidae)  
 290. *Edosa lardatella* (Lederer,1858) (Tineidae)  
 291. *Hapsifera luridella* Zeller,1847 (Tineidae)  
 292. *Perissomastix* (s.str.) *crassicornella* (Zeller,1847) (Tineidae)  
 293. *Petalographis orientalis* (G.Petersen,1961) (Tineidae)  
 294. *Praelongicera palaestinella* (Amsel,1956) (Tineidae)  
 295. *Rhodobates nodicornellus* (Rebel,1911) (Tineidae)



- |   |  |   |
|---|--|---|
| 296. <i>Aethes cremonana</i> (Ragonot,1894) (Tortricidae)                           | 304. <i>Diceratura roseofasciana</i> (Mann,1855) (Tortricidae)             | 311. <i>Rhyacionia buoliana</i> ([Denis & Schiffermüller],1775) (Tortricidae) |
| 297. <i>Aethes scabidulana</i> (Lederer,1855) (Tortricidae)                         | 305. <i>Eucosma conformana</i> (Mann,1872) (Tortricidae)                   | 312. <i>Trachysmia aureopunctana</i> (Ragonot,1894) (Tortricidae)             |
| 298. <i>Aethes capnospila</i> (Meyrick,1912) (Tortricidae)                          | 306. <i>Lobesia</i> (s.str.) <i>fictana</i> (Kennel,1901) (Tortricidae)    | 313. <i>Jordanita</i> (s.str.) <i>tenuicornis</i> (Zeller,1847) (Zygaenidae)  |
| 299. <i>Aphelia</i> (Zelothereses) <i>imperfectana</i> (Lederer,1858) (Tortricidae) | 307. <i>Notocelia uddmanniana</i> (Linnaeus,1758) (Tortricidae)            | 314. <i>Zygaena</i> (Agrumenia) <i>olivieri</i> Boisduval,1828 (Zygaenidae)   |
| 300. <i>Clepsis soriana</i> (Kennel,1899) (Tortricidae)                             | 308. <i>Pammene nannodes</i> Walsingham,1900 (Tortricidae)                 | 315. <i>Zygaena</i> (Mesembrynus) <i>cuvieri</i> Boisduval,1828 (Zygaenidae)  |
| 301. <i>Cochylidia heydeniana</i> (Herrich-Schäffer,[1851]) (Tortricidae)           | 309. <i>Phtheochroa dodrantaria</i> Razowski,1970 (Tortricidae)            | 316. <i>Zygaena</i> (s.str.) <i>filipendulae</i> (Linnaeus,1758) (Zygaenidae) |
| 302. <i>Cochylimorpha blandana</i> (Eversmann,1844) (Tortricidae)                   | 310. <i>Phtheochroa</i> <i>duponchelana</i> (Duponchel,1843) (Tortricidae) | 317. <i>Zygaena</i> (s.str.) <i>graslini</i> Lederer,1855 (Zygaenidae)        |
| 303. <i>Diceratura ostrinana</i> (Guenée,1845) (Tortricidae)                        |  |   |

## Kirovabad (Kir) [Azerbaidjan]

- |   |   |  |
|---|---|--|
| 1. <i>Arctia</i> (Epicallia) <i>villica</i> (Linnaeus,1758) (Arctiidae)                       | 34. <i>Autophila</i> (Cheiropheanes) <i>chamaeaphanes</i> Boursin,1940 (Noctuidae)          | 67. <i>Sideridis</i> (Conisania) <i>leineri</i> (Freyer,1836) (Noctuidae)              |
| 2. <i>Arctia</i> (Epicallia) <i>confluens</i> (Romanoff,1884) (Arctiidae)                     | 35. <i>Behounekia freyeri</i> (Frivaldsky,1835) (Noctuidae)                                 | 68. <i>Sideridis</i> (s.str.) <i>egena</i> (Lederer,1853) (Noctuidae)                  |
| 3. <i>Euplagia quadripunctaria</i> (Poda,1761) (Arctiidae)                                    | 36. <i>Calyptra thalictri</i> (Borkhausen,1790) (Noctuidae)                                 | 69. <i>Thysanoplusia</i> (s.str.) <i>orichalcea</i> (Fabricius,1775) (Noctuidae)       |
| 4. <i>Phragmatobia fuliginosa</i> (Linnaeus,1758) (Arctiidae)                                 | 37. <i>Caradrina</i> (Eremodrina) <i>melanura</i> Alpheraky,1897 (Noctuidae)                | 70. <i>Xanthia togata</i> (Esper,1788) (Noctuidae)                                     |
| 5. <i>Setina flavicans</i> (Geyer,[1836]) (Arctiidae)   | 38. <i>Catocala</i> (s.str.) <i>hymenaea</i> ([Denis & Schiffermüller],1775) (Noctuidae)    | 71. <i>Canephora acuta</i> (Kozhantshikov,1956) (Psychidae)                            |
| 6. <i>Cecryphalus nubila</i> (Staudinger,1895) (Cossidae)                                     | 39. <i>Catocala</i> (s.str.) <i>lupina</i> Herrich-Schäffer,[1851] (Noctuidae)              | 72. <i>Canephora caucasica</i> (A.Bang-Haas,1912) (Psychidae)                          |
| 7. <i>Cossus cossus</i> (Linnaeus,1758) (Cossidae)  | 40. <i>Clytie</i> (s.str.) <i>terrulenta</i> (Christoph,1893) (Noctuidae)                   | 73. <i>Canephora villosella</i> (Ochsenheimer,1810) (Psychidae)                        |
| 8. <i>Dyspepsa salicicola</i> (Eversmann,1848) (Cossidae)                                     | 41. <i>Colobochyla</i> (Caspicastra) <i>platyzona</i> (Lederer,1870) (Noctuidae)            | 74. <i>Ptilocephala</i> (gr.4) <i>plumifera</i> (Ochsenheimer,1810) (Psychidae)        |
| 9. <i>Dyspepsa ulula</i> (Borkhausen,1790) (Cossidae)   | 42. <i>Diachrysis chrysis</i> (Linnaeus,1758) (Noctuidae)                                   | 75. <i>Achyra ochrofascialis</i> (Christoph,1882) (Pyralidae)                          |
| 10. <i>Paracossulus thrips</i> (Hübner,[1818]) (Cossidae)                                     | 43. <i>Dichagyris</i> (Yigoga) <i>flavina</i> (Herrich-Schäffer,[1852]) (Noctuidae)         | 76. <i>Ancylus</i> (s.str.) <i>cinnamomella</i> (Duponchel,1836) (Pyralidae)           |
| 11. <i>Parahypopta caestrum</i> (Hübner,[1808]) (Cossidae)                                    | 44. <i>Drasteria cailino</i> (Lefèbvre,1827) (Noctuidae)                                    | 77. <i>Anthophilopsis moeschleri</i> (Christoph,1862) (Pyralidae)                      |
| 12. <i>Phragmataecia castaneae</i> (Hübner,1790) (Cossidae)                                   | 45. <i>Drasteria caucasica</i> (Kolenati,1846) (Noctuidae)                                  | 78. <i>Bazaria nomiella</i> (Ragonot,1887) (Pyralidae)                                 |
| 13. <i>Amata rossica</i> (Turati,1917) (Ctenuchidae)  | 46. <i>Drasteria herzi</i> (Alpheraky,1895) (Noctuidae)                                     | 79. <i>Ephestia</i> (s.str.) <i>parasitella</i> Staudinger,1859 (Pyralidae)            |
| 14. <i>Dysauxes</i> (Adauctis) <i>punctata</i> (Fabricius,1781) (Ctenuchidae)                 | 47. <i>Drasteria picta</i> (Christoph,1877) (Noctuidae)                                     | 80. <i>Euclasta</i> (s.str.) <i>splendidalis</i> (Herrich-Schäffer,[1848]) (Pyralidae) |
| 15. <i>Aplocera opificata</i> (Lederer,1870) (Geometridae)                                    | 48. <i>Drasteria rada</i> (Boisduval,1848) (Noctuidae)                                      | 81. <i>Pristocerella</i> <i>deltagrammella</i> (Ragonot,1888) (Pyralidae)              |
| 16. <i>Dyscia</i> (Calodyscia) <i>innocentaria</i> (Christoph,1885) (Geometridae)             | 49. <i>Drasteria saisani</i> (Staudinger,1882) (Noctuidae)                                  | 82. <i>Pristocerella solskyi</i> (Christoph,1877) (Pyralidae)                          |
| 17. <i>Eupithecia tribunaria</i> Herrich-Schäffer,1852 (Geometridae)                          | 50. <i>Episema korsakovi</i> (Christoph,1885) (Noctuidae)                                   | 83. <i>Saturnia</i> (Perisomena) <i>caecigena</i> Kupido,1825 (Saturniidae)            |
| 18. <i>Glossotrophia</i> (s.str.) <i>falsaria</i> (Herrich-Schäffer,1852) (Geometridae)       | 51. <i>Eublemma</i> (Glossodice) <i>polygrammum</i> (Duponchel,[1842]) (Noctuidae)          | 84. <i>Minois dryas</i> (Scopoli,1763) (Satyridae)                                     |
| 19. <i>Megalycinia scalaria</i> (Christoph,1893) (Geometridae)                                | 52. <i>Eublemma</i> (albida-gr.) <i>hansa</i> (Herrich-Schäffer,[1851]) (Noctuidae)         | 85. <i>Synanthedon stomoxiformis</i> (Hübner,1790) (Sesiidae)                          |
| 20. <i>Nebula propagata</i> (Christoph,1893) (Geometridae)                                    | 53. <i>Eublemma</i> (candidana-gr.) <i>viridulum</i> (Guenée,1841) (Noctuidae)              | 86. <i>Acherontia atropos</i> (Linnaeus,1758) (Sphingidae)                             |
| 21. <i>Ourapteryx falciformis</i> Inoue,1993 (Geometridae)                                    | 54. <i>Euxoa</i> (s.str.) <i>xanthosemata</i> Hampson,1918 (Noctuidae)                      | 87. <i>Acherontia atropos atropos</i> (Linnaeus,1758) (Sphingidae)                     |
| 22. <i>Scopula beckeraria</i> (Lederer,1853) (Geometridae)                                    | 55. <i>Hadena</i> (Enterpia) <i>laudeti</i> (Boisduval,1840) (Noctuidae)                    | 88. <i>Laothoe populeti</i> (Bienert,[1870]) (Sphingidae)                              |
| 23. <i>Scopula immistaria</i> (Herrich-Schäffer,[1852]) (Geometridae)                         | 56. <i>Hadula</i> (Calocestra) (Hadumendax)) <i>mendica</i> (Staudinger,[1895]) (Noctuidae) | 89. <i>Smerinthus kindermanni</i> Lederer,1852 (Sphingidae)                            |
| 24. <i>Carterocephalus silvicola</i> (Meigen,1829) (Hesperiidae)                              | 57. <i>Hadula</i> (Cardiestra) <i>vassilini</i> (O.Bang-Haas,1927) (Noctuidae)              | 90. <i>Theretra alecto</i> (Linnaeus,1758) (Sphingidae)                                |
| 25. <i>Eriogaster</i> (Autosphylla) <i>neogena</i> (Fischer de Waldheim,1824) (Lasiocampidae) | 58. <i>Lacanobia</i> (Diataraxia) <i>aliena</i> (Hübner,[1809]) (Noctuidae)                 | 91. <i>Hapsifera luridella</i> Zeller,1847 (Tineidae)                                  |
| 26. <i>Polyommatus</i> (Aricia (s.str.)) <i>artaxerxes</i> (Fabricius,1793) (Lycaenidae)      | 59. <i>Noctua</i> (Euschesis) <i>janthina</i> ([Denis & Schiffermüller],1775) (Noctuidae)   | 92. <i>Myrmecozela</i> (Flavida) <i>carabachica</i> Zagulyaev,1968 (Tineidae)          |
| 27. <i>Thecla betulae</i> (Linnaeus,1758) (Lycaenidae)  | 60. <i>Noctua</i> (Latanocua) <i>orbona</i> (Hufnagel,1766) (Noctuidae)                     | 93. <i>Myrmecozela</i> (Flavida) <i>gajndzhiella</i> Zagulyaev,1968 (Tineidae)         |
| 28. <i>Tomares callimachus</i> (Eversmann,1848) (Lycaenidae)                                  | 61. <i>Noctua</i> (s.str.) <i>pronuba</i> (Linnaeus,1758) (Noctuidae)                       | 94. <i>Ceratoxanthia externana</i> (Eversmann,1844) (Tortricidae)                      |
| 29. <i>Acontia</i> (Uracontia) <i>titania</i> (Esper,[1798]) (Noctuidae)                      | 62. <i>Parastichtis corticea</i> (Esper,[1800]) (Noctuidae)                                 | 95. <i>Cochylimorpha asiana</i> (Kennel,1899) (Tortricidae)                            |
| 30. <i>Amphipyra livida</i> ([Denis & Schiffermüller],1775) (Noctuidae)                       | 63. <i>Plusidia cheiranthi</i> (Tauscher,1809) (Noctuidae)                                  | 96. <i>Fulvoclysis defectana</i> (Lederer,1870) (Tortricidae)                          |
| 31. <i>Amphipyra tetra</i> (Fabricius,1787) (Noctuidae)                                       | 64. <i>Rhyacia</i> (s.str.) <i>arenacea</i> (Hampson,1907) (Noctuidae)                      | 97. <i>Fulvoclysis pallorana</i> (Lederer,1864) (Tortricidae)                          |
| 32. <i>Apamea</i> (s.str.) <i>platinea</i> (Treitschke,1825) (Noctuidae)                      | 65. <i>Schinia cardui</i> (Hübner,1790) (Noctuidae)   | 98. <i>Tortrix viridana</i> (Linnaeus,1758) (Tortricidae)                              |
| 33. <i>Autophila</i> (Cheiropheanes) <i>cataphanes</i> (Hübner,[1813]) (Noctuidae)            | 66. <i>Scoliopteryx libatrix</i> (Linnaeus,1758) (Noctuidae)                                | 99. <i>Zygaena</i> (Agrumenia) <i>fraxini</i> Ménétris,1832 (Zygaenidae)               |
|   |   | 100. <i>Zygaena</i> (Agrumenia) <i>olivieri</i> Boisduval,1828 (Zygaenidae)            |

**Ordubad (Ord) [Azerbaidjan]**

1. *Alucita* ordubadi Zagulyaev, 2000 (Alucitidae)
2. *Axiopoenia* maura (Eichwald, 1830) (Arctiidae)
3. *Argynnis* (Fabriciana) niobe (Linnaeus, 1758) (Argynnididae)
4. *Argynnis* (Pandoriana) pandora ([Denis & Schiffermüller], 1775) (Argynnididae)
5. *Argynnis* (Pandoriana) pandora pandora ([Denis & Schiffermüller], 1775) (Argynnididae)
6. *Melitaea* (Cinclidia) (phoebe) phoebe (Goeze, 1779) (Argynnididae)
7. *Melitaea* (Didymaeformis) fascelis (Fabricius, 1787) (Argynnididae)
8. *Melitaea* (Didymaeformis) perseia Kollar, [1849] (Argynnididae)
9. *Melitaea* (s.str.) cinxia (Linnaeus, 1758) (Argynnididae)
10. *Neptis* (s.str.) rivularis (Scopoli, 1763) (Argynnididae)
11. *Polygonia* (Comma) egea (Cramer, [1775]) (Argynnididae)
12. *Thaleropsis* ionia (Eversmann, 1851) (Argynnididae)
13. *Brachodes* ordubadi Zagulyaev, 1999 (Brachodidae)
14. *Catopta* alpherakyi (Christoph, 1885) (Cossidae)
15. *Cossulus* argentatus (Staudinger, 1887) (Cossidae)
16. *Dieida* ledereri Staudinger, 1871 (Cossidae)
17. *Dyspessa* alpherakyi (Christoph, 1885) (Cossidae)
18. *Dyspessa* saxicola (Christoph, 1885) (Cossidae)
19. *Isoceras* bipunctatum (Staudinger, 1887) (Cossidae)
20. *Isoceras* huberi Eitschberger & Ströhle, 1987 (Cossidae)
21. *Dysauxes* (Adauctis) punctata (Fabricius, 1781) (Ctenuchidae)
22. *Ethmia* vittalbella (Christoph, 1877) (Ethmiidae)
23. *Drepanopterula* limaria (Christoph, 1885) (Geometridae)
24. *Enanthyperythra* legataria (Herrich-Schäffer, [1852]) (Geometridae)
25. *Eupithecia* adelpha Vojnits, 1975 (Geometridae)
26. *Eupithecia* christophi Mironov, 1988 (Geometridae)
27. *Eupithecia* crenata Vojnits, 1975 (Geometridae)
28. *Eupithecia* inconspicua Bohatsch, 1893 (Geometridae)
29. *Eupithecia* lithographata Christoph, 1887 (Geometridae)
30. *Eupithecia* ponderata Dietze, 1906 (Geometridae)
31. *Eupithecia* scalptata Christoph, 1885 (Geometridae)
32. *Eupithecia* subsequaria Herrich-Schäffer, [1852] (Geometridae)
33. *Eupithecia* transacta Vojnits, 1982 (Geometridae)
34. *Gnophos* (Cnestrognophos) anthina Wehrli, 1953 (Geometridae)
35. *Gnophos* (Cnestrognophos) rjabovi Wehrli, 1929 (Geometridae)
36. *Horisme* milvaria (Christoph, 1893) (Geometridae)
37. *Hyposcotis* (Euchrognophos) annubilata Christoph, 1885 (Geometridae)
38. *Idaea* roseofasciata (Christoph, 1882) (Geometridae)
39. *Lithostege* infusata Eversmann, 1837 (Geometridae)
40. *Rhodostrophia* sieversi (Christoph, 1882) (Geometridae)
41. *Synopsidia* phasidaria (Rogenhofer, 1873) (Geometridae)
42. *Eogenes* alcides Herrich-Schäffer, [1852] (Hesperiidae)
43. *Spialia* (s.str.) phlomidis (Herrich-Schäffer, [1845]) (Hesperiidae)
44. *Spialia* (s.str.) struvei (Püngeler, 1914) (Hesperiidae)
45. *Thymelicus* lineolus (Ochsenheimer, 1808) (Hesperiidae)
46. *Thymelicus* lineolus lineolus (Ochsenheimer, 1808) (Hesperiidae)
47. *Eriogaster* (Autosphylla) neogena (Fischer de Waldheim, 1824) (Lasiocampidae)
48. *Plebejus* (Plebejides) zephyrinus (Christoph, 1884) (Lycaenidae)
49. *Tomares* romanovi (Christoph, 1882) (Lycaenidae)
50. *Autophila* (s.str.) subfusca (Christoph, 1893) (Noctuidae)
51. *Caradrina* (Eremodrina) doleropsis (Boursin, 1939) (Noctuidae)
52. *Caradrina* (Eremodrina) melanura Alpheraky, 1897 (Noctuidae)
53. *Chersotis* (s.str.) fimbriola (Esper, [1798]) (Noctuidae)
54. *Chersotis* (s.str.) hahni (Christoph, 1885) (Noctuidae)
55. *Cucullia* (s.str.) improba Christoph, 1885 (Noctuidae)
56. *Deltote* delicatula (Christoph, 1882) (Noctuidae)
57. *Diarsia* mediotincta Kozhantshikov, 1937 (Noctuidae)
58. *Cardeia* fixseni (Christoph, 1882) (Noctuidae)
59. *Drasteria* cailino (Lefebvre, 1827) (Noctuidae)
60. *Drasteria* caucasica (Kolenati, 1846) (Noctuidae)
61. *Drasteria* flexuosa (Ménétrières, 1848) (Noctuidae)
62. *Drasteria* herzi (Alpheraky, 1895) (Noctuidae)
63. *Drasteria* picta (Christoph, 1877) (Noctuidae)
64. *Drasteria* rada (Boisduval, 1848) (Noctuidae)
65. *Drasteria* saiani (Staudinger, 1882) (Noctuidae)
66. *Drasteria* sesquistraria (Eversmann, 1854) (Noctuidae)
67. *Epipsammia* accurata (Christoph, 1882) (Noctuidae)
68. *Epipsammia* fixseni (Christoph, 1893) (Noctuidae)
69. *Eublemma* caduca (Christoph, 1893) (Noctuidae)
70. *Graphantha* (Dysgraphhadenia) commoda (Staudinger, 1889) (Noctuidae)
71. *Hadula* (Calocestra) (Hadumendax) mendica (Staudinger, [1895]) (Noctuidae)
72. *Hadula* (s.str. (Alexanoria)) sabulorum (Alpheraky, 1882) (Noctuidae)
73. *Herminia* proxima Christoph, 1893 (Noctuidae)
74. *Noctua* (Latanocutia) orbona (Hufnagel, 1766) (Noctuidae)
75. *Nola* impudica Christoph, 1893 (Noctuidae)
76. *Pheosia* grummi (Christoph, 1885) (Notodontidae)
77. *Agonopterix* ordubadensis Hannemann, 1959 (Oecophoridae)
78. *Depressaria* albipunctella ([Denis & Schiffermüller], 1775) (Oecophoridae)
79. *Papilio* (s.str. (Alexanoria)) alexanor Esper, [1800] (Papilionidae)
80. *Anthocharis* grueneri Herrich-Schäffer, [1851] (Pieridae)
81. *Canephora* lutea (Staudinger, 1871) (Psychidae)
82. *Canephora* villosella (Ochsenheimer, 1810) (Psychidae)
83. *Eumelasina* arguta Kozhantshikov, 1956 (Psychidae)
84. *Psyche* casta (Pallas, 1767) (Psychidae)
85. *Ptilamicta* erythropyga Kozhantshikov, 1956 (Psychidae)
86. *Solemasia* araxella Zagulyaev, 1995 (Psychidae)
87. *Merrifieldia* farsii (Arenberger, 1981) (Pterophoridae)
88. *Tabulaephorus* parthicus (Lederer, 1870) (Pterophoridae)
89. *Achyra* ochrofascialis (Christoph, 1882) (Pyralidae)
90. *Ancylosis* (Heterographis) harmoniella (Ragonot, 1887) (Pyralidae)
91. *Ancylosis* (Heterographis) nubeculella (Ragonot, 1887) (Pyralidae)
92. *Ancylosis* (Heterographis) roscidella (Eversmann, 1844) (Pyralidae)
93. *Ancylosis* (Heterographis) samaritanella (Zeller, 1867) (Pyralidae)
94. *Auxacia* bilineella (Ragonot, 1887) (Pyralidae)
95. *Bazaria* sieversi (Christoph, 1877) (Pyralidae)
96. *Chilo christophi* Bleszynski, 1965 (Pyralidae)
97. *Euchromius* jaxartellus (Erschoff, 1874) (Pyralidae)
98. *Euchromius* pulverosus (Christoph, 1887) (Pyralidae)
99. *Euzophora* (s.str.) umbrosella (Staudinger, 1879) (Pyralidae)
100. *Keradere* lepidella (Ragonot, 1887) (Pyralidae)
101. *Ocristodes* dispergella (Ragonot, 1887) (Pyralidae)
102. *Staudingeria* (s.str.) partitella Ragonot, 1887 (Pyralidae)
103. *Trachycera* erastrilla (Ragonot, 1887) (Pyralidae)
104. *Saturnia* (s.str.) pyri ([Denis & Schiffermüller], 1775) (Saturniidae)
105. *Chamaesphacia* azonos (Lederer, 1855) (Sesiidae)
106. *Chamaesphacia* elampiformis (Herrich-Schäffer, 1851) (Sesiidae)
107. *Hemaris* (Cochrania) croatica (Esper, [1779]) (Sphingidae)
108. *Hyles* zygophylli (Ochsenheimer, 1808) (Sphingidae)
109. *Laotioe* populeti (Bienert, [1870]) (Sphingidae)
110. *Rethera* komarovi (Christoph, 1885) (Sphingidae)
111. *Tethea* ocularis (Linnaeus, 1767) (Thyatiridae)
112. *Ceratuncus* danubiellus (Mann, 1866) (Tineidae)
113. *Episcardia* (Bilobatana) fuscoviolacella (Ragonot, 1895) (Tineidae)
114. *Hapsifera* luridella Zeller, 1847 (Tineidae)
115. *Myrmecozela* (Flavida) asariella Zagulyaev, 1972 (Tineidae)
116. *Myrmecozela* (Flavida) ordubasis Zagulyaev, 1968 (Tineidae)
117. *Petalographis* orientalis (G. Petersen, 1961) (Tineidae)
118. *Triaxomera* caucasiella Zagulyaev, 1959 (Tineidae)
119. *Acleris* sparsana ([Denis & Schiffermüller], 1775) (Tortricidae)
120. *Aethes* prangana (Kennel, 1900) (Tortricidae)
121. *Cochylimorpha* discolorana Kennel, 1899 (Tortricidae)
122. *Diceratura* porrectana Djakonov, 1929 (Tortricidae)
123. *Diceratura* rhodograpta Djakonov, 1929 (Tortricidae)
124. *Dichrorampha* inconspicua (Danilevsky, 1948) (Tortricidae)
125. *Tortrix* viridana (Linnaeus, 1758) (Tortricidae)
126. *Digitivalva* (Inuliphila) christophi (Toll, 1958) (Yponomeutidae)
127. *Jordanita* (Rjabovia) horni (Alberti, 1937) (Zygaenidae)
128. *Zygaena* (Agrumenia) carniolica (Scopoli, 1763) (Zygaenidae)

129. Zygaena (Agrumenia) olivieri Boisduval,1828 (Zygaenidae)	131. Zygaena (Mesembrynus) manlia Lederer,1870 (Zygaenidae)	133. Zygaena (Mesembrynus) tamara Christoph,1889 (Zygaenidae)
130. Zygaena (Mesembrynus) cuvieri Boisduval,1828 (Zygaenidae)	132. Zygaena (Mesembrynus) rubricollis Hampson,1900 (Zygaenidae)	

## Kazikoparan (76C) [Turkey]

1. Boloria (s.str.) graeca (Staudinger,1870) (Argynniidae)	40. Eublemma (albida-gr.) hansa (Herrich-Schäffer,[1851]) (Noctuidae)	79. Euzophera (s.str.) luculentella Ragonot,1888 (Pyralidae)
2. Melitaea (Melicta) aurelia (Nickerl,1850) (Argynniidae)	41. Eublemma transmittens (Christoph,1893) (Noctuidae)	80. Homoeosoma (s.str.) sinuellum (Fabricius,1794) (Pyralidae)
3. Brachodes araxella Zagulyaev,1999 (Brachodidae)	42. Euxoa (s.str.) sulcifera (Christoph,1893) (Noctuidae)	81. Hypochalcia decorella (Hübner,[1810]) (Pyralidae)
4. Amata rossica (Turati,1917) (Ctenuchidae)	43. Euxoa (s.str.) vitta (Esper,[1789]) (Noctuidae)	82. Hypochalcia dignella (Hübner,1796) (Pyralidae)
5. Neofriseria sceptrophora (Meyrick,1926) (Gelechiidae)	44. Hadenia (s.str.(Albimaculia)) humilis (Christoph,1893) (Noctuidae)	83. Hypsotropa limbella Zeller,1848 (Pyralidae)
6. Chesistege korbi (Bohatsch,1910) (Geometridae)	45. Nola karelica (Tengström,1869) (Noctuidae)	84. Lambaesia fumosella (Ragonot,1887) (Pyralidae)
7. Chiasmia (Godonela) syriacaria (Staudinger,1871) (Geometridae)	46. Pseudohadena (s.str.) impedita (Christoph,1887) (Noctuidae)	85. Myrlaea albistrigata (Staudinger,1881) (Pyralidae)
8. Eupithecia lacteolata Dietze,1906 (Geometridae)	47. Sesamia lacteola (Christoph,1893) (Noctuidae)	86. Nyctegretis lineana (Scopoli,1786) (Pyralidae)
9. Eupithecia limbata Staudinger,1879 (Geometridae)	48. Agonopterix subumbellana Hannemann,1959 (Oecophoridae)	87. Pempelia ambustiella Ragonot,1887 (Pyralidae)
10. Scotopteryx langi (Christoph,1885) (Geometridae)	49. Pleurota armeniella Caradja,1920 (Oecophoridae)	88. Phycitodes carlinella (Heinemann,1865) (Pyralidae)
11. Carcharodus (Reverdinus) flocciferus (Zeller,1847) (Hesperiidae)	50. Parnassius (s.str.) apollo (Linnaeus,1758) (Papilionidae)	89. Pima boisduvaliella (Guenée,1845) (Pyralidae)
12. Carcharodus (Reverdinus) orientalis Reverdin,1913 (Hesperiidae)	51. Colias (Eriocolias) thisoa Ménétériés,1832 (Pieridae)	90. Praeepischnia lydella (Lederer,1865) (Pyralidae)
13. Hesperia comma (Linnaeus,1758) (Hesperiidae)	52. Colias (Neocolias) chlorocoma Christoph,1888 (Pieridae)	91. Pristocerella deltagrammella (Ragonot,1888) (Pyralidae)
14. Muschampia proteides (F.Wagner,1929) (Hesperiidae)	53. Agdistis caradjai Arenberger,1975 (Pterophoridae)	92. Psorosa albunculella Ragonot,1901 (Pyralidae)
15. Muschampia tessellum (Hübner,[1802]) (Hesperiidae)	54. Crombrugghia laeta (Zeller,1847) (Pterophoridae)	93. Psorosa nucleolella (Möschler,1866) (Pyralidae)
16. Pyrgus cinarae (Rambur,[1839]) (Hesperiidae)	55. Ancylosis (Cabotia) lacteicostella (Ragonot,1887) (Pyralidae)	94. Psorosa ochrifasciella Ragonot,1887 (Pyralidae)
17. Pyrgus cirsii (Rambur,[1839]) (Hesperiidae)	56. Ancylosis (Cabotia) oblitella (Zeller,1848) (Pyralidae)	95. Schoenobius gigantellus ([Denis & Schiffermüller],1775) (Pyralidae)
18. Pyrgus serratulae (Rambur,[1839]) (Hesperiidae)	57. Ancylosis (Heterographis) gracilella Ragonot,1887 (Pyralidae)	96. Sciota (s.str.) imperialella (Ragonot,1887) (Pyralidae)
19. Pyrgus sidae (Esper,[1784]) (Hesperiidae)	58. Ancylosis (Heterographis) hellenica (Staudinger,1870) (Pyralidae)	97. Scoparia absconditalis Christoph,1887 (Pyralidae)
20. Spialia (Neospialia) orbifer (Hübner,[1823]) (Hesperiidae)	59. Ancylosis (s.str.) cinnamomella (Duponchel,1836) (Pyralidae)	98. Selagia dissimilella Ragonot,1887 (Pyralidae)
21. Spialia (Neospialia) orbifer hiliaris (Staudinger,1901) (Hesperiidae)	60. Ancylosis (s.str.) iranella Ragonot,1887 (Pyralidae)	99. Staudingeria (s.str.) morbosella (Staudinger,1879) (Pyralidae)
22. Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845]) (Hesperiidae)	61. Ancylosis (s.str.) maculifera Staudinger,1870 (Pyralidae)	100. Trachycera erastriella (Ragonot,1887) (Pyralidae)
23. Thymelicus lineolus (Ochsenheimer,1808) (Hesperiidae)	62. Arsissa divaricella (Ragonot,1887) (Pyralidae)	101. Xanthocrambus saxonellus (Zincken,1821) (Pyralidae)
24. Thymelicus lineolus lineolus (Ochsenheimer,1808) (Hesperiidae)	63. Asalebria (Exophora) exasperata (Staudinger,1879) (Pyralidae)	102. Saturnia (Heraea) cephalariae (Romanoff,1885) (Saturniidae)
25. Thymelicus sylvestris (Poda,1761) (Hesperiidae)	64. Asalebria (s.str.) venustella (Ragonot,1887) (Pyralidae)	103. Esperage (s.str.) clymene (Fabricius,1787) (Satyridae)
26. Thymelicus sylvestris syriacus (Tutt,[1905]) (Hesperiidae)	65. Bazarina nomiella (Ragonot,1887) (Pyralidae)	104. Scythris hyalinella Caradja,1920 (Scythridae)
27. Lycaena (Heodes) virgaureae (Linnaeus,1758) (Lycaenidae)	66. Bradyrrhoa mesobaphella Ragonot,1888 (Pyralidae)	105. Scythris shafferi Bengtsson,2005 (Scythridae)
28. Lycaena (s.str.) phlaeas (Linnaeus,1761) (Lycaenidae)	67. Catoptria colchicella (Lederer,1870) (Pyralidae)	106. Bembecia (Ductispina) transcaucasica (Staudinger,1891) (Sesiidae)
29. Lycaena (s.str.) phlaeas timeus (Cramer,[1777]) (Lycaenidae)	68. Chilo luteellus (Motschulsky,1866) (Pyralidae)	107. Ateliotum hungaricellum Zeller,1839 (Tineidae)
30. Phengaris arion (Linnaeus,1758) (Lycaenidae)	69. Chrysocrambus linetellus (Fabricius,1781) (Pyralidae)	108. Ceratuncus danubiellus (Mann,1866) (Tineidae)
31. Phengaris rebeli (Hirschke,1904) (Lycaenidae)	70. Crambus pascuellus (Linnaeus,1758) (Pyralidae)	109. Asketria cervinana (Caradja,1916) (Tortricidae)
32. Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893) (Lycaenidae)	71. Ecbatania holopyrrhella (Ragonot,1888) (Pyralidae)	110. Cochyliomorpha diana (Kennel,1899) (Tortricidae)
33. Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901) (Lycaenidae)	72. Ephestia (s.str.) disparella Hampson,1901 (Pyralidae)	111. Cochyliomorpha discolorana Kennel,1899 (Tortricidae)
34. Satyrium (Nordmannia) abdominalis (Gerhard,[1850]) (Lycaenidae)	73. Ephestia (s.str.) elutella (Hübner,1796) (Pyralidae)	112. Cochyliomorpha nodulana (Möschler,1862) (Tortricidae)
35. Satyrium (Nordmannia) armenum (Rebel,1901) (Lycaenidae)	74. Epidauria strigosa (Staudinger,1879) (Pyralidae)	113. Cochyliomorpha nomadana (Erschoff,1874) (Tortricidae)
36. Chersotis (s.str.) fimbriola (Esper,[1798]) (Noctuidae)	75. Epischnia christophori Ragonot,1887 (Pyralidae)	114. Cochyliomorpha pyramidana (Staudinger,1871) (Tortricidae)
37. Chersotis (s.str.) fimbriola bohatschi (Rebel,1904) (Noctuidae)	76. Euchromius bellus (Hübner,1796) (Pyralidae)	115. Cydia leucogrammana (Hofmann,1898) (Tortricidae)
38. Cryphia (Bryoleuca) seladona (Christoph,1885) (Noctuidae)	77. Euchromius ramburiellus (Duponchel,1836) (Pyralidae)	116. Dichrorampha caucasica (Danilevsky,1948) (Tortricidae)
39. Dichagyris (Yigoga) romanovi (Christoph,1885) (Noctuidae)	78. Euzophera (s.str.) bigella (Zeller,1848) (Pyralidae)	117. Dichrorampha proxima (Danilevsky,1948) (Tortricidae)



- |  |   |   |
|--|---|---|
| 118. <i>Eucosma cana</i> (Haworth,1811) (Tortricidae)      | 121. <i>Fulvoclysia subdolana</i> (Kennel,1901) (Tortricidae)           | 124. <i>Zygaena (Agrumenia) loti</i> ([Denis & Schiffermüller],1775) (Zygaenidae) |
| 119. <i>Eucosma coagulana</i> (Kennel,1901) (Tortricidae)  | 122. <i>Zygaena (Agrumenia) carniolella</i> (Scopoli,1763) (Zygaenidae) | 125. <i>Zygaena (s.str.) viciae</i> ([Denis & Schiffermüller],1775) (Zygaenidae)  |
| 120. <i>Fulvoclysia aulica</i> Razowski,1968 (Tortricidae) | 123. <i>Zygaena (Mesembrynus) brizae</i> (Esper,1800) (Zygaenidae)      |   |

## Zomba (Zom) [Malawi]

- |   |  |  |
|---|--|--|
| 1. <i>Acraea (Actinote) acerata</i> Hewitson,1874 (Acraeidae)           | 39. <i>Charaxes penricei</i> Rothschild,1900 (Argynnidae)                    | 78. <i>Danaus (Anosia) chrysippus</i> (Linnaeus,1758) (Danaiidae)    |
| 2. <i>Acraea (Actinote) cabira</i> Hopffer,1855 (Acraeidae)             | 40. <i>Charaxes phaeus</i> Hewitson,1877 (Argynnidae)                        | 79. <i>Aspilatopsis unilineata</i> (W.Warren,1897) (Geometridae)     |
| 3. <i>Acraea (Actinote) encedon</i> (Linnaeus,1758) (Acraeidae)         | 41. <i>Charaxes pollux</i> (Cramer,[1775]) (Argynnidae)                      | 80. <i>Biston abruptarius</i> (Walker,1869) (Geometridae)            |
| 4. <i>Acraea (Actinote) esebria</i> Hewitson,1861 (Acraeidae)           | 42. <i>Charaxes protoclea</i> Feisthamel,1850 (Argynnidae)                   | 81. <i>Chiasmia contaminata</i> (W.Warren,1902) (Geometridae)        |
| 5. <i>Acraea (Actinote) excelsior</i> Sharpe,1891 (Acraeidae)           | 43. <i>Charaxes varanes</i> (Cramer,[1777]) (Argynnidae)                     | 82. <i>Chiasmia parallacta</i> (W.Warren,1897) (Geometridae)         |
| 6. <i>Acraea (s.str.) acara</i> Hewitson,1865 (Acraeidae)               | 44. <i>Cymothoe pluto</i> (Ward,1873) (Argynnidae)                           | 83. <i>Chiasmia procidata</i> (Guenée,[1858]) (Geometridae)          |
| 7. <i>Acraea (s.str.) acrita</i> Hewitson,1865 (Acraeidae)              | 45. <i>Vanessa (Cynthia) cardui</i> (Linnaeus,1758) (Argynnidae)             | 84. <i>Chiasmia sororcula</i> (W.Warren,1897) (Geometridae)          |
| 8. <i>Acraea (s.str.) anemosa</i> Hewitson,1865 (Acraeidae)             | 46. <i>Vanessa (Cynthia) cardui cardui</i> (Linnaeus,1758) (Argynnidae)      | 85. <i>Chrysocraspeda zombensis</i> (L.B.Prout,1932) (Geometridae)   |
| 9. <i>Acraea (s.str.) asema</i> Hewitson,1877 (Acraeidae)               | 47. <i>Cyrestis (Azania) camillus</i> (Fabricius,1781) (Argynnidae)          | 86. <i>Comostolopsis atricosta</i> Herbulot,1992 (Geometridae)       |
| 10. <i>Acraea (s.str.) caldarena</i> Hewitson,1877 (Acraeidae)          | 48. <i>Euphaedra (Hecqia) neophron</i> (Hopffer,1855) (Argynnidae)           | 87. <i>Eulycia grisea</i> (W.Warren,1897) (Geometridae)              |
| 11. <i>Acraea (s.str.) doubledayi</i> Guérin-Méneville,1849 (Acraeidae) | 49. <i>Eurytela dryope</i> (Cramer,[1775]) (Argynnidae)                      | 88. <i>Lophorrhachia atricristata</i> L.B.Prout,1930 (Geometridae)   |
| 12. <i>Acraea (s.str.) egina</i> (Cramer,[1775]) (Acraeidae)            | 50. <i>Eurytela hiarbas</i> (Drury,1782) (Argynnidae)                        | 89. <i>Mauna zomba</i> Herbulot,1997 (Geometridae)                   |
| 13. <i>Acraea (s.str.) guillemei</i> Oberthür,1893 (Acraeidae)          | 51. <i>Hamatumida daedalus</i> (Fabricius,1775) (Argynnidae)                 | 90. <i>Piercia serena</i> Herbulot,1990 (Geometridae)                |
| 14. <i>Acraea (s.str.) insignis</i> Distant,1880 (Acraeidae)            | 52. <i>Hypolimnias anthedon</i> Doubleday,1845 (Argynnidae)                  | 91. <i>Prasinocyma leucopis</i> L.B.Prout,1922 (Geometridae)         |
| 15. <i>Acraea (s.str.) natalica</i> Boisduval,1847 (Acraeidae)          | 53. <i>Hypolimnias misippus</i> (Linnaeus,1764) (Argynnidae)                 | 92. <i>Victoria rhodoblema</i> L.B.Prout,1938 (Geometridae)          |
| 16. <i>Pardopsis punctatissima</i> (Boisduval,1833) (Acraeidae)         | 54. <i>Neptis (s.str.) incongrua</i> Butler,1896 (Argynnidae)                | 93. <i>Abantis bismarcki</i> Karsch,1892 (Hesperiidae)               |
| 17. <i>Amerila puella</i> (Fabricius,1794) (Arctiidae)                  | 55. <i>Neptis (s.str.) saclava</i> Boisduval,1833 (Argynnidae)               | 94. <i>Abantis paradisea</i> (Butler,1870) (Hesperiidae)             |
| 18. <i>Amphicallia thelwalli</i> (Druce,1882) (Arctiidae)               | 56. <i>Phalanta phalantha</i> (Drury,[1773]) (Argynnidae)                    | 95. <i>Abantis zambesiaca</i> (Westwood,1874) (Hesperiidae)          |
| 19. <i>Spilosoma nyasicum</i> (Hampson,1911) (Arctiidae)                | 57. <i>Precis (Junonia) actia</i> (Distant,1880) (Argynnidae)                | 96. <i>Andronymus neander</i> (Plötz,1884) (Hesperiidae)             |
| 20. <i>Byblia anvatarata</i> (Boisduval,1833) (Argynnidae)              | 58. <i>Precis (Junonia) antilope</i> (Feisthamel,1850) (Argynnidae)          | 97. <i>Artitropa erinnys</i> (Trimen,1862) (Hesperiidae)             |
| 21. <i>Cataglyphis cloantho</i> (Stoll,[1781]) (Argynnidae)             | 59. <i>Precis (Junonia) artaxia</i> Hewitson,1864 (Argynnidae)               | 98. <i>Borbo holtzi</i> (Plötz,1883) (Hesperiidae)                   |
| 22. <i>Charaxes achaemenes</i> C.Felder & R.Felder,[1867] (Argynnidae)  | 60. <i>Precis (Junonia) ceryne</i> (Boisduval,1847) (Argynnidae)             | 99. <i>Callegria jamesoni</i> (Sharpe,1890) (Hesperiidae)            |
| 23. <i>Charaxes baumanni</i> Rogenhofer,1891 (Argynnidae)               | 61. <i>Precis (Junonia) cuama</i> (Hewitson,1864) (Argynnidae)               | 100. <i>Chondrolepis niveicornis</i> (Plötz,1883) (Hesperiidae)      |
| 24. <i>Charaxes bohemani</i> C.Felder & R.Felder,1859 (Argynnidae)      | 62. <i>Precis (Junonia) hierta</i> (Fabricius,1798) (Argynnidae)             | 101. <i>Coeliades forestan</i> (Stoll,[1782]) (Hesperiidae)          |
| 25. <i>Charaxes brutus</i> (Cramer,[1779]) (Argynnidae)                 | 63. <i>Precis (Junonia) natalica</i> (C.Felder & R.Felder,1860) (Argynnidae) | 102. <i>Eagris sabadius</i> (Gray,[1832]) (Hesperiidae)              |
| 26. <i>Charaxes candiope</i> (Godart,[1824]) (Argynnidae)               | 64. <i>Precis (Junonia) oenone</i> (Linnaeus,1758) (Argynnidae)              | 103. <i>Fresna nyassae</i> (Hewitson,1878) (Hesperiidae)             |
| 27. <i>Charaxes castor</i> (Cramer,[1775]) (Argynnidae)                 | 65. <i>Precis (Junonia) orithya</i> (Linnaeus,1758) (Argynnidae)             | 104. <i>Kedestes callicles</i> (Hewitson,1868) (Hesperiidae)         |
| 28. <i>Charaxes cithaeron</i> C.Felder & R.Felder,1859 (Argynnidae)     | 66. <i>Precis (Junonia) terea</i> (Drury,[1773]) (Argynnidae)                | 105. <i>Metisella formosus</i> (Butler,1894) (Hesperiidae)           |
| 29. <i>Charaxes druceanus</i> Butler,1869 (Argynnidae)                  | 67. <i>Precis (s.str.) archesia</i> (Cramer,[1779]) (Argynnidae)             | 106. <i>Metisella quadrisignatus</i> (Butler,1894) (Hesperiidae)     |
| 30. <i>Charaxes etesipe</i> (Godart,[1824]) (Argynnidae)                | 68. <i>Precis (s.str.) octavia</i> (Cramer,[1777]) (Argynnidae)              | 107. <i>Parosmodes morantii</i> (Trimen,1873) (Hesperiidae)          |
| 31. <i>Charaxes ethalion</i> (Boisduval,1847) (Argynnidae)              | 69. <i>Precis (s.str.) tugela</i> Trimen,1879 (Argynnidae)                   | 108. <i>Pelopidas mathias</i> (Fabricius,1798) (Hesperiidae)         |
| 32. <i>Charaxes etheocles</i> (Cramer,[1777]) (Argynnidae)              | 70. <i>Pseudacraea lucretia</i> (Cramer,[1775]) (Argynnidae)                 | 109. <i>Pelopidas mathias mathias</i> (Fabricius,1798) (Hesperiidae) |
| 33. <i>Charaxes eupale</i> (Drury,1782) (Argynnidae)                    | 71. <i>Salamis anacardii</i> (Linnaeus,1758) (Argynnidae)                    | 110. <i>Sarangesa astrigera</i> Butler,1894 (Hesperiidae)            |
| 34. <i>Charaxes guderiana</i> (Dewitz,1879) (Argynnidae)                | 72. <i>Sevenia boisduvali</i> (Wallengren,1857) (Argynnidae)                 | 111. <i>Sarangesa maculata</i> (Mabille,1891) (Hesperiidae)          |
| 35. <i>Charaxes jasius</i> (Linnaeus,1767) (Argynnidae)                 | 73. <i>Sevenia morantii</i> (Trimen,1881) (Argynnidae)                       | 112. <i>Sarangesa motozi</i> (Wallengren,1857) (Hesperiidae)         |
| 36. <i>Charaxes lasti</i> Grose-Smith,1889 (Argynnidae)                 | 74. <i>Sevenia rosa</i> (Hewitson,1877) (Argynnidae)                         | 113. <i>Spialia (s.str.) dromus</i> (Plötz,1884) (Hesperiidae)       |
| 37. <i>Charaxes macclounii</i> Butler,1895 (Argynnidae)                 | 75. <i>Amauris (Amaura) echeria</i> (Stoll,[1790]) (Danaiidae)               | 114. <i>Tagiades (s.str.) flesus</i> (Fabricius,1781) (Hesperiidae)  |
| 38. <i>Charaxes nichetes</i> Grose-Smith,1883 (Argynnidae)              | 76. <i>Amauris (Amaura) ochlea</i> (Boisduval,1847) (Danaiidae)              | 115. <i>Teniorhinus harona</i> (Westwood,1881) (Hesperiidae)         |
|   | 77. <i>Amauris (Amauris) niavius</i> (Linnaeus,1758) (Danaiidae)             | 116. <i>Parapluda incincta</i> (Hampson,1909) (Limacodidae)          |

- |   |  |   |
|---|--|---|
| 117. <i>Anthene liodes</i> (Hewitson,1874) (Lycaenidae)                             | 144. <i>Ecpatia dulcistriga</i> (Walker,1858) (Noctuidae)  | 172. <i>Colotis</i> (s.str.) <i>antevippe</i> (Boisduval,1836) (Pieridae)   |
| 118. <i>Axiocerses punicea</i> (Grose-Smith,1889) (Lycaenidae)                      | 145. <i>Eudocima divitiosa</i> (Walker,1869) (Noctuidae)   | 173. <i>Colotis</i> (s.str.) <i>evagore</i> (Klug,1829) (Pieridae)          |
| 119. <i>Azanus</i> (s.str.) <i>moriqua</i> (Wallengren,1857) (Lycaenidae)           | 146. <i>Heliophisma klugii</i> (Boisduval,1833) (Noctuidae)  | 174. <i>Colotis</i> (s.str.) <i>reginus</i> (Trimen,1863) (Pieridae)        |
| 120. <i>Baliochila aslanga</i> (Trimen,1873) (Lycaenidae)                           | 147. <i>Heraclia africana</i> (Butler,1875) (Noctuidae)  | 175. <i>Colotis</i> (s.str.) <i>vesta</i> (Reiche,[1850]) (Pieridae)        |
| 121. <i>Baliochila hildegarda</i> (Kirby,1887) (Lycaenidae)                         | 148. <i>Lacera alope</i> (Stoll,[1780]) (Noctuidae)  | 176. <i>Dixeia pigea</i> (Boisduval,1836) (Pieridae)                        |
| 122. <i>Cacyreus lingeus</i> (Stoll,[1782]) (Lycaenidae)                            | 149. <i>Maxera marchalii</i> (Boisduval,1833) (Noctuidae)  | 177. <i>Eurema</i> (Terias) <i>hapale</i> (Mabille,1882) (Pieridae)         |
| 123. <i>Cigaritis nyassae</i> (Butler,1884) (Lycaenidae)                            | 150. <i>Mitrophrys latreilli</i> (Herrich-Schäffer,[1853]) (Noctuidae)                               | 178. <i>Eurema</i> (Terias) <i>senegalensis</i> (Boisduval,1836) (Pieridae) |
| 124. <i>Cupidopsis cissus</i> (Godart,[1824]) (Lycaenidae)                          | 151. <i>Parallelia derogans</i> (Walker,1858) (Noctuidae)  | 179. <i>Eurema</i> (s.str.) <i>brigitta</i> (Stoll,[1780]) (Pieridae)       |
| 125. <i>Deudorix</i> (Virachola) <i>antalus</i> (Hopffer,1855) (Lycaenidae)         | 152. <i>Plusiodonta commoda</i> Walker,1865 (Noctuidae)  | 180. <i>Eurema</i> (s.str.) <i>desjardinsii</i> (Boisduval,1833) (Pieridae) |
| 126. <i>Deudorix</i> (Virachola) <i>diocles</i> Hewitson,1869 (Lycaenidae)          | 153. <i>Polydesma umbricola</i> Boisduval,1833 (Noctuidae)   | 181. <i>Leptosia alcesta</i> (Stoll,[1781]) (Pieridae)                      |
| 127. <i>Euchrysops malathana</i> (Boisduval,1833) (Lycaenidae)                      | 154. <i>Rhanidophora cinctigutta</i> (Walker,1862) (Noctuidae)                                       | 182. <i>Mylothris agathina</i> (Cramer,[1779]) (Pieridae)                   |
| 128. <i>Hypolycaena</i> (Hemiolaus) <i>caeculus</i> Hopffer,1855 (Lycaenidae)       | 155. <i>Graphium</i> (Arisbe (angolanus-gr.)) <i>angolanus</i> (Goeze,1779) (Papilionidae)           | 183. <i>Mylothris rubricosta</i> (Mabille,1890) (Pieridae)                  |
| 129. <i>Hypolycaena</i> (s.str.) <i>philippus</i> (Fabricius,1793) (Lycaenidae)     | 156. <i>Graphium</i> (Arisbe (policenes-gr.)) <i>porthaon</i> (Hewitson,1865) (Papilionidae)         | 184. <i>Mylothris rueppellii</i> (Koch,1865) (Pieridae)                     |
| 130. <i>Iolaus</i> (Argiolaus) <i>lalos</i> (Druce,1896) (Lycaenidae)               | 157. <i>Graphium</i> (Arisbe (s.str.)) <i>leonidas</i> (Fabricius,1793) (Papilionidae)               | 185. <i>Nepheronia argia</i> (Fabricius,1775) (Pieridae)                    |
| 131. <i>Lachnocnema bibulus</i> (Fabricius,1793) (Lycaenidae)                       | 158. <i>Priniceps</i> (Druryia (cynorta-gr.)) <i>echerioides</i> (Trimen,1868) (Papilionidae)        | 186. <i>Nepheronia thalassina</i> (Boisduval,1836) (Pieridae)               |
| 132. <i>Lampides boeticus</i> (Linnaeus,1767) (Lycaenidae)                          | 159. <i>Priniceps</i> (Druryia (nireus-gr.)) <i>desmondi</i> (Van Someren,1939) (Papilionidae)       | 187. <i>Pinacopteryx eriphia</i> (Godart,[1819]) (Pieridae)                 |
| 133. <i>Lampides boeticus boeticus</i> (Linnaeus,1767) (Lycaenidae)                 | 160. <i>Priniceps</i> (Druryia (nireus-gr.)) <i>nireus</i> (Linnaeus,1758) (Papilionidae)            | 188. <i>Adelpherupa elongalis</i> Maes,2004 (Pyralidae)                     |
| 134. <i>Lepidochrysops</i> (Rogenhofer,1891) (Lycaenidae)                           | 161. <i>Priniceps</i> (s.str. (hesperus-gr.)) <i>pelodurus</i> (Butler,1896) (Papilionidae)          | 189. <i>Abisara delicata</i> Lathy,1901 (Riodinidae)                        |
| 135. <i>Leptomyrina</i> (Leptomyrina) <i>hirundo</i> (Wallengren,1857) (Lycaenidae) | 162. <i>Priniceps</i> (s.str. (menestheus-gr.)) <i>ophidicephalus</i> (Oberthür,1878) (Papilionidae) | 190. <i>Imbrasia</i> (Nudaurelia) <i>emini</i> (Butler,1888) (Saturniidae)  |
| 136. <i>Mimacraea marshalli</i> Trimen,1898 (Lycaenidae)                            | 163. <i>Priniceps</i> (s.str. (phorcas-gr.)) <i>dardanus</i> (Brown,1776) (Papilionidae)             | 191. <i>Bicyclus angulosa</i> (Butler,1868) (Satyridae)                     |
| 137. <i>Ornipholidotos peucetia</i> (Hewitson,1866) (Lycaenidae)                    | 164. <i>Priniceps</i> (s.str. (phorcas-gr.)) <i>phorcas</i> (Cramer,[1775]) (Papilionidae)           | 192. <i>Bicyclus ena</i> (Hewitson,1877) (Satyridae)                        |
| 138. <i>Pentila</i> (s.str.) <i>amenaida</i> Hewitson,1873 (Lycaenidae)             | 165. <i>Priniceps</i> (s.str. (s.str.)) <i>demodocus</i> (Esper,[1798]) (Papilionidae)               | 193. <i>Bicyclus funebris</i> (Guérin-Ménéville,1844) (Satyridae)           |
| 139. <i>Pseudonacaduba sichela</i> (Wallengren,1857) (Lycaenidae)                   | 166. <i>Appias</i> (Glutophrissa) <i>epaphia</i> (Cramer,[1779]) (Pieridae)                          | 194. <i>Bicyclus rhacotis</i> (Hewitson,1866) (Satyridae)                   |
| 140. <i>Uranothauma falkensteini</i> (Dewitz,1879) (Lycaenidae)                     | 167. <i>Belenois aurota</i> (Fabricius,1793) (Pieridae)  | 195. <i>Bicyclus safitza</i> (Westwood,[1850]) (Satyridae)                  |
| 141. <i>Uranothauma poggei</i> (Dewitz,1879) (Lycaenidae)                           | 168. <i>Belenois creona</i> (Cramer,[1776]) (Pieridae)   | 196. <i>Gnophodes betsimena</i> (Boisduval,1833) (Satyridae)                |
| 142. <i>Anticarsia irrorata</i> (Fabricius,1781) (Noctuidae)                        | 169. <i>Catopsilia florella</i> (Fabricius,1775) (Pieridae)  | 197. <i>Henotesia perspicua</i> (Trimen,1873) (Satyridae)                   |
| 143. <i>Cyligramma latona</i> (Cramer,1775) (Noctuidae)                             | 170. <i>Colias</i> (Eriocolias) <i>electo</i> (Linnaeus,1763) (Pieridae)                             | 198. <i>Henotesia simonsii</i> (Butler,1877) (Satyridae)                    |
|   | 171. <i>Colotis</i> (Teracolus) <i>eris</i> (Klug,1829) (Pieridae)                                   | 199. <i>Melanitis leda</i> (Linnaeus,1758) (Satyridae)                      |
|   |  | 200. <i>Melanitis libya</i> Distant,1882 (Satyridae)                        |
|   |  | 201. <i>Neocoenura gregorii</i> Butler,1894 (Satyridae)                     |
|   |  | 202. <i>Neocoenura ypthimoides</i> Butler,1894 (Satyridae)                  |
|   |  | 203. <i>Physcaeneura pione</i> Godman,1880 (Satyridae)                      |

## Pundalayo (Pdy) [Sri Lanka]

- |  |  |  |
|--|--|--|
| 1. <i>Asota caricae</i> (Fabricius,1775) (Aganaiidae)      | 17. <i>Cyana peregrina</i> (Walker,1854) (Arctiidae)       | 30. <i>Padenia transversa</i> (Walker,1854) (Arctiidae)              |
| 2. <i>Aganais ficus</i> (Fabricius,1775) (Aganaiidae)      | 18. <i>Diduga albicosta</i> Hampson,1893 (Arctiidae)       | 31. <i>Miltochrista cuneonotata</i> (Walker,1855) (Arctiidae)        |
| 3. <i>Asota plana</i> (Walker,1854) (Aganaiidae)           | 19. <i>Diduga flavicostata</i> (Snellen,1878) (Arctiidae)  | 32. <i>Miltochrista gratiosa</i> (Guérin-Ménéville,1843) (Arctiidae) |
| 4. <i>Asota producta</i> (Butler,1875) (Aganaiidae)        | 20. <i>Pseudoblabe oophora</i> Zeller,1853 (Arctiidae)     | 33. <i>Nyctemera coleta</i> (Stoll,[1781]) (Arctiidae)               |
| 5. <i>Aloa lactinea</i> (Cramer,[1777]) (Arctiidae)        | 21. <i>Eilema fuscipes</i> (Hampson,1893) (Arctiidae)      | 34. <i>Nyctemera lactinia</i> (Cramer,[1779]) (Arctiidae)            |
| 6. <i>Migoplastis correcta</i> (Walker,[1865]) (Arctiidae) | 22. <i>Eilema fasciata</i> (Moore,1878) (Arctiidae)        | 35. <i>Oeonistis entella</i> (Cramer,[1779]) (Arctiidae)             |
| 7. <i>Migoplastis alba</i> (Moore,1877) (Arctiidae)        | 23. <i>Dolgoma angulifera</i> (Felder,1868) (Arctiidae)    | 36. <i>Olepa ricini</i> (Fabricius,1775) (Arctiidae)                 |
| 8. <i>Argina argus</i> (Kollar,[1844]) (Arctiidae)         | 24. <i>Dolgoma oblitterans</i> (R.Felder,1868) (Arctiidae) | 37. <i>Poliosia binotata</i> (Hampson,1893) (Arctiidae)              |
| 9. <i>Asura conferta</i> (Walker,1854) (Arctiidae)         | 25. <i>Aemene taprobanis</i> Walker,1854 (Arctiidae)       | 38. <i>Scaptosyle bicolor</i> Walker,1864 (Arctiidae)                |
| 10. <i>Asura semifascia</i> (Walker,1854) (Arctiidae)      | 26. <i>Narosodes punctana</i> (Walker,1863) (Arctiidae)    | 39. <i>Schistophleps bipuncta</i> Hampson,1891 (Arctiidae)           |
| 11. <i>Asura arcuata</i> (Moore,1882) (Arctiidae)          | 27. <i>Hemonia orbiferana</i> (Walker,1863) (Arctiidae)    | 40. <i>Pangora erosa</i> (Walker,1855) (Arctiidae)                   |
| 12. <i>Asura ila</i> (Moore,1859) (Arctiidae)              | 28. <i>Lemyra subfascia</i> (Walker,1855) (Arctiidae)      | 41. <i>Rhodareas melanopsis</i> (Walker,[1865]) (Arctiidae)          |
| 13. <i>Asura solita</i> (Walker,1854) (Arctiidae)          | 29. <i>Garudinia latana</i> (Walker,1863) (Arctiidae)      |  |
| 14. <i>Asura varians</i> (Hampson,1893) (Arctiidae)        |  |  |
| 15. <i>Chamaita nympha</i> (Moore,1887) (Arctiidae)        |  |  |
| 16. <i>Creatonotos gangis</i> (Linnaeus,1763) (Arctiidae)  |  |  |

- |  |  |   |
|--|--|---|
| 42. <i>Teulisna tumida</i> (Walker,1862) (Arctiidae)                           | 76. <i>Euproctis xanthorrhoea</i> (Kollar,[1844]) (Lymantriidae)                       | 118. <i>Inouenola grisalis</i> (Hampson,1893) (Noctuidae)                   |
| 43. <i>Gampola fasciata</i> Moore,1878 (Arctiidae)                             | 77. <i>Laelia exclamationis</i> (Kollar,1844) (Lymantriidae)                           | 119. <i>Paracrama dulcissima</i> (Walker,[1863]) (Noctuidae)                |
| 44. <i>Utetheisa</i> (s.str.) <i>pulchella</i> (Linnaeus,1758) (Arctiidae)     | 78. <i>Laelia rubripennis</i> Moore,1884 (Lymantriidae)                                | 120. <i>Parallelia algira</i> (Linnaeus,1767) (Noctuidae)                   |
| 45. <i>Ceryx godarti</i> (Boisduval,1829) (Ctenuchidae)                        | 79. <i>Laelia suffusa</i> (Walker,1855) (Lymantriidae)                                 | 121. <i>Parallelia stuposa</i> (Fabricius,1794) (Noctuidae)                 |
| 46. <i>Eupterote mollifera</i> Walker,1865 (Eupterotidae)                      | 80. <i>Lymantria ampla</i> (Walker,1855) (Lymantriidae)                                | 122. <i>Penicillaria nugatrix</i> Guenée,1852 (Noctuidae)                   |
| 47. <i>Hyblaea constellata</i> Guenée,1852 (Hyblaeidae)                        | 81. <i>Lymantria grandis</i> Walker,1855 (Lymantriidae)                                | 123. <i>Pindara illibata</i> (Fabricius,1775) (Noctuidae)                   |
| 48. <i>Hyblaea puera</i> (Cramer,[1777]) (Hyblaeidae)                          | 82. <i>Olene mendosa</i> Hübner,[1823] (Lymantriidae)                                  | 124. <i>Polytela gloriosae</i> (Fabricius,1781) (Noctuidae)                 |
| 49. <i>Gastropacha</i> (Estigena) <i>pardale</i> (Walker,1855) (Lasiocampidae) | 83. <i>Orgyia postica</i> (Walker,1855) (Lymantriidae)                                 | 125. <i>Ramadasa pavo</i> (Walker,1856) (Noctuidae)                         |
| 50. <i>Streblote dorsalis</i> (Walker,1866) (Lasiocampidae)                    | 84. <i>Perina nuda</i> (Fabricius,1787) (Lymantriidae)                                 | 126. <i>Spirama retorta</i> (Clerk,1764) (Noctuidae)                        |
| 51. <i>Deltoplastis amicella</i> (Walker,1864) (Lecithoceridae)                | 85. <i>Psalis pennatula</i> (Fabricius,1793) (Lymantriidae)                            | 127. <i>Phlegetonia bifacies</i> Walker,1858 (Noctuidae)                    |
| 52. <i>Hygroplasta monila</i> Wu & Park,1998 (Lecithoceridae)                  | 86. <i>Achaea mezentia</i> (Stoll,1780) (Noctuidae)                                    | 128. <i>Phlegetonia delatrix</i> (Guenée,1852) (Noctuidae)                  |
| 53. <i>Antiochtha oxyzona</i> (Meyrick,1910) (Lecithoceridae)                  | 87. <i>Achaea serva</i> (Fabricius,1775) (Noctuidae)                                   | 129. <i>Tinolius eburneiguttus</i> Walker,1855 (Noctuidae)                  |
| 54. <i>Arctornis cygna</i> (Moore,1879) (Lymantriidae)                         | 88. <i>Agrotis</i> (s.str.) <i>ippsilon</i> (Hufnagel,1766) (Noctuidae)                | 130. <i>Tiracola plagiata</i> (Walker,1857) (Noctuidae)                     |
| 55. <i>Aroa major</i> Hampson,1892 (Lymantriidae)                              | 89. <i>Agrotis</i> (s.str.) <i>segetum</i> ([Denis & Schiffermüller],1775) (Noctuidae) | 131. <i>Trachea auriplena</i> (Walker,1857) (Noctuidae)                     |
| 56. <i>Aroa maxima</i> Hampson,1892 (Lymantriidae)                             | 90. <i>Anomis fulvida</i> Guenée,1852 (Noctuidae)                                      | 132. <i>Westermannia superba</i> Hübner,1823 (Noctuidae)                    |
| 57. <i>Aroa plana</i> (Walker,1855) (Lymantriidae)                             | 91. <i>Anomis albitibia</i> Walker,1857 (Noctuidae)                                    | 133. <i>Cerura</i> (Neocerura) <i>liturata</i> (Walker,1855) (Notodontidae) |
| 58. <i>Aroa subnotata</i> (Walker,1855) (Lymantriidae)                         | 92. <i>Anomis involuta</i> Walker,1857 (Noctuidae)                                     | 134. <i>Clostera restituta</i> (Walker,1865) (Notodontidae)                 |
| 59. <i>Calliteara horsfieldii</i> (Saunders,1851) (Lymantriidae)               | 93. <i>Arcte coerula</i> (Guenée,1852) (Noctuidae)                                     | 135. <i>Stauropus alternus</i> Walker,1855 (Notodontidae)                   |
| 60. <i>Carriola fenestrata</i> (Hampson,1892) (Lymantriidae)                   | 94. <i>Ariola coelisigna</i> Walker,[1858] (Noctuidae)                                 | 136. <i>Chamanthedon flavipes</i> (Hampson,[1893]) (Sesiidae)               |
| 61. <i>Cispia alba</i> (Moore,1879) (Lymantriidae)                             | 95. <i>Aroana cingalensis</i> (Walker,1865) (Noctuidae)                                | 137. <i>Synanthedon flavicaudata</i> (Moore,1887) (Sesiidae)                |
| 62. <i>Dasychira moerens</i> (R.Felder & Rogenhofer,1874) (Lymantriidae)       | 96. <i>Athetis renalis</i> (Moore,1884) (Noctuidae)                                    | 138. <i>Acherontia lachesis</i> (Fabricius,1798) (Sphingidae)               |
| 63. <i>Euproctis atomaria</i> (Walker,1855) (Lymantriidae)                     | 97. <i>Bastilla arcuata</i> (Moore,1887) (Noctuidae)                                   | 139. <i>Agrius convolvuli</i> (Linnaeus,1758) (Sphingidae)                  |
| 64. <i>Euproctis cervina</i> (Moore,1877) (Lymantriidae)                       | 98. <i>Bastilla crameri</i> (Moore,[1885]) (Noctuidae)                                 | 140. <i>Hippotion rafflesii</i> (Moore,[1858]) (Sphingidae)                 |
| 65. <i>Euproctis costalis</i> (Walker,1855) (Lymantriidae)                     | 99. <i>Bastilla fulvotaenia</i> (Guenée,1852) (Noctuidae)                              | 141. <i>Marumba dyras</i> (Walker,1856) (Sphingidae)                        |
| 66. <i>Euproctis digramma</i> (Guérin-Ménéville,1838) (Lymantriidae)           | 100. <i>Brithys crini</i> (Fabricius,1775) (Noctuidae)                                 | 142. <i>Nephele hespera</i> (Fabricius,1775) (Sphingidae)                   |
| 67. <i>Euproctis flavinata</i> (Walker,1865) (Lymantriidae)                    | 101. <i>Cacyparis insolitata</i> Walker,1862 (Noctuidae)                               | 143. <i>Theretra nessus</i> (Drury,[1773]) (Sphingidae)                     |
| 68. <i>Euproctis fraterna</i> (Moore,[1883]) (Lymantriidae)                    | 102. <i>Calesia flabellifera</i> Moore,1878 (Noctuidae)                                | 144. <i>Arcesis threnodes</i> (Meyrick,1905) (Tortricidae)                  |
| 69. <i>Euproctis fulvipuncta</i> Hampson,[1893] (Lymantriidae)                 | 103. <i>Carea obsolescens</i> Moore,1884 (Noctuidae)                                   | 145. <i>Eucosmogastra miltographa</i> (Meyrick,1907) (Tortricidae)          |
| 70. <i>Euproctis guttata</i> (Walker,1855) (Lymantriidae)                      | 104. <i>Earias biplaga</i> Walker,1866 (Noctuidae)                                     | 146. <i>Fulcrifera tricentra</i> (Meyrick,1907) (Tortricidae)               |
| 71. <i>Euproctis icilia</i> (Stoll,[1791]) (Lymantriidae)                      | 105. <i>Earias cupreoviridis</i> (Walker,1862) (Noctuidae)                             | 147. <i>Gatesclarkeana erotias</i> (Meyrick,1905) (Tortricidae)             |
| 72. <i>Euproctis latifascia</i> (Walker,1855) (Lymantriidae)                   | 106. <i>Earias flavida</i> R.Felder,1861 (Noctuidae)                                   | 148. <i>Lobesia aeolopa</i> Meyrick,1907 (Tortricidae)                      |
| 73. <i>Euproctis scintillans</i> (Walker,1856) (Lymantriidae)                  | 107. <i>Nagadeba polia</i> (Hampson,1891) (Noctuidae)                                  | 149. <i>Lobesia genialis</i> Meyrick,1912 (Tortricidae)                     |
| 74. <i>Euproctis semisignata</i> (Walker,1865) (Lymantriidae)                  | 108. <i>Feliniopsis</i> (siderifera-gr.) <i>siderifera</i> (Moore,1881) (Noctuidae)    | 150. <i>Ophiorrhabda harmonica</i> (Meyrick,1905) (Tortricidae)             |
| 75. <i>Euproctis varians</i> (Walker,1855) (Lymantriidae)                      | 109. <i>Helicoverpa armigera</i> (Hübner,[1808]) (Noctuidae)                           | 151. <i>Pammene isocampta</i> Meyrick,1914 (Tortricidae)                    |
|  | 110. <i>Hypocala rostrata</i> (Fabricius,1794) (Noctuidae)                             | 152. <i>Sorolopha phyllochloa</i> (Meyrick,1905) (Tortricidae)              |
|  | 111. <i>Lygephila dorsigera</i> (Walker,1865) (Noctuidae)                              |   |
|  | 112. <i>Nola angulata</i> (Moore,1888) (Noctuidae)                                     |   |
|  | 113. <i>Nola pascua</i> (Swinhoe,1885) (Noctuidae)                                     |   |
|  | 114. <i>Nola fasciata</i> (Walker,1866) (Noctuidae)                                    |   |
|  | 115. <i>Nola squalida</i> Staudinger,1871 (Noctuidae)                                  |   |
|  | 116. <i>Nola tumulifera</i> Hampson,1893 (Noctuidae)                                   |   |
|  | 117. <i>Rhynchopalpus brunellus</i> Hampson,1893 (Noctuidae)                           |   |



153. Thymioptila oedalea (Meyrick,1909) (Tortricidae)

**Fars (Fa) [Iran]**

- |   |  |  |
|---|--|--|
| 1. Alucita cinnerethella Amsel,1935 (Alucitidae)                        | 41. Brachodes rhagensis (Lederer,1869) (Brachodidae)                   | 86. Chiasmia (Godonela) aestimaria (Hübner,[1809]) (Geometridae)         |
| 2. Arctia (Eucharia) festiva (Hufnagel,1766) (Arctiidae)                | 42. Carposina roesleri Amsel,1977 (Carposinidae)                       | 87. Chloroclysta miata (Linnaeus,1758) (Geometridae)                     |
| 3. Cymbalophora oetzeni (Lederer,1855) (Arctiidae)                      | 43. Tebenna micalis (Mann,1857) (Choreutidae)                          | 88. Costaconvexa polygrammata (Borkhausen,1794) (Geometridae)            |
| 4. Euplagia splendidior (Tams,1922) (Arctiidae)                         | 44. Coleophora tetraciliata Baldizzone,2007 (Coleophoridae)            | 89. Cyclophora puppillaria (Hübner,[1799]) (Geometridae)                 |
| 5. Paidia (Conjuncta) conjuncta (Staudinger,1892) (Arctiidae)           | 45. Coleophora eupreta Walsingham,1907 (Coleophoridae)                 | 90. Cyclophora suppunctaria (Zeller,1847) (Geometridae)                  |
| 6. Paidia (s.str.) elegantia De Freina & Witt,2004 (Arctiidae)          | 46. Coleophora lasiocharis Meyrick,1931 (Coleophoridae)                | 91. Ennomos (s.str.) zandi Wiltshire,1947 (Geometridae)                  |
| 7. Vanessa (Cynthia) cardui (Linnaeus,1758) (Argynnidae)                | 47. Vulcaniella schultzeendorffi (Amsel,1958) (Cosmopterigidae)        | 92. Epitherina bahmana (Wiltshire,1943) (Geometridae)                    |
| 8. Vanessa (Cynthia) cardui cardui (Linnaeus,1758) (Argynnidae)         | 48. Cossulus lignosus (Brandt,1938) (Cossidae)                         | 93. Epitherina ghirshimani (Wiltshire,1944) (Geometridae)                |
| 9. Issoria lathonia (Linnaeus,1758) (Argynnidae)                        | 49. Dyspessa kabylaria A.Bang-Haas,1906 (Cossidae)                     | 94. Epitherina rhodopoleos Wehrli,1938 (Geometridae)                     |
| 10. Issoria lathonia lathonia (Linnaeus,1758) (Argynnidae)              | 50. Dyspessa serica Brandt,1938 (Cossidae)                             | 95. Eumera hoeferi Wehrli,1934 (Geometridae)                             |
| 11. Limenitis (Azuritis) reducta Staudinger,1901 (Argynnidae)           | 51. Cossulus mucosus (Christoph,1884) (Cossidae)                       | 96. Euphyia farsica Brandt,1941 (Geometridae)                            |
| 12. Melitaea (Cinclidia) (phoebe) punica Oberthür,1876 (Argynnidae)     | 52. Isoceras bipunctatum (Staudinger,1887) (Cossidae)                  | 97. Eupithecia aduncata Brandt,1938 (Geometridae)                        |
| 13. Melitaea (Cinclidia) consulis Wiltshire,1941 (Argynnidae)           | 53. Meharina semilactea (W.Warren & Rothschild,1905) (Cossidae)        | 98. Eupithecia aequabilis Brandt,1938 (Geometridae)                      |
| 14. Melitaea (Didymaeformis) casta Kollar,[1849] (Argynnidae)           | 54. Amata persica (Kollar,[1849]) (Ctenuchidae)                        | 99. Eupithecia aradouna Brandt,1938 (Geometridae)                        |
| 15. Melitaea (Didymaeformis) fascialis (Fabricius,1787) (Argynnidae)    | 55. Danaus (Anosia) chrysippus (Linnaeus,1758) (Danaiidae)             | 100. Eupithecia asperata Brandt,1938 (Geometridae)                       |
| 16. Melitaea (Didymaeformis) perseia Kollar,[1849] (Argynnidae)         | 56. Tinagma columbellum (Staudinger,1880) (Douglasiidae)               | 101. Eupithecia bastelbergeri Dietze,1913 (Geometridae)                  |
| 17. Melitaea (s.str.) cinxia (Linnaeus,1758) (Argynnidae)               | 57. Epermenia (s.str.) orientalis Gaedike,1966 (Epermeniidae)          | 102. Eupithecia cheituna Brandt,1938 (Geometridae)                       |
| 18. Melitaea sarvistana Wiltshire,1941 (Argynnidae)                     | 58. Ethmia amasina (Staudinger,1879) (Ethmiidae)                       | 103. Eupithecia convallata Brandt,1938 (Geometridae)                     |
| 19. Polygonia (Comma) egea (Cramer,[1775]) (Argynnidae)                 | 59. Ethmia aurifluella (Hübner,[1810]) (Ethmiidae)                     | 104. Eupithecia fuscicostata Christoph,1887 (Geometridae)                |
| 20. Precis (Junonia) orithya (Linnaeus,1758) (Argynnidae)               | 60. Ethmia candidella (Alpheraky,1908) (Ethmiidae)                     | 105. Eupithecia fuscopunctata Brandt,1938 (Geometridae)                  |
| 21. Apiletria (Aretascetis) endopercna (Meyrick,1936) (Autostichidae)   | 61. Ethmia caradjae (Rebel,1907) (Ethmiidae)                           | 106. Eupithecia hannemanni Vojnits & Laever,1973 (Geometridae)           |
| 22. Apiletria (Aretascetis) murcidella (Christoph,1876) (Autostichidae) | 62. Ethmia lecmima Sattler,1967 (Ethmiidae)                            | 107. Eupithecia harenosa Brandt,1938 (Geometridae)                       |
| 23. Apiletria (Xystoceros) artaxerxes Gozmany,1965 (Autostichidae)      | 63. Ethmia persica Kun,2007 (Ethmiidae)                                | 108. Eupithecia husseini Brandt,1938 (Geometridae)                       |
| 24. Eremica effendi Gozmany,1963 (Autostichidae)                        | 64. Ethmia sattleri Kun,2007 (Ethmiidae)                               | 109. Eupithecia mahomedana Brandt,1938 (Geometridae)                     |
| 25. Eremica eremita Gozmany,1963 (Autostichidae)                        | 65. Ethmia pusiella (Linnaeus,1758) (Ethmiidae)                        | 110. Eupithecia mirificata Brandt,1938 (Geometridae)                     |
| 26. Eremica wiltshirei Gozmany,1963 (Autostichidae)                     | 66. Bryotropha arabica Amsel,1952 (Gelechiidae)                        | 111. Eupithecia montanata Brandt,1938 (Geometridae)                      |
| 27. Heringita amselina (Gozmany,1967) (Autostichidae)                   | 67. Bryotropha domestica (Haworth,1828) (Gelechiidae)                  | 112. Eupithecia ridiculata Brandt,1938 (Geometridae)                     |
| 28. Megasympmoca forsteri Gozmany,1963 (Autostichidae)                  | 68. Ephysteris (Ochrodia) subdiminutella (Stainton,1967) (Gelechiidae) | 113. Eupithecia sectila Brandt,1938 (Geometridae)                        |
| 29. Megasympmoca maga Gozmany,1963 (Autostichidae)                      | 69. Ephysteris (Opacopsis) flavida Povolny,1969 (Gelechiidae)          | 114. Eupithecia siata Brandt,1938 (Geometridae)                          |
| 30. Megasympmoca mithra Gozmany,1963 (Autostichidae)                    | 70. Agnippe haberlandi (Amsel,1961) (Gelechiidae)                      | 115. Eupithecia tessarata Brandt,1938 (Geometridae)                      |
| 31. Megasympmoca mithridates Gozmany,1963 (Autostichidae)               | 71. Metzneria castiliella (Möschler,1866) (Gelechiidae)                | 116. Glossotrophia (Libanonia) sacraria (A.Bang-Haas,1910) (Geometridae) |
| 32. Megasympmoca persica Gozmany,1963 (Autostichidae)                   | 72. Pogochaetia ocmoidella Walsingham,1900 (Gelechiidae)               | 117. Glossotrophia (s.str.) asiatica Brandt,1938 (Geometridae)           |
| 33. Megasympmoca sahname Gozmany,1963 (Autostichidae)                   | 73. Scrobipalpa (s.str.) aptatella (Walker,1864) (Gelechiidae)         | 118. Glossotrophia (s.str.) chalcographata Brandt,1938 (Geometridae)     |
| 34. Megasympmoca satrapa Gozmany,1963 (Autostichidae)                   | 74. Scrobipalpa (s.str.) vicaria (Meyrick,1921) (Gelechiidae)          | 119. Gnopharmia sinesefida Wehrli,1941 (Geometridae)                     |
| 35. Megasympmoca sheherezade Gozmany,1963 (Autostichidae)               | 75. "Chloroclystis" palaeartica Brandt,1938 (Geometridae)              | 120. Gnophos (Cnestrognophos) ali Brandt,1938 (Geometridae)              |
| 36. Megasympmoca sindbad Gozmany,1963 (?) (Autostichidae)               | 76. Abraxas wehrlii Bytinski-Salz & Brandt,1937 (Geometridae)          | 121. Gnophos (Dicrognophos) culminatus Brandt,1938 (Geometridae)         |
| 37. Pecteneremus pilatus Gozmany,1963 (Autostichidae)                   | 77. Alcis fredii (Wehrli,1941) (Geometridae)                           | 122. Gnophos (Dicrognophos) elahi Brandt,1938 (Geometridae)              |
| 38. Syssymoca sahib Gozmany,1963 (Autostichidae)                        | 78. Aplocera obsitaria (Lederer,1853) (Geometridae)                    | 123. Gnophos (Dicrognophos) gorgatus Brandt,1938 (Geometridae)           |
| 39. Brachodes formosus (Amsel,1953) (Brachodidae)                       | 79. Aplocera plagiata (Linnaeus,1758) (Geometridae)                    | 124. Gnophos (Dicrognophos) orthogonius Wehrli,1939 (Geometridae)        |
| 40. Brachodes monotonus (Amsel,1953) (Brachodidae)                      | 80. Brachyglossina chaspia Brandt,1938 (Geometridae)                   | 125. Gnophos (Dicrognophos) sartatus (Treitschke,1827) (Geometridae)     |
|   | 81. Campptogramma bilineatum (Linnaeus,1758) (Geometridae)             | 126. Gnophos (Trilobignophos) pollinarius Christoph,1887 (Geometridae)   |
|   | 82. Casilda consecraria (Staudinger,1871) (Geometridae)                | 127. Gnophos (s.str.) argillatus Brandt,1938 (Geometridae)               |
|   | 83. Catarhoe turkmenaria Shchetkin,1956 (Geometridae)                  |  |
|   | 84. Catarhoe rubidata ([Denis & Schiffermüller],1775) (Geometridae)    |  |
|   | 85. Catarhoe tangaba (Wiltshire,1952) (Geometridae)                    |  |

128. *Gnophos pelengi* Brandt, 1938 (Geometridae)
129. *Gnophosema palumba* Brandt, 1938 (Geometridae)
130. *Heterobapta plumellata* Wiltshire, 1943 (Geometridae)
131. *Heteroculpinia pasargades* (Brandt, 1938) (Geometridae)
132. *Heteroculpinia prouti* (Brandt, 1938) (Geometridae)
133. *Hyperythra swinhoei* Butler, 1880 (Geometridae)
134. *Hyposcotis (Euchrognophos) annubilata* Christoph, 1885 (Geometridae)
135. *Hyposcotis (Euchrognophos) dubitaria* (Staudinger, 1892) (Geometridae)
136. *Idaea allongata* (Staudinger, 1898) (Geometridae)
137. *Idaea camparia* (Herrich-Schäffer, [1852]) (Geometridae)
138. *Idaea degeneraria* (Hübner, [1799]) (Geometridae)
139. *Idaea illustris* (Brandt, 1941) (Geometridae)
140. *Idaea improbata* (Staudinger, 1898) (Geometridae)
141. *Idaea obsoletaria* (Rambur, 1833) (Geometridae)
142. *Idaea palaestinensis* (Sterneck, 1933) (Geometridae)
143. *Idaea persidis* (Wiltshire, 1966) (Geometridae)
144. *Idaea proclivata* (Fuchs, 1902) (Geometridae)
145. *Idaea rufaria* (Hübner, [1799]) (Geometridae)
146. *Idaea sordida* (Rothschild, 1913) (Geometridae)
147. *Idaea wiltshirei* (Brandt, 1938) (Geometridae)
148. *Lithostege buxtoni* L.B. Prout, 1920 (Geometridae)
149. *Lithostege palaestinensis* Amsel, 1935 (Geometridae)
150. *Microloxia herbaria* (Hübner, [1813]) (Geometridae)
151. *Myinodes shohami* Hausmann, 1994 (Geometridae)
152. *Nebula reclamata* (L.B. Prout, 1914) (Geometridae)
153. *Nebula salicata* ([Denis & Schiffermüller, 1775]) (Geometridae)
154. *Neognopharmia hoerhammeri* (Brandt, 1938) (Geometridae)
155. *Neognopharmia stevenaria* (Boisduval, 1840) (Geometridae)
156. *Neromia pulvereisparsa* Hampson, 1896 (Geometridae)
157. *Neromia simplex* Brandt, 1938 (Geometridae)
158. *Nychiodes (Comeesia) admirabila* Brandt, 1938 (Geometridae)
159. *Nychiodes (Eunychiodes) agatcha* Brandt, 1938 (Geometridae)
160. *Nychiodes (Eunychiodes) farinosa* Brandt, 1938 (Geometridae)
161. *Nychiodes (Eunychiodes) leviata* Brandt, 1938 (Geometridae)
162. *Nychiodes (Eunychiodes) subfusca* Brandt, 1938 (Geometridae)
163. *Nychiodes (Eunychiodes) subvirida* Brandt, 1938 (Geometridae)
164. *Nychiodes (Eunychiodes) variabila* Brandt, 1938 (Geometridae)
165. *Nyssiodes rhodopolitis* Wehrli, 1939 (Geometridae)
166. *Orthonama obstipata* (Fabricius, 1794) (Geometridae)
167. *Oulobophora externata* Freyer, 1846 (Geometridae)
168. *Peribatodes rhomboidarius* [Denis & Schiffermüller, 1775] (Geometridae)
169. *Peribatodes umbrarius* (Hübner, [1809]) (Geometridae)
170. *Phaioграмма etruscaria* (Zeller, 1849) (Geometridae)
171. *Phaselia deliciosaria* (Lederer, 1855) (Geometridae)
172. *Pingasa lahaye* (Oberthür, 1887) (Geometridae)
173. *Protorhoe unicata* (Guenée, [1858]) (Geometridae)
174. *Proutictis artesiaria* ([Denis & Schiffermüller, 1775]) (Geometridae)
175. *Pseudocinglis benigna* (Brandt, 1941) (Geometridae)
176. *Pseudocinglis benigna benigna* (Brandt, 1941) (Geometridae)
177. *Pydna bahara* (Brandt, 1938) (Geometridae)
178. *Rhodometra sacraria* (Linnaeus, 1767) (Geometridae)
179. *Rhodostrophia auctata* (Staudinger, 1879) (Geometridae)
180. *Rhodostrophia cuprinaria* (Christoph, 1876) (Geometridae)
181. *Rhodostrophia nesam* Brandt, 1938 (Geometridae)
182. *Rhodostrophia peripheres* L.B. Prout, 1938 (Geometridae)
183. *Rhodostrophia tumulosa* Brandt, 1938 (Geometridae)
184. *Rhodostrophia tabestana* Trusch & Hausmann, 2007 (Geometridae)
185. *Rhoptria mardinata* (Staudinger, 1900) (Geometridae)
186. *Scopula amseli* Wiltshire, 1967 (Geometridae)
187. *Scopula beckeraria* (Lederer, 1853) (Geometridae)
188. *Scopula hoerhammeri* Brandt, 1941 (Geometridae)
189. *Scopula immistaria* (Herrich-Schäffer, [1852]) (Geometridae)
190. *Scopula marginepunctata* (Goeze, 1781) (Geometridae)
191. *Scopula orientalis* (Alpheraky, 1876) (Geometridae)
192. *Scopula transcaspica* L.B. Prout, 1935 (Geometridae)
193. *Scotopteryx fuscifasciata* (Brandt, 1938) (Geometridae)
194. *Somatina wiltshirei* L.B. Prout, 1938 (Geometridae)
195. *Synopsidia phasidaria* (Rogenhofer, 1873) (Geometridae)
196. *Thalera fimbrialis* (Scopoli, 1763) (Geometridae)
197. *Thetidia crucigerata* (Christoph, 1887) (Geometridae)
198. *Thetidia prasinaria* (Eversmann, 1837) (Geometridae)
199. *Thetidia recta* (Brandt, 1941) (Geometridae)
200. *Triphosa taochata* Lederer, 1870 (Geometridae)
201. *Xanthorhoe fluctuata* (Linnaeus, 1758) (Geometridae)
202. *Xenochlorodes albicostaria* Brandt, 1938 (Geometridae)
203. *Xenochlorodes graminaria* (Kollar, [1849]) (Geometridae)
204. *Glyphipterix persica* Diakonoff, 1979 (Glyphipterygidae)
205. *Acrocercops iraniana* Triberti, 1990 (Gracillariidae)
206. *Polymitia eximipalpella* (Gerasimov, 1930) (Gracillariidae)
207. *Erynnis (Hesperopegasus) marloyi* (Boisduval, [1834]) (Hesperiidae)
208. *Muschampia tersa* Evans, 1949 (Hesperiidae)
209. *Muschampia tessellum* (Hübner, [1802]) (Hesperiidae)
210. *Spialia (s.str.) osthelderi* (Pfeiffer, 1932) (Hesperiidae)
211. *Eriogaster (s.str.) pfeifferi* Daniel, 1932 (Lasiocampidae)
212. *Lasiocampa grandis* (Rogenhofer, 1891) (Lasiocampidae)
213. *Pachypasa otus* (Drury, [1773]) (Lasiocampidae)
214. *Phylodesma (s.str.) glasunowi* Groum-Grshimailo, 1895 (Lasiocampidae)
215. *Sena cuneata* (Brandt, 1938) (Lasiocampidae)
216. *Sena sordida* (Erschoff, 1874) (Lasiocampidae)
217. *Streblote repanda* (Hübner, [1808]) (Lasiocampidae)
218. *Streblote siva* (Lefebvre, 1827) (Lasiocampidae)
219. *Trichiura (s.str.) stroehlei* Zolotuhin, 2007 (Lasiocampidae)
220. *Trichiura (Giselea) pistaciae* (Wiltshire, 1952) (Lasiocampidae)
221. *Trichiura (s.str.) sapor* Wiltshire, 1946 (Lasiocampidae)
222. *Ceuthomadarus chthoniopa* (Meyrick, 1936) (Lecithoceridae)
223. *Ceuthomadarus croesus* Gozmany, (Lecithoceridae)
224. *Ceuthomadarus tenebrionellus* Mann, 1864 (Lecithoceridae)
225. *Lecithocera persica* Gozmany, 1978 (Lecithoceridae)
226. *Synchoraxis pardalis* Gozmany (Lecithoceridae)
227. *Lemonia peilei* Rothschild, 1921 (Lemoniidae)
228. *Latoia inexpectata* (Staudinger, 1895) (Limacodidae)
229. *Callophrys danchenkoi* Zhdanko, 1998 (Lycaenidae)
230. *Callophrys naderii* Ten Hagen, 2008 (Lycaenidae)
231. *Callophrys farsica* Ten Hagen, 2009 (Lycaenidae)
232. *Celastrina argiolus* (Linnaeus, 1758) (Lycaenidae)
233. *Chilades (Freyeria) trochylus* (Freyer, [1843]) (Lycaenidae)
234. *Chilades (Freyeria) trochylus trochylus* (Freyer, [1843]) (Lycaenidae)
235. *Chilades (Lachides) galba* (Lederer, 1855) (Lycaenidae)
236. *Chilades (s.str.) parrhasius* (Fabricius, 1793) (Lycaenidae)
237. *Cigaritis acamas* (Klug, 1834) (Lycaenidae)
238. *Cigaritis myrmecophila* Dumont, 1922 (Lycaenidae)
239. *Cigaritis uighurica* Kemal & Koçak, 2005 (Lycaenidae)
240. *Cupido (s.str.) staudingeri* (Christoph, 1873) (Lycaenidae)
241. *Glaucopsyche (s.str.) aeruginosa* (Staudinger, 1881) (Lycaenidae)
242. *Glaucopsyche (Iolana) arjanica* Rose, 1979 (Lycaenidae)
243. *Lampides boeticus* (Linnaeus, 1767) (Lycaenidae)
244. *Lampides boeticus boeticus* (Linnaeus, 1767) (Lycaenidae)
245. *Lycaena (Thersamonia) lampon* (Lederer, 1870) (Lycaenidae)
246. *Lycaena (s.str.) phlaeas* (Linnaeus, 1761) (Lycaenidae)
247. *Plebejus (Lycaeides) christophi* (Staudinger, 1874) (Lycaenidae)
248. *Plebejus (Plebejides) zephyrinus* (Christoph, 1884) (Lycaenidae)
249. *Polyommatus (Albulina (Plebejidea)) loewii* (Zeller, 1847) (Lycaenidae)
250. *Polyommatus (Albulina (Plebejidea)) miris* (Staudinger, 1881) (Lycaenidae)
251. *Polyommatus (Albulina (Vacciniina)) morgianus* (Kirby, 1871) (Lycaenidae)
252. *Polyommatus (Aricia (s.str.)) agestis* ([Denis & Schiffermüller, 1775]) (Lycaenidae)
253. *Polyommatus (Aricia (s.str.)) agestis agestis* ([Denis & Schiffermüller, 1775]) (Lycaenidae)
254. *Polyommatus (s.str.) (Agrodiaetus (Admetusia)) ardschirus* (Brandt, 1938) (Lycaenidae)
255. *Polyommatus (s.str.) (Agrodiaetus (Musa)) musa* Koçak & Hosseinpour, 1996 (Lycaenidae)
256. *Polyommatus (s.str.) (Agrodiaetus (Paragrodiaetus)) sephidarensis* Karbalaye, 2008 (Lycaenidae)
257. *Polyommatus (s.str.) (Agrodiaetus (Xerxesia)) barmifiruze* (Carbonell, 2000) (Lycaenidae)
258. *Pseudophilotes vicrama* (Moore, 1865) (Lycaenidae)
259. *Quercusia quercus* (Linnaeus, 1758) (Lycaenidae)
260. *Satyrus (Nordmannia) abdominalis* (Gerhard, [1850]) (Lycaenidae)
261. *Satyrus (Superflua) persepolis* (Eckweiler & Ten Hagen, 2003) (Lycaenidae)

262. *Satyrium* (Superflua) *sassanides* (Kollar,[1849]) (Lycaenidae)  
 263. *Tarucus* (s.str.) *rosaceus* (Austaut,1885) (Lycaenidae)  
 264. *Tomares* *callimachus* (Eversmann,1848) (Lycaenidae)  
 265. *Tomares* *romanovi* (Christoph,1882) (Lycaenidae)  
 266. *Turanana* *anisophtalma* (Kollar,[1849]) (Lycaenidae)  
 267. *Turanana* *cytis* (Christoph,1877) (Lycaenidae)  
 268. *Zizeeria* (s.str.) *karsandra* (Moore,1865) (Lycaenidae)  
 269. *Euproctis* *melania* (Staudinger,1892) (Lymantriidae)  
 270. *Parocneria* *audeoudi* (Brandt,1938) (Lymantriidae)  
 271. *Parocneria* *iranica* (Brandt,1938) (Lymantriidae)  
 272. *Parocneria* *terebynthina* (Staudinger,[1895]) (Lymantriidae)  
 273. *Polymona* *amabilis* (Christoph,1887) (Lymantriidae)  
 274. *Polymona* *daraba* (Wiltshire,1952) (Lymantriidae)  
 275. *Polymona* *destituta* (Staudinger,1892) (Lymantriidae)  
 276. *Phyllobrostis* (s.str.) *farsensis* Mey,2006 (Lyoniidae)  
 277. *Abrostola* *asclepiadis* (Lang,1789) (Noctuidae)  
 278. *Abrostola* *clarissa* (Staudinger,1900) (Noctuidae)  
 279. *Acantholipes* *regularis* (Hübner,[1813]) (Noctuidae)  
 280. *Acontia* (s.str.) *lucida* (Hufnagel,1766) (Noctuidae)  
 281. *Acontia* (Uracontia) *titania* (Esper,[1798]) (Noctuidae)  
 282. *Acronicta* (Triaena) *aceris* (Linnaeus,1758) (Noctuidae)  
 283. *Acronicta* (Triaena) *pasiphae* Draudt,1936 (Noctuidae)  
 284. *Acronicta* (Viminia) *orientalis* Mann,1862 (Noctuidae)  
 285. *Acronicta* (Viminia) *rumicis* (Linnaeus,1758) (Noctuidae)  
 286. *Acronicta* (Viminia) *saadi* Brandt,1938 (Noctuidae)  
 287. *Aedophron* *phlebobphora* Lederer,1858 (Noctuidae)  
 288. *Aegle* *exquisita* Boursin,1969 (Noctuidae)  
 289. *Aegle* *gratiosa* (Staudinger,1892) (Noctuidae)  
 290. *Aegle* *semicana* (Esper,[1798]) (Noctuidae)  
 291. *Agrochola* (Anchoscelis) *oropotamica* (Wiltshire,1941) (Noctuidae)  
 292. *Agrochola* (Anchoscelis) *plumbea* (Wiltshire,1941) (Noctuidae)  
 293. *Agrochola* (s.str.) *pistacina* (Goeze,1781) (Noctuidae)  
 294. *Agrotis* (Putagrotis) *puta* (Hübner,[1803]) (Noctuidae)  
 295. *Agrotis* (s.str.) *biconicus* Kollar,[1844] (Noctuidae)  
 296. *Agrotis* (s.str.) *exclamationis* (Linnaeus,1758) (Noctuidae)  
 297. *Agrotis* (s.str.) *ippsilon* (Hufnagel,1766) (Noctuidae)  
 298. *Agrotis* (s.str.) *segetum* ([Denis & Schiffermüller],1775) (Noctuidae)  
 299. *Allophyes* *renalis* (Wiltshire,1941) (Noctuidae)  
 300. *Amphipyra* *molybdea* Christoph,1867 (Noctuidae)  
 301. *Amphipyra* *stix* Herrich-Schäffer,[1850] (Noctuidae)  
 302. *Amphipyra* *tetra* (Fabricius,1787) (Noctuidae)  
 303. *Amphipyra* *tragopoginis* (Clerck,1759) (Noctuidae)  
 304. *Anydrophila* *fouadi* Wiltshire,1947 (Noctuidae)  
 305. *Apamea* (s.str.) *leucodon* (Eversmann,1837) (Noctuidae)  
 306. *Apamea* (s.str.) *monoglypha* (Hufnagel,1766) (Noctuidae)  
 307. *Apamea* (s.str.) *platinea* (Treitschke,1825) (Noctuidae)  
 308. *Apamea* (s.str.) *polyglypha* (Staudinger,1892) (Noctuidae)  
 309. *Apopesstes* *spectrum* (Esper,[1787]) (Noctuidae)  
 310. *Phylapora* *canescens* (Duponchel,1826) (Noctuidae)  
 311. *Archana* *sparganii* (Esper,[1790]) (Noctuidae)  
 312. *Arenostola* *delattini* Wiltshire,1953 (Noctuidae)  
 313. *Armada* *heliouthidia* (Hampson,1896) (Noctuidae)  
 314. *Atethmia* *centrago* (Haworth,[1809]) (Noctuidae)  
 315. *Auchmis* (s.str.) *detersa* (Esper,[1791]) (Noctuidae)  
 316. *Auchmis* (s.str.) *peterseni* (Christoph,1887) (Noctuidae)  
 317. *Autographa* *gamma* (Linnaeus,1758) (Noctuidae)  
 318. *Autophila* (Cheiropheanes) *ligaminosa* (Eversmann,1851) (Noctuidae)  
 319. *Autophila* (s.str.) *banghaasi* Boursin,1940 (Noctuidae)  
 320. *Autophila* (s.str.) *cerealis* (Staudinger,1871) (Noctuidae)  
 321. *Autophila* (s.str.) *depressa* (Püngeler,1914) (Noctuidae)  
 322. *Autophila* (s.str.) *einsleri* Amsel,1935 (Noctuidae)  
 323. *Autophila* (s.str.) *libanotica* (Staudinger,1901) (Noctuidae)  
 324. *Autophila* (s.str.) *limbata* (Staudinger,1871) (Noctuidae)  
 325. *Autophila* (s.str.) *sinesafida* Wiltshire,1952 (Noctuidae)  
 326. *Autophila* (s.str.) *subfusca* (Christoph,1893) (Noctuidae)  
 327. *Basistriga* *flammatra* ([Denis & Schiffermüller],1775) (Noctuidae)  
 328. *Bena* *bicolorana* (Fuessly,1775) (Noctuidae)  
 329. *Boursinia* *oxygramma* Brandt,1938 (Noctuidae)  
 330. *Brachygalea* *albolineata* (Blachier,1905) (Noctuidae)  
 331. *Brachygalea* *miskoi* Ronkay,1997 (Noctuidae)  
 332. *Bryomima* *carducha* Staudinger,1900 (Noctuidae)  
 333. *Bryomima* *dilutior* Schwingenschuss,1937 (Noctuidae)  
 334. *Bryophilopsis* *roederi* (Standfuss,1892) (Noctuidae)  
 335. *Calamia* *staudingeri* Warnecke,1941 (Noctuidae)  
 336. *Callopietria* *juventina* (Stoll,[1782]) (Noctuidae)  
 337. *Callopietria* *latreillei* (Duponchel,1827) (Noctuidae)  
 338. *Calophasia* *opalina* (Esper,[1796]) (Noctuidae)  
 339. *Calymma* *communimacula* ([Denis & Schiffermüller],1775) (Noctuidae)  
 340. *Caradrina* (Boursinidrina) *brandti* (Boursin,1939) (Noctuidae)  
 341. *Caradrina* (Boursinidrina) *hemipentha* (Boursin,1939) (Noctuidae)  
 342. *Caradrina* (Boursinidrina) *panurgia* (Boursin,1939) (Noctuidae)  
 343. *Caradrina* (Boursinidrina) *parvaspersa* (Boursin,1936) (Noctuidae)  
 344. *Caradrina* (Boursinidrina) *pseudadelphina* (Boursin,1939) (Noctuidae)  
 345. *Caradrina* (Boursinidrina) *pulvis* (Boursin,1939) (Noctuidae)  
 346. *Caradrina* (Boursinidrina) *rjabovi* (Boursin,1936) (Noctuidae)  
 347. *Caradrina* (Boursinidrina) *stenoptera* (Boursin,1939) (Noctuidae)  
 348. *Caradrina* (Boursinidrina) *surchica* (Boursin,1937) (Noctuidae)  
 349. *Caradrina* (Boursinidrina) *wiltshirei* (Boursin,1936) (Noctuidae)  
 350. *Caradrina* (Eremodrina) *armeniaca* (Boursin,1936) (Noctuidae)  
 351. *Caradrina* (Eremodrina) *belucha* Swinhoe,1885 (Noctuidae)  
 352. *Caradrina* (Eremodrina) *didyma* (Boursin,1939) (Noctuidae)  
 353. *Caradrina* (Eremodrina) *eremocosma* (Boursin,1937) (Noctuidae)  
 354. *Caradrina* (Eremodrina) *filipjevi* (Boursin,1936) (Noctuidae)  
 355. *Caradrina* (Eremodrina) *inumbata* (Staudinger,1900) (Noctuidae)  
 356. *Caradrina* (Eremodrina) *melanurina* (Staudinger,1901) (Noctuidae)  
 357. *Caradrina* (Eremodrina) *pertinax* (Staudinger,1879) (Noctuidae)  
 358. *Caradrina* (Eremodrina) *phanosciera* (Boursin,1939) (Noctuidae)  
 359. *Caradrina* (Eremodrina) *salzi* (Boursin,1936) (Noctuidae)  
 360. *Caradrina* (Eremodrina) *vicina* (Staudinger,1870) (Noctuidae)  
 361. *Caradrina* (Eremodrina) *xanthorhoda* Boursin,1937 (Noctuidae)  
 362. *Caradrina* (Eremodrina) *zagrobia* Hacker,2004 (Noctuidae)  
 363. *Caradrina* (Eremodrina) *zernyi* (Boursin,1936) (Noctuidae)  
 364. *Caradrina* (Levantrina) *bodenheimeri* (Draudt,1934) (Noctuidae)  
 365. *Caradrina* (Paradrina) *atriluna* Guenée,1852 (Noctuidae)  
 366. *Caradrina* (Paradrina) *clavipalpis* (Scopoli,1763) (Noctuidae)  
 367. *Caradrina* (Paradrina) *poecila* (Boursin,1939) (Noctuidae)  
 368. *Caradrina* (Paradrina) *scotoptera* (Püngeler,1914) (Noctuidae)  
 369. *Caradrina* (Paradrina) *zandi* (Wiltshire,1952) (Noctuidae)  
 370. *Caradrina* (Platyperigea) *albina* (Eversmann,1848) (Noctuidae)  
 371. *Caradrina* (Platyperigea) *aspersa* (Rambur,1834) (Noctuidae)  
 372. *Cardeia* *affinis* Rothschild,1913 (Noctuidae)  
 373. *Cardeia* *sociabilis* (Graslin,1850) (Noctuidae)  
 374. *Catocala* (s.str.) *abacta* Staudinger,1900 (Noctuidae)  
 375. *Catocala* (s.str.) *brandti* Hacker & Kautt,1999 (Noctuidae)  
 376. *Catocala* (s.str.) *deducta* Eversmann,1843 (Noctuidae)  
 377. *Catocala* (s.str.) *diversa* (Geyer,[1828]) (Noctuidae)  
 378. *Catocala* (s.str.) *lesbia* Christoph,1887 (Noctuidae)  
 379. *Catocala* (s.str.) *lupina* Herrich-Schäffer,[1851] (Noctuidae)  
 380. *Catocala* (s.str.) *luscina* Brandt,1938 (Noctuidae)  
 381. *Catocala* (s.str.) *mesopotamica* Kuznesov,1903 (Noctuidae)  
 382. *Catocala* (s.str.) *neonympha* (Esper,[1805]) (Noctuidae)  
 383. *Catocala* (s.str.) *nymphagoga* (Esper,[1787]) (Noctuidae)  
 384. *Catocala* (s.str.) *persimilis* W.Warren,1888 (Noctuidae)  
 385. *Catocala* (s.str.) *puerpera* (Giorna,1791) (Noctuidae)  
 386. *Characoma* *nilotica* (Rogenhofer,1882) (Noctuidae)  
 387. *Chazaria* *incarnata* (Freyer,1838) (Noctuidae)  
 388. *Chersotis* (s.str.) *anatolica* (Draudt,1936) (Noctuidae)  
 389. *Chersotis* (s.str.) *binaloudi* Brandt,1941 (Noctuidae)  
 390. *Chersotis* (s.str.) *capnistis* (Lederer,1872) (Noctuidae)  
 391. *Chersotis* (s.str.) *eberti* Dufay & Varga,1995 (Noctuidae)  
 392. *Chersotis* (s.str.) *ebertorum* Koçak,1980 (Noctuidae)  
 393. *Chersotis* (s.str.) *fimbriola* (Esper,[1798]) (Noctuidae)  
 394. *Chersotis* (s.str.) *firdussi* Schwingenschuss,1937 (Noctuidae)  
 395. *Chersotis* (s.str.) *glebosa* (Staudinger,1900) (Noctuidae)  
 396. *Chersotis* (s.str.) *hahni* (Christoph,1885) (Noctuidae)  
 397. *Chersotis* (s.str.) *illauta* (Draudt,1936) (Noctuidae)



398. *Chersotis* (s.str.) *juvenis* (Staudinger,1901) (Noctuidae)  
 399. *Chersotis* (s.str.) *laeta* (Rebel,1904) (Noctuidae)  
 400. *Chersotis* (s.str.) *semna* (Püngeler,1906) (Noctuidae)  
 401. *Chersotis* (s.str.) *sterilis* (Brandt,1938) (Noctuidae)  
 402. *Chionoxantha* *margarita* Brandt,1938 (Noctuidae)  
 403. *Chloantha* *hypericii* (Fabricius,1787) (Noctuidae)  
 404. *Chrysodeixis* *chalcites* (Esper,[1789]) (Noctuidae)  
 405. *Cleonymia* (s.str.) *baetica* (Rambur,1837) (Noctuidae)  
 406. *Cleonymia* (s.str.) *chabordis* (Oberthür,1876) (Noctuidae)  
 407. *Clytie* (*Hypoglaucitis*) *distincta* (A.Bang-Haas,1907) (Noctuidae)  
 408. *Clytie* (s.str.) *delunaris* (Staudinger,1889) (Noctuidae)  
 409. *Clytie* (s.str.) *gracilis* (A.Bang-Haas,1907) (Noctuidae)  
 410. *Clytie* (s.str.) *sancta* (Staudinger,1898) (Noctuidae)  
 411. *Clytie* (s.str.) *syriaca* (Bugnion,1837) (Noctuidae)  
 412. *Clytie* (s.str.) *terrulenta* (Christoph,1893) (Noctuidae)  
 413. *Colobochyla* (*Caspicastra*) *platyzona* (Lederer,1870) (Noctuidae)  
 414. *Condica* *palaestinensis* (Staudinger,1895) (Noctuidae)  
 415. *Condica* *viscosa* (Freyer,1831) (Noctuidae)  
 416. *Cornutiplusia* *circumflexa* (Linnaeus,1767) (Noctuidae)  
 417. *Craniophora* *pontica* (Staudinger,1879) (Noctuidae)  
 418. *Cryphia* (*Bryoleuca*) *raptricula* ([Denis & Schiffermüller],1775) (Noctuidae)  
 419. *Cryphia* (*Bryoleuca*) *tephrocharis* Boursin,1954 (Noctuidae)  
 420. *Cryphia* (*Bryophila*) *centralis* (Draudt,1931) (Noctuidae)  
 421. *Cryphia* (*Bryophila*) *eucharista* Boursin,1960 (Noctuidae)  
 422. *Cryphia* (*Bryophila*) *klapperichi* Boursin,1960 (Noctuidae)  
 423. *Cryphia* (*Bryophila*) *maeonis* (Lederer,1865) (Noctuidae)  
 424. *Cryphia* (*Bryophila*) *occidentalis* (Osthelder,1933) (Noctuidae)  
 425. *Cryphia* (s.str.) *recepticula* (Hübner,[1803]) (Noctuidae)  
 426. *Cucullia* (*Shargacucullia*) *lanceolata* (Villers,1789) (Noctuidae)  
 427. *Cucullia* (*Shargacucullia*) *strigicosta* Boursin,1940 (Noctuidae)  
 428. *Cucullia* (*Shargacucullia*) *verbasci* (Linnaeus,1758) (Noctuidae)  
 429. *Cucullia* (s.str.) *faucicola* Wiltshire,1943 (Noctuidae)  
 430. *Cucullia* (s.str.) *hemidiaphana* Graeser,1892 (Noctuidae)  
 431. *Cucullia* (s.str.) *santonici* (Hübner,[1813]) (Noctuidae)  
 432. *Cucullia* (s.str.) *tecca* Püngeler,1906 (Noctuidae)  
 433. *Desertoplusia* *bella* (Christoph,1887) (Noctuidae)  
 434. *Desertoplusia* *colornata* Varga & L.Ronkay,1991 (Noctuidae)  
 435. *Dichagyris* (*Grisyigoga*) *candelisequa* ([Denis & Schiffermüller],1775) (Noctuidae)  
 436. *Dichagyris* (*Yigoga*) *flavina* (Herrich-Schäffer,[1852]) (Noctuidae)  
 437. *Dichagyris* (*Yigoga*) *forcipula* ([Denis & Schiffermüller],1775) (Noctuidae)  
 438. *Dichagyris* (*Yigoga*) *gracilis* (F.Wagner,1929) (Noctuidae)  
 439. *Dichagyris* (*Yigoga*) *iranicola* (Koçak,1980) (Noctuidae)  
 440. *Dichagyris* (*Yigoga*) *latipennis* (Püngeler,1909) (Noctuidae)  
 441. *Dichagyris* (*Yigoga*) *nigrescens* (Hofner,1888) (Noctuidae)  
 442. *Dichagyris* (*Yigoga*) *romanovi* (Christoph,1885) (Noctuidae)  
 443. *Dichagyris* (*Yigoga*) *serraticornis* (Staudinger,1898) (Noctuidae)  
 444. *Dichagyris* (*Yigoga*) *signifera* ([Denis & Schiffermüller],1775) (Noctuidae)  
 445. *Dichagyris* (*Yigoga*) *sincera* (De Freina & Hacker,1985) (Noctuidae)  
 446. *Dichagyris* (*Yigoga*) *truculenta* (Lederer,1853) (Noctuidae)  
 447. *Dichagyris* (*Yigoga*) *weigerti* Hacker & Varga,1990 (Noctuidae)  
 448. *Dichagyris* (*Yigoga*) *wiltshirei* (Boursin,1936) (Noctuidae)  
 449. *Dichagyris* (s.str.) *amoena* (Staudinger,1892) (Noctuidae)  
 450. *Dichagyris* (s.str.) *anastasia* (Draudt,1936) (Noctuidae)  
 451. *Dichagyris* (s.str.) *armeniaca* Kozhantshikov,1929 (Noctuidae)  
 452. *Dichagyris* (s.str.) *boursini* Brandt,1941 (Noctuidae)  
 453. *Dichagyris* (s.str.) *celebrata* (Alpheraky,1897) (Noctuidae)  
 454. *Dichagyris* (s.str.) *devota* (Christoph,1884) (Noctuidae)  
 455. *Dichagyris* (s.str.) *elbursica* (Draudt,1937) (Noctuidae)  
 456. *Dichagyris* (s.str.) *forficula* (Eversmann,1851) (Noctuidae)  
 457. *Dichagyris* (s.str.) *fredi* (Brandt,1938) (Noctuidae)  
 458. *Dichagyris* (s.str.) *grisescens* Staudinger,1879 (Noctuidae)  
 459. *Dichagyris* (s.str.) *leucomelas* Brandt,1941 (Noctuidae)  
 460. *Dichagyris* (s.str.) *paisa* (Brandt,1938) (Noctuidae)  
 461. *Dichagyris* (s.str.) *pfeifferi* (Corti & Draudt,1933) (Noctuidae)  
 462. *Dichagyris* (s.str.) *poecilopetala* (Varga,1979) (Noctuidae)  
 463. *Dichagyris* (s.str.) *psammochroa* (Boursin,1940) (Noctuidae)  
 464. *Dichagyris* (s.str.) *squalidior* (Staudinger,1901) (Noctuidae)  
 465. *Dichagyris* (s.str.) *squalorum* (Eversmann,1856) (Noctuidae)  
 466. *Dichagyris* (s.str.) *taftana* Brandt,1941 (Noctuidae)  
 467. *Dichagyris* (s.str.) *terminicincta* (Corti & Draudt,1933) (Noctuidae)  
 468. *Dichagyris* (s.str.) *tyrannus* (A.Bang-Haas,1912) (Noctuidae)  
 469. *Dicycla* oo (Linnaeus,1758) (Noctuidae)  
 470. *Carpeia* *fixseni* (Christoph,1882) (Noctuidae)  
 471. *Drasteria* *cailino* (Lefèbvre,1827) (Noctuidae)  
 472. *Drasteria* *caucasica* (Kolenati,1846) (Noctuidae)  
 473. *Drasteria* *flexuosa* (Ménétriés,1848) (Noctuidae)  
 474. *Drasteroides* *leprosa* (Brandt,1938) (Noctuidae)  
 475. *Drasteroides* *medialis* (Hampson,1908) (Noctuidae)  
 476. *Dryobotodes* (s.str.) *eremita* (Fabricius,1775) (Noctuidae)  
 477. *Dysmilichia* *bicyclica* (Staudinger,1888) (Noctuidae)  
 478. *Dysmilichia* *erastrioides* Brandt,1938 (Noctuidae)  
 479. *Dysmilichia* *mira* (Brandt,1938) (Noctuidae)  
 480. *Dysmilichia* *phaulopsis* Brandt,1938 (Noctuidae)  
 481. *Earias* *chlorophyllana* Staudinger,1892 (Noctuidae)  
 482. *Earias* *clorana* (Linnaeus,1761) (Noctuidae)  
 483. *Earias* *insulana* (Boisduval,1833) (Noctuidae)  
 484. *Egira* *tibori* Hreblay,1994 (Noctuidae)  
 485. *Eicomorpha* *antiqua* Staudinger,1888 (Noctuidae)  
 486. *Episema* *korsakovi* (Christoph,1885) (Noctuidae)  
 487. *Eremobia* *asiatica* Draudt,1936 (Noctuidae)  
 488. *Eriopygodes* *disialis* Brandt,1938 (Noctuidae)  
 489. *Estimata* *cacumena* (Brandt,1938) (Noctuidae)  
 490. *Eublemma* (*Glossodice*) *agnellum* (Brandt,1938) (Noctuidae)  
 491. *Eublemma* (*Glossodice*) *apicipunctalis* (Brandt,1939) (Noctuidae)  
 492. *Eublemma* (*Glossodice*) *polygrammum* (Duponchel,[1842]) (Noctuidae)  
 493. *Eublemma* (*Glossodice*) *pseudepistrotum* (Brandt,1938) (Noctuidae)  
 494. *Eublemma* (*albida*-gr.) *compunctum* (Lederer,1872) (Noctuidae)  
 495. *Eublemma* (*albida*-gr.) *draudti* (Bytinski-Salz & Brandt,1937) (Noctuidae)  
 496. *Eublemma* (*albida*-gr.) *gratissimum* (Staudinger,1892) (Noctuidae)  
 497. *Eublemma* (*albida*-gr.) *jocularis* (Christoph,1877) (Noctuidae)  
 498. *Eublemma* (*albida*-gr.) *munda* (Christoph,1884) (Noctuidae)  
 499. *Eublemma* (*bullata*-gr.) *conistrotum* Hampson,1910 (Noctuidae)  
 500. *Eublemma* (*candidana*-gr.) *candidanum* (Fabricius,1794) (Noctuidae)  
 501. *Eublemma* (*candidana*-gr.) *wagneri* (Herrich-Schäffer,1851) (Noctuidae)  
 502. *Eublemma* (*chlorotica*-gr.) *chloroticum* (Lederer,1858) (Noctuidae)  
 503. *Eublemma* (*cochylioides*-gr.) *cochylioides* (Guenée,1852) (Noctuidae)  
 504. *Eublemma* (*gayneri*-gr.) *fredi* Fibiger & Hacker,2002 (Noctuidae)  
 505. *Eublemma* (*ostrina*-gr.) *illotum* (Christoph,1887) (Noctuidae)  
 506. *Eublemma* (*ostrina*-gr.) *ostrinum* (Hübner,[1808]) (Noctuidae)  
 507. *Eublemma* (*pallidula*-gr.) *uniformis* (Staudinger,1879) (Noctuidae)  
 508. *Eublemma* (*parva*-gr.) *parvum* (Hübner,[1808]) (Noctuidae)  
 509. *Eublemma* (*rosina*-gr.) *caelestis* (Brandt,1938) (Noctuidae)  
 510. *Eublemma* (*rosina*-gr.) *panonicum* (Freyer,1840) (Noctuidae)  
 511. *Eublemma* (*rosina*-gr.) *rosinum* (Hübner,[1803]) (Noctuidae)  
 512. *Eublemma* (*sitculosa*-gr.) *albinum* (Staudinger,1898) (Noctuidae)  
 513. *Eublemma* (*sitculosa*-gr.) *nives* (Brandt,1938) (Noctuidae)  
 514. *Euchalcia* (s.str.) *chalcophanes* Dufay,1963 (Noctuidae)  
 515. *Euchalcia* (s.str.) *taurica* (Osthelder,1933) (Noctuidae)  
 516. *Eugnorisma* (*Metagnorisma*) *pontica* (Staudinger,1892) (Noctuidae)  
 517. *Eugnorisma* (s.str.) *insignata* (Lederer,1853) (Noctuidae)  
 518. *Eugnorisma* (s.str.) *semiramis* (Boursin,1940) (Noctuidae)  
 519. *Eulocastra* *bryophiloides* Brandt,1938 (Noctuidae)  
 520. *Eulocastra* *diaphora* (Staudinger,1879) (Noctuidae)  
 521. *Eutelia* *adoratrix* (Staudinger,1892) (Noctuidae)  
 522. *Eutelia* *adulatrix* (Hübner,[1813]) (Noctuidae)  
 523. *Euxoa* (*Orosagrotis*) *difficillima* (Draudt,1937) (Noctuidae)  
 524. *Euxoa* (*Orosagrotis*) *foeda* (Lederer,1855) (Noctuidae)  
 525. *Euxoa* (*Pleonectopoda*) *inclusa* Corti,1931 (Noctuidae)  
 526. *Euxoa* (*Pleonectopoda*) *rjabovi* Kozhantshikov,1929 (Noctuidae)  
 527. *Euxoa* (s.str.) *anaemica* Draudt,1936 (Noctuidae)  
 528. *Euxoa* (s.str.) *aneucta* Brandt,1938 (Noctuidae)  
 529. *Euxoa* (s.str.) *aquilina* ([Denis & Schiffermüller],1775) (Noctuidae)  
 530. *Euxoa* (s.str.) *basigramma* (Staudinger,1870) (Noctuidae)  
 531. *Euxoa* (s.str.) *canariensis* Rebel,1902 (Noctuidae)  
 532. *Euxoa* (s.str.) *conspicua* (Hübner,[1824]) (Noctuidae)  
 533. *Euxoa* (s.str.) *designata* Brandt,1941 (Noctuidae)  
 534. *Euxoa* (s.str.) *heringi* Christoph,1877 (Noctuidae)

535. *Euxoa* (s.str.) *homicida* (Staudinger,1900) (Noctuidae)  
 536. *Euxoa* (s.str.) *perierga* Brandt,1938 (Noctuidae)  
 537. *Euxoa* (s.str.) *scurrilis* Draudt,1937 (Noctuidae)  
 538. *Euxoa* (s.str.) *subdecora* Hampson,1903 (Noctuidae)  
 539. *Evisa schawerdae* Reisser,1930 (Noctuidae)  
 540. *Grammodes stolidus* (Fabricius,1775) (Noctuidae)  
 541. *Hadena* (*Anepia*) *perplexa* ([Denis & Schiffermüller],1775) (Noctuidae)  
 542. *Hadena* (*Anepia*) *syriaca* (Osthelder,1933) (Noctuidae)  
 543. *Hadena* (*Enterpia*) *picturata* (Alpheraky,1882) (Noctuidae)  
 544. *Hadena* (*Enterpia*) *roseocandida* Hacker,1996 (Noctuidae)  
 545. *Hadena* (*Maschukia*) *lypra* (Püngeler,1904) (Noctuidae)  
 546. *Hadena* (*Maschukia*) *pumila* (Staudinger,1879) (Noctuidae)  
 547. *Hadena* (*Pinkerica*) *vulpecula* (Brandt,1938) (Noctuidae)  
 548. *Hadena* (*Pronotestra*) *silenides* (Staudinger,1895) (Noctuidae)  
 549. *Hadena* (s.str.) (*Albimaculia*) *albimacula* (Borkhausen,1792) (Noctuidae)  
 550. *Hadena* (s.str.) (*Albimaculia*) *gueneei* (Staudinger,1901) (Noctuidae)  
 551. *Hadena* (s.str.) (*Anatolidenia*) *draudti* (Brandt,1938) (Noctuidae)  
 552. *Hadena* (s.str.) (*Anatolidenia*) *mesolampira* (Brandt,1938) (Noctuidae)  
 553. *Hadena* (s.str.) (*Clarhadena*) *cimelia* (Brandt,1938) (Noctuidae)  
 554. *Hadena* (s.str.) (*Hadenobolis*) *melanochroa* (Staudinger,1892) (Noctuidae)  
 555. *Hadena* (s.str.) (*Hadenobolis*) *nobilis* Hacker,1996 (Noctuidae)  
 556. *Hadena* (s.str.) (*Luteocincta*) *lucida* (Brandt,1938) (Noctuidae)  
 557. *Hadena* (s.str.) (*Magnoliadenia*) *magnoli* (Boisduval,1828) (Noctuidae)  
 558. *Hadena* (s.str.) (*Miselia*) *compta* ([Denis & Schiffermüller],1775) (Noctuidae)  
 559. *Hadena* (s.str.) (*Turkiadenia*) *bactriana* Hacker,1996 (Noctuidae)  
 560. *Hadjina lutosus* Staudinger,1892 (Noctuidae)  
 561. *Hadula* (*Calocestra* (*Hadumendax*)) *hoplites* (Staudinger,1901) (Noctuidae)  
 562. *Hadula* (s.str.) (*Habulorum*) *sabulorum* (Alpheraky,1882) (Noctuidae)  
 563. *Haemerosia* *renalis* (Hübner,[1813]) (Noctuidae)  
 564. *Hecatera* *bicolorata* (Hufnagel,1766) (Noctuidae)  
 565. *Hecatera* *cappa* (Hübner,[1809]) (Noctuidae)  
 566. *Hecatera* *rhodocharis* (Brandt,1938) (Noctuidae)  
 567. *Hecatera* *spinaciae* (Vieweg,1790) (Noctuidae)  
 568. *Helicoverpa* *armigera* (Hübner,[1808]) (Noctuidae)  
 569. *Heliophobus* *reticulata* (Goeze,1781) (Noctuidae)  
 570. *Heliiothis* *peltigera* ([Denis & Schiffermüller],1775) (Noctuidae)  
 571. *Heliiothis* *viriplaca* (Hufnagel,1766) (Noctuidae)  
 572. *Hemixarnis* *berezskii* (Kozhantshikov,1937) (Noctuidae)  
 573. *Hermia* *proxima* Christoph,1893 (Noctuidae)  
 574. *Heterographa* *puengeleri* Bartel,1904 (Noctuidae)  
 575. *Heteropalpia* *vetusta* (Walker,1865) (Noctuidae)  
 576. *Hoplodrina* *ambigua* ([Denis & Schiffermüller],1775) (Noctuidae)  
 577. *Acontia* (s.str.) *sordescens* (Staudinger,1895) (Noctuidae)  
 578. *Hypena* (s.str.) *obsitalis* (Hübner,[1813]) (Noctuidae)  
 579. *Hypena* *obesalis* Treitschke,1829 (Noctuidae)  
 580. *Hypena* *palpalis* (Hübner,1796) (Noctuidae)  
 581. *Hypenodes* *orientis* Brandt,1938 (Noctuidae)  
 582. *Hypersynoides* *submarginata* (Walker,1865) (Noctuidae)  
 583. *Hypeuthina* *fulgurita* Lederer,1855 (Noctuidae)  
 584. *Iranada ornata* (Brandt,1938) (Noctuidae)  
 585. *Iranada tarachoides* (Bytinski-Salz & Brandt,1937) (Noctuidae)  
 586. *Iranada* *versicolor* (Brandt,1939) (Noctuidae)  
 587. *Karmanica* *chosroes* (Brandt,1938) (Noctuidae)  
 588. *Leucania* *loreyi* (Duponchel,1827) (Noctuidae)  
 589. *Leucania* *punctosa* (Treitschke,1825) (Noctuidae)  
 590. *Leucania* *zeae* (Duponchel,1827) (Noctuidae)  
 591. *Lycophorus* *villosus* (Alpheraky,1887) (Noctuidae)  
 592. *Lygephila* *cracca* (Fabricius,1787) (Noctuidae)  
 593. *Lygephila* *lubrica* (Freyer,1842) (Noctuidae)  
 594. *Lygephila* *subpicta* Wiltshire,1971 (Noctuidae)  
 595. *Maraschia* *grisea* (Osthelder,1933) (Noctuidae)  
 596. *Megalodes* *eximia* (Freyer,1845) (Noctuidae)  
 597. *Meganola* *strigula* ([Denis & Schiffermüller],1775) (Noctuidae)  
 598. *Mesapamea* (s.str.) *secalis* (Linnaeus,1758) (Noctuidae)  
 599. *Mesoligia* *litterosa* (Haworth,[1809]) (Noctuidae)  
 600. *Metachrostis* *dardouini* (Boisduval,1840) (Noctuidae)  
 601. *Metachrostis* *sefidi* (Brandt,1938) (Noctuidae)  
 602. *Metachrostis* *velox* (Hübner,[1813]) (Noctuidae)  
 603. *Metaegle* *gratiosa* (Staudinger,1892) (Noctuidae)  
 604. *Metalopha* (s.str.) *liturata* (Christoph,1887) (Noctuidae)  
 605. *Metopoceras* (s.str.) *omar* (Oberthür,1887) (Noctuidae)  
 606. *Metopoceras* (s.str.) *solitudo* (Brandt,1938) (Noctuidae)  
 607. *Metopodicha* *ernesti* Draudt,1936 (Noctuidae)  
 608. *Metoponrhis* *albirena* (Christoph,1887) (Noctuidae)  
 609. *Metopoplus* *boursini* Brandt,1938 (Noctuidae)  
 610. *Minucia* *bimaculata* Osthelder,1933 (Noctuidae)  
 611. *Mythimna* (*Aletia*) *citrinotata* (Hampson,1905) (Noctuidae)  
 612. *Mythimna* (*Aletia*) *congrua* (Hübner,[1817]) (Noctuidae)  
 613. *Mythimna* (*Aletia*) *l-album* (Linnaeus,1767) (Noctuidae)  
 614. *Mythimna* (*Aletia*) *prominens* Walker,1856 (Noctuidae)  
 615. *Mythimna* (*Aletia*) *vitellina* (Hübner,[1808]) (Noctuidae)  
 616. *Mythimna* (*Hyphillare*) *ferrago* (Fabricius,1787) (Noctuidae)  
 617. *Mythimna* (*Morphopoliana*) *languida* (Walker,1858) (Noctuidae)  
 618. *Nezomyctes* *obtusa* Varga & Ronkay,1991 (Noctuidae)  
 619. *Nezomyctes* *pusilla* (Püngeler,1900) (Noctuidae)  
 620. *Noctua* (*Paranoctua*) *comes* (Hübner,[1813]) (Noctuidae)  
 621. *Noctua* (s.str.) *pronuba* (Linnaeus,1758) (Noctuidae)  
 622. *Nola squalida* Staudinger,1871 (Noctuidae)  
 623. *Nola subchlamyda* Staudinger,1870 (Noctuidae)  
 624. *Nycteola* *revayana* (Scopoli,1772) (Noctuidae)  
 625. *Omphalophana* *anatolica* (Lederer,1857) (Noctuidae)  
 626. *Omphalophana* *antirrhini* (Hübner,[1803]) (Noctuidae)  
 627. *Oncocnemis* *erythrospis* Brandt,1938 (Noctuidae)  
 628. *Oncocnemis* *exacta* Christoph,1887 (Noctuidae)  
 629. *Oncocnemis* *idioglyphia* Brandt,1938 (Noctuidae)  
 630. *Ophiura* *tirhaca* (Cramer,[1777]) (Noctuidae)  
 631. *Opigena* *polygona* (Fabricius,1787) (Noctuidae)  
 632. *Oria* *musculosa* (Hübner,[1808]) (Noctuidae)  
 633. *Osthelidera* *persa* L.Ronkay & Varga,1994 (Noctuidae)  
 634. *Paracentropus* *cyrus* (Brandt,1938) (Noctuidae)  
 635. *Paraegle* *ochracea* (Erschoff,1874) (Noctuidae)  
 636. *Parallela* *algira* (Linnaeus,1767) (Noctuidae)  
 637. *Parexarnis* *damnata* (Draudt,1937) (Noctuidae)  
 638. *Parexarnis* *sollers* (Christoph,1877) (Noctuidae)  
 639. *Parexarnis* *squalida* (Guenée,1852) (Noctuidae)  
 640. *Parexarnis* *taurica* (Staudinger,1879) (Noctuidae)  
 641. *Pericyma* *squalens* Lederer,1855 (Noctuidae)  
 642. *Perigrapha* (s.str.) *benedeki* G.Ronkay, L.Ronkay & Hacker,2010 (Noctuidae)  
 643. *Perigrapha* (*Opacographa* (s.str.)) *mithras* (Wiltshire,1941) (Noctuidae)  
 644. *Perigrapha* *gyuriani* Benedek & L.Ronkay,2001 (Noctuidae)  
 645. *Periphanes* *delphinii* (Linnaeus,1758) (Noctuidae)  
 646. *Phleboeisis* *surreyae* (Rebel,1931) (Noctuidae)  
 647. *Plecoptera* *inquinata* (Lederer,1857) (Noctuidae)  
 648. *Plecoptera* *reflexa* Guenée,1852 (Noctuidae)  
 649. *Polymixis* (*Branditcola*) *dubiosa* (Brandt,1938) (Noctuidae)  
 650. *Polymixis* (*Eremophysa*) *scrophulariae* (Wiltshire,1952) (Noctuidae)  
 651. *Polymixis* (*Myxinia*) *rufocincta* (Geyer,1828) (Noctuidae)  
 652. *Polymixis* (*Parabrachionycha*) *atossa* (Wiltshire,1941) (Noctuidae)  
 653. *Polymixis* (s.str.) *zagobia* (Wiltshire,1941) (Noctuidae)  
 654. *Polymixis* *crinomima* (Wiltshire,1946) (Noctuidae)  
 655. *Polyphaenis* *monophaenis* Brandt,1938 (Noctuidae)  
 656. *Polypogon* *schwingenschussi* (Wagner,1937) (Noctuidae)  
 657. *Polytela* *clians* (R.Felder & Rogenhofer,1874) (Noctuidae)  
 658. *Powellina* *boetica* (Rambur,1837) (Noctuidae)  
 659. *Pseudonargia* *deleta* (Osthelder,1933) (Noctuidae)  
 660. *Pseudohadena* (s.str.) *chenopodiphaga* (Rambur,1832) (Noctuidae)  
 661. *Pseudohadena* (s.str.) *impedita* (Christoph,1887) (Noctuidae)  
 662. *Pseudohadena* (s.str.) *rjabovi* Boursin,1970 (Noctuidae)  
 663. *Recophora* *beata* (Staudinger,1892) (Noctuidae)  
 664. *Rhyacia* (s.str.) *arenacea* (Hampson,1907) (Noctuidae)  
 665. *Rhyacia* (s.str.) *helvetina* (Boisduval,1833) (Noctuidae)  
 666. *Rhyacia* (s.str.) *nyctimerides* (O.Bang-Haas,1922) (Noctuidae)  
 667. *Rhyagla* *lacernaria* (Hübner,[1813]) (Noctuidae)  
 668. *Rivula* *tanitidis* Rebel,1912 (Noctuidae)  
 669. *Sesamia* *cretica* Lederer,1857 (Noctuidae)  
 670. *Sesamia* *rungsii* Boursin,1957 (Noctuidae)  
 671. *Sideridis* (*Conisania*) *capsivora* (Draudt,1933) (Noctuidae)  
 672. *Sideridis* (*Conisania*) *vidua* (Staudinger,1888) (Noctuidae)  
 673. *Sideridis* (*Luteohadena*) *luteago* ([Denis & Schiffermüller],1775) (Noctuidae)

674. *Simyra nervosa* ([Denis & Schiffermüller],1775) (Noctuidae)  
675. *Spaelotis demavendi* (F.Wagner,1937) (Noctuidae)  
676. *Spodoptera exiguum* (Hübner,[1808]) (Noctuidae)  
677. *Spodoptera liturum* (Fabricius,1775) (Noctuidae)  
678. *Stenodrina agramma* Brandt,1938 (Noctuidae)  
679. *Tathorhynchus exsiccatu* (Lederer,1855) (Noctuidae)  
680. *Thria robusta* Walker,[1858] (Noctuidae)  
681. *Thysanoplusia (Daubeiplusia) daubei* (Boisduval,1840) (Noctuidae)  
682. *Trichoplusia exquisatella* (Strand,1916) (Noctuidae)  
683. *Trichoplusia ni* (Hübner,[1803]) (Noctuidae)  
684. *Tyta luctuosa* ([Denis & Schiffermüller],1775) (Noctuidae)  
685. *Valeria carducha* (Wiltshire,1957) (Noctuidae)  
686. *Valeria schreieri* Hacker & Ebert,2002 (Noctuidae)  
687. *Victrix (Rasihia) sassanica* Wiltshire,1961 (Noctuidae)  
688. *Victrix (Rasihia) tabora* (Staudinger,1892) (Noctuidae)  
689. *Wiltshireola disrupta* (Wiltshire,1952) (Noctuidae)  
690. *Xanthia (Cirrhia) ocellaris* (Borkhausen,1792) (Noctuidae)  
691. *Xenophysa junctimacula* (Christoph,1887) (Noctuidae)  
692. *Xestia (s.str.) cohaesa* (Herrich-Schäffer,[1849]) (Noctuidae)  
693. *Xestia (s.str.) sareptana* (Herrich-Schäffer,[1851]) (Noctuidae)  
694. *Zekelita (Ravalita) ravalis* (Herrich-Schäffer,[1852]) (Noctuidae)  
695. *Zekelita (Rhynchodontodes) orientis* (Brandt,1938) (Noctuidae)  
696. *Zethes brandti* Janzon,1977 (Noctuidae)  
697. *Zethes insularis* Rambur,1833 (Noctuidae)  
698. *Zethes narghisa* Brandt,1938 (Noctuidae)  
699. *Zethes nemea* Brandt,1938 (Noctuidae)  
700. *Furcula turbida* (Brandt,1938) (Notodontidae)  
701. *Neoharpyia pulcherrima* (Brandt,1938) (Notodontidae)  
702. *Agonopterix adpersella* (Kollar,1832) (Oecophoridae)  
703. *Agonopterix miyanella* Amsel,1972 (Oecophoridae)  
704. *Agonopterix subpropinquella* (Stainton,1849) (Oecophoridae)  
705. *Agonopterix vendettella* (Chrétien,1908) (Oecophoridae)  
706. *Anchinia laureolella* Herrich-Schäffer,1854 (Oecophoridae)  
707. *Depressaria depressana* (Fabricius,1775) (Oecophoridae)  
708. *Depressaria eryngiella* Millièr,1881 (Oecophoridae)  
709. *Depressaria macrotrichella* Rebel,1917 (Oecophoridae)  
710. *Depressaria peregrinella* Hannemann,1967 (Oecophoridae)  
711. *Depressaria sordidatella* Tengström,1848 (Oecophoridae)  
712. *Exaeretia ledereri* (Zeller,1854) (Oecophoridae)  
713. *Horridopalpus moranella* (Chrétien,1907) (Oecophoridae)  
714. *Pleurota bicostella* (Clerck,1759) (Oecophoridae)  
715. *Pleurota gnathella* H.Back,1973 (Oecophoridae)  
716. *Papilio (s.str. (Alexanoria)) alexanor* Esper,[1800] (Papilionidae)  
717. *Papilio (s.str.) machaon* Linnaeus,1758 (Papilionidae)  
718. *Parnassius (Driopa) mnemosyne* (Linnaeus,1758) (Papilionidae)  
719. *Princeps (s.str. (s.str.)) demoleus* (Linnaeus,1758) (Papilionidae)  
720. *Aporia (s.str.) crataegi* (Linnaeus,1758) (Pieridae)  
721. *Belenois aurota* (Fabricius,1793) (Pieridae)  
722. *Catopsilia florella* (Fabricius,1775) (Pieridae)  
723. *Colias (Eriocolias) crocea* (Fourcroy,1785) (Pieridae)  
724. *Colias (Eriocolias) crocea crocea* (Fourcroy,1785) (Pieridae)  
725. *Colias (Neocolias) erate* (Esper,[1805]) (Pieridae)  
726. *Colias (Neocolias) erate erate* (Esper,[1805]) (Pieridae)  
727. *Colotis (s.str.) amatus* (Fabricius,1775) (Pieridae)  
728. *Colotis (s.str.) fausta* (Olivier,[1804]) (Pieridae)  
729. *Euchloe (Elphinstonia) lessei* Bernardi,1957 (Pieridae)  
730. *Euchloe (Elphinstonia) transcaspica* (Staudinger,[1892]) (Pieridae)  
731. *Euchloe (s.str.) ausonia* (Hübner,[1804]) (Pieridae)  
732. *Gonepteryx (s.str.) farinosa* (Zeller,1847) (Pieridae)  
733. *Leptidea duponcheli* (Staudinger,1871) (Pieridae)  
734. *Pieris (Artogeia) krueperi* Staudinger,1860 (Pieridae)  
735. *Pontia edusa* (Fabricius,1777) (Pieridae)  
736. *Pontia glauconome* Klug,1829 (Pieridae)  
737. *Zegris eupheme* (Esper,[1804]) (Pieridae)  
738. *Canephora villosa* (Brandt,1938) (Psychidae)  
739. *Adaina microdactyla* (Hübner,[1813]) (Pterophoridae)  
740. *Agdistis olei* Arenberger,1976 (Pterophoridae)  
741. *Agdistis adactyla* (Hübner,[1819]) (Pterophoridae)  
742. *Merrifieldia brandti* (Arenberger,1981) (Pterophoridae)  
743. *Merrifieldia caspia* (Lederer,1870) (Pterophoridae)  
744. *Merrifieldia diwani* (Arenberger,1981) (Pterophoridae)  
745. *Merrifieldia farsi* (Arenberger,1981) (Pterophoridae)  
746. *Tabulaephorus parthicus* (Lederer,1870) (Pterophoridae)  
747. *Wheeleria elbursi* (Arenberger,1981) (Pterophoridae)  
748. *Wheeleria obsoleta* (Zeller,1841) (Pterophoridae)  
749. *Wheeleria phlomidis* (Staudinger,1871) (Pterophoridae)  
750. *Achyra coelatalis* (Walker,1859) (Pyralidae)  
751. *Achyra nudalis* (Hübner,1796) (Pyralidae)  
752. *Acrobasis atrisquamella* Ragonot,1887 (Pyralidae)  
753. *Acrobasis glaucella* Staudinger,1859 (Pyralidae)  
754. *Acrobasis nigribasalis* Amsel,1953 (Pyralidae)  
755. *Actenia honestalis* (Treitschke,1829) (Pyralidae)  
756. *Actenia persica* Amsel,1949 (Pyralidae)  
757. *Acteniopsis kurdistanella* Amsel,1959 (Pyralidae)  
758. *Aeglotis argentalis* (Christoph,1887) (Pyralidae)  
759. *Aeschremon disparalis* Herrich-Schäffer,[1855] (Pyralidae)  
760. *Aglossa asiatica* Erschoff,1871 (Pyralidae)  
761. *Aglossa caprealis* (Hübner,[1809]) (Pyralidae)  
762. *Agriphila bleszynskiella* Amsel,1961 (Pyralidae)  
763. *Ancylodes pallens* Ragonot,1887 (Pyralidae)  
764. *Ancylosis (Heterographis) candidatella* (Lederer,1858) (Pyralidae)  
765. *Ancylosis (Heterographis) convexella* (Lederer,1855) (Pyralidae)  
766. *Ancylosis (Heterographis) dideganella* Roesler,1973 (Pyralidae)  
767. *Ancylosis (Heterographis) externella* Roesler,1971 (Pyralidae)  
768. *Ancylosis (Heterographis) faustinnella* (Zeller,1867) (Pyralidae)  
769. *Ancylosis (Heterographis) geminella* (Amsel,1961) (Pyralidae)  
770. *Ancylosis (Heterographis) gracilella* Ragonot,1887 (Pyralidae)  
771. *Ancylosis (Heterographis) harmoniella* (Ragonot,1887) (Pyralidae)  
772. *Ancylosis (Heterographis) hellenica* (Staudinger,1870) (Pyralidae)  
773. *Ancylosis (Heterographis) kazerunella* Roesler,1973 (Pyralidae)  
774. *Ancylosis (Heterographis) muliebris* (Meyrick,1937) (Pyralidae)  
775. *Ancylosis (Heterographis) rhodochrella* (Herrich-Schäffer,1855) (Pyralidae)  
776. *Ancylosis (Heterographis) samaritanella* (Zeller,1867) (Pyralidae)  
777. *Ancylosis (Heterographis) syrtella* (Ragonot,1887) (Pyralidae)  
778. *Ancylosis (Heterographis) umbrilimbella* (Ragonot,1901) (Pyralidae)  
779. *Ancylosis (Heterographis) xylinella* (Staudinger,1870) (Pyralidae)  
780. *Ancylosis (s.str.) cinnamomella* (Duponchel,1836) (Pyralidae)  
781. *Ancylosis (s.str.) dryadella* (Ragonot,1887) (Pyralidae)  
782. *Ancylosis (s.str.) dumetella* (Ragonot,1887) (Pyralidae)  
783. *Anthophilopsis baphialis* (Staudinger,1870) (Pyralidae)  
784. *Anthophilopsis moeschleri* (Christoph,1862) (Pyralidae)  
785. *Antigastra catalaunalis* (Duponchel,1833) (Pyralidae)  
786. *Aporodes floralis* (Hübner,[1809]) (Pyralidae)  
787. *Aproceratia rhectogramma* (Meyrick,1937) (Pyralidae)  
788. *Apyrausta persicalis* Amsel,1951 (Pyralidae)  
789. *Archiephestia adpiscinella* (Chrétien,1911) (Pyralidae)  
790. *Ardekania farsella* Amsel,1951 (Pyralidae)  
791. *Arimania komaroffi* (Ragonot,1888) (Pyralidae)  
792. *Arsissa aksuella* (Caradja,1910) (Pyralidae)  
793. *Arsissa divaricella* (Ragonot,1887) (Pyralidae)  
794. *Arsissa leucomixtella* (Ragonot,1887) (Pyralidae)  
795. *Arsissa miridella* (Ragonot,1893) (Pyralidae)  
796. *Arsissa ramosella* (Herrich-Schäffer,[1855]) (Pyralidae)  
797. *Asarta firusella* Amsel,1961 (Pyralidae)  
798. *Auxacia bilineella* (Ragonot,1887) (Pyralidae)  
799. *Bostra atomalis* Amsel,1949 (Pyralidae)  
800. *Bostra bifascialis* Amsel,1950 (Pyralidae)  
801. *Bostra comealis* Amsel,1951 (Pyralidae)  
802. *Bostra farsalis* Amsel,1950 (Pyralidae)  
803. *Bostra fuscella* Amsel,1959 (Pyralidae)  
804. *Bostra kirmanialis* Amsel,1961 (Pyralidae)  
805. *Bostra luteocostalis* Amsel,1950 (Pyralidae)  
806. *Bostra pseudopaniella* Amsel,1951 (Pyralidae)  
807. *Bostra shirazalis* Amsel,1961 (Pyralidae)  
808. *Cadra cautella* (Walker,1863) (Pyralidae)  
809. *Cadra delatinnella* Roesler,1965 (Pyralidae)  
810. *Cadra furcatella* (Herrich-Schäffer,[1849]) (Pyralidae)  
811. *Cornifrons ulceratalis* Lederer,1858 (Pyralidae)  
812. *Crocalia aglossalis* Ragonot,1892 (Pyralidae)  
813. *Cybalomia pentadalis* (Lederer,1855) (Pyralidae)  
814. *Cybalomia triplacogramma* Meyrick,1937 (Pyralidae)  
815. *Cynaeda gigantea* (Wocke,1871) (Pyralidae)  
816. *Hypotia canifusalis* (Hampson,1900) (Pyralidae)  
817. *Hypotia iranalis* (Amsel,1949) (Pyralidae)  
818. *Hypotia lobalis* (Chrétien,1915) (Pyralidae)  
819. *Hypotia lobalis fredii* (Amsel,1949) (Pyralidae)  
820. *Hypotia metasialis* (Amsel,1953) (Pyralidae)  
821. *Zonora argentalis* (Hampson,1900) (Pyralidae)  
822. *Hypotia ingrata* (Butler,1881) (Pyralidae)  
823. *Dentitegumia nigrigranella* (Ragonot,1890) (Pyralidae)  
824. *Dolicharthria bruguieralis* (Duponchel,1833) (Pyralidae)  
825. *Dolicharthria punctalis* ([Denis & Schiffermüller],1775) (Pyralidae)



826. *Duponchelia fovealis* (Zeller,1847) (Pyralidae)  
827. *Ecpyrrhorhoe diffusalis* (Guenée,1854) (Pyralidae)  
828. *Ematheudes persicellus* (Amsel,1961) (Pyralidae)  
829. *Ematheudes punctellus* (Treitschke,1833) (Pyralidae)  
830. *Emprepes chirazalis* Amsel,1949 (Pyralidae)  
831. *Emprepes palealis* Amsel,1949 (Pyralidae)  
832. *Emprepes russulalis* (Christoph,1877) (Pyralidae)  
833. *Endotricha flammealis* ([Denis & Schiffermüller],1775) (Pyralidae)  
834. *Ephelis cruentalis* (Geyer,1832) (Pyralidae)  
835. *Ephestia* (Anagasta) *abnormalella* (Ragonot,1887) (Pyralidae)  
836. *Ephestia* (s.str.) *parasitella* Staudinger,1859 (Pyralidae)  
837. *Epidauria discella* Ragonot,1901 (Pyralidae)  
838. *Shirazia monotona* Amsel,1954 (Pyralidae)  
839. *Epiepischnia pseudodydella* Amsel,1953 (Pyralidae)  
840. *Epiparthia constituta* Roesler,1989 (Pyralidae)  
841. *Epischnia cretaciella* Mann,1869 (Pyralidae)  
842. *Epischnopsis nervosella* (Ragonot,1887) (Pyralidae)  
843. *Euchromius ramburiellus* (Duponchel,1836) (Pyralidae)  
844. *Eurhodope* (s.str.) *concinallis* (Christoph,1882) (Pyralidae)  
845. *Eurhodope* (s.str.) *hyrcanella* (Amsel,1953) (Pyralidae)  
846. *Eurhodope* (s.str.) *mira* Amsel,1953 (Pyralidae)  
847. *Euzophera* (s.str.) *alpherakyella* Ragonot,1887 (Pyralidae)  
848. *Euzophera* (s.str.) *bigella* (Zeller,1848) (Pyralidae)  
849. *Euzophera* (s.str.) *comeella* Roesler,1973 (Pyralidae)  
850. *Euzophera* (s.str.) *costivittella* Ragonot,1887 (Pyralidae)  
851. *Euzophera* (s.str.) *eburnella* Amsel,1954 (Pyralidae)  
852. *Euzophera* (s.str.) *formosella* (Rebel,1910) (Pyralidae)  
853. *Euzophera* (s.str.) *imperfectella* Ragonot,1895 (Pyralidae)  
854. *Euzophera* (s.str.) *luculentella* Ragonot,1888 (Pyralidae)  
855. *Euzophera* (s.str.) *pinguis* (Haworth,1811) (Pyralidae)  
856. *Euzopherodes lutisignella* (Mann,1869) (Pyralidae)  
857. *Evergestis affinis* Amsel,1951 (Pyralidae)  
858. *Evergestis caesialis* Herrich-Schäffer,1855] (Pyralidae)  
859. *Evergestis desertalis* (Hübner,1813] (Pyralidae)  
860. *Evergestis grummi* (Christoph,1885) (Pyralidae)  
861. *Evergestis hyrcanalis* Amsel,1961 (Pyralidae)  
862. *Evergestis isatidalis* (Duponchel,1833) (Pyralidae)  
863. *Evergestis nomadalis* (Lederer,1871) (Pyralidae)  
864. *Evergestis shirazalis* Amsel,1953 (Pyralidae)  
865. *Evergestis vagabundalis* (Christoph,1887) (Pyralidae)  
866. *Galleria mellonella* (Linnaeus,1758) (Pyralidae)  
867. *Hafisia lundbladi* Amsel,1950 (Pyralidae)  
868. *Hellula undalis* (Fabricius,1781) (Pyralidae)  
869. *Herpetogramma licarsialis* (Walker,1859) (Pyralidae)  
870. *Homoeosoma* (s.str.) *obatricostellum* Ragonot,1887 (Pyralidae)  
871. *Hypotia colchicalis* (Herrich-Schäffer,1855] (Pyralidae)  
872. *Hypotia concatenalis* Lederer,1858 (Pyralidae)  
873. *Hypsopygia mauritialis* (Boisduval,1833) (Pyralidae)  
874. *Iranarpia albalis* (Amsel,1961) (Pyralidae)  
875. *Iranarpia silacealis* (Amsel,1951) (Pyralidae)  
876. *Iraniodes bilinealis* Amsel,1961 (Pyralidae)  
877. *Isauria dilucidella* (Duponchel,1836) (Pyralidae)  
878. *Katja mira* Amsel,1951 (Pyralidae)  
879. *Khorassania hartigi* Amsel,1951 (Pyralidae)  
880. *Krombia pulchella* Amsel,1949 (Pyralidae)  
881. *Lamoria anella* ([Denis & Schiffermüller],1775) (Pyralidae)  
882. *Lepidogma tamaricalis* (Mann,1873) (Pyralidae)  
883. *Leptarchis intervatalis* (Christoph,1877) (Pyralidae)  
884. *Loxostege farsalis* Amsel,1950 (Pyralidae)  
885. *Loxostege straminealis* (Hampson,1900) (Pyralidae)  
886. *Mecyna albalis* Amsel,1961 (Pyralidae)  
887. *Mecyna amasialis* (Staudinger,1879) (Pyralidae)  
888. *Mecyna grisealis* Amsel,1961 (Pyralidae)  
889. *Mecyna indistinctalis* Amsel,1961 (Pyralidae)  
890. *Mecyna pontica* (Staudinger,1879) (Pyralidae)  
891. *Mecyna sefidalis* (Amsel,1950) (Pyralidae)  
892. *Megasis libanoticella* Zerny,1934 (Pyralidae)  
893. *Metacrambus jugaraicae* Bleszynski,1965 (Pyralidae)  
894. *Metallosticha argyrogrammos* (Zeller,1847) (Pyralidae)  
895. *Metasia* (s.str.) *continualis* Amsel,1961 (Pyralidae)  
896. *Metasia* (s.str.) *farsalis* Amsel,1961 (Pyralidae)  
897. *Metasia* (s.str.) *sefidalis* Amsel,1961 (Pyralidae)  
898. *Metasia* (s.str.) *subtilialis* Caradja,1917 (Pyralidae)  
899. *Metasia* (s.str.) *suppandalis* (Hübner,1823] (Pyralidae)  
900. *Microstega praepetalis* (Lederer,1869) (Pyralidae)  
901. *Mimudea confinalis* (Lederer,1858) (Pyralidae)  
902. *Myelois* (Gnathogutta) *circumdatella* Lederer,1858 (Pyralidae)  
903. *Myelois* (s.str.) *conformella* Amsel,1951 (Pyralidae)  
904. *Myelois* (s.str.) *constans* Amsel,1951 (Pyralidae)  
905. *Myelois* (s.str.) *micropunctella* Amsel,1951 (Pyralidae)  
906. *Myrlaea mimicalis* (Amsel,1950) (Pyralidae)  
907. *Myrlaea nigrosquamalis* (Amsel,1950) (Pyralidae)  
908. *Myrlaea pittonii* (Amsel,1950) (Pyralidae)  
909. *Nephopterix ardekanella* Amsel,1951 (Pyralidae)  
910. *Nephopterix macrocirtensis* Amsel,1953 (Pyralidae)  
911. *Nephopterix minimella* Amsel,1953 (Pyralidae)  
912. *Noctuella superba* (Freyer,1844] (Pyralidae)  
913. *Noctuella vespertalis* Herrich-Schäffer,1855] (Pyralidae)  
914. *Ocridodes ruptifasciella* (Ragonot,1887) (Pyralidae)  
915. *Panstegia aerealis* (Hübner,1793) (Pyralidae)  
916. *Paracorsia* ? *rudalis* (Zerny,1939) (Pyralidae)  
917. *Paracorsia repandalis* ([Denis & Schiffermüller],1775) (Pyralidae)  
918. *Paraemporia monotona* Amsel,1951 (Pyralidae)  
919. *Paramecyna dimorphalis* Amsel,1961 (Pyralidae)  
920. *Parapoinx affinalis* (Guenée,1854) (Pyralidae)  
921. *Parasefidia comeella* (Amsel,1951) (Pyralidae)  
922. *Pediasia desertella* (Lederer,1855) (Pyralidae)  
923. *Pempelia acrobassella* (Amsel,1950) (Pyralidae)  
924. *Ancylosis albicostella* Amsel,1951 (Pyralidae)  
925. *Pempelia arimanella* (Amsel,1951) ? (Pyralidae)  
926. *Pempeliella sororiella* (Zeller,1839) (Pyralidae)  
927. *Phlyctaenomorpha sinuosalis* (Le Cerf,1910) (Pyralidae)  
928. *Phycita ardekanella* Amsel,1950 (Pyralidae)  
929. *Phycita comeella* Amsel,1950 (Pyralidae)  
930. *Phycita mianella* Amsel,1950 (Pyralidae)  
931. *Phycitodes carlinella* (Heinemann,1865) (Pyralidae)  
932. *Phycitodes inquinatella* (Ragonot,1887) (Pyralidae)  
933. *Phycitodes lacteella* (Rothschild,1915) (Pyralidae)  
934. *Phycitodes nigrilimbella* (Ragonot,1887) (Pyralidae)  
935. *Phycitodes saxicola* (Vaughan,1870) (Pyralidae)  
936. *Pristocerella solskyi* (Christoph,1877) (Pyralidae)  
937. *Prochoristis rupicapralis* (Lederer,1855) (Pyralidae)  
938. *Prorophora* (Epischidia) *albunculella* (Staudinger,1879) (Pyralidae)  
939. *Prorophora* (s.str.) *curvibasella* Ragonot,1887 (Pyralidae)  
940. *Psammotis pulveralis* (Hübner,1796) (Pyralidae)  
941. *Psorosa maraschella* Caradja,1910 (Pyralidae)  
942. *Psorosodes dalakiella* Amsel,1953 (Pyralidae)  
943. *Pterothrixidia fordii* Amsel,1953 (Pyralidae)  
944. *Pyralis juengeri* Amsel,1953 (Pyralidae)  
945. *Pyralis kacheticalis* Christoph,1893 (Pyralidae)  
946. *Pyrasia gutturalis* (Staudinger,1879) (Pyralidae)  
947. *Pyrausta* (Haematia) *castalis* Treitschke,1829 (Pyralidae)  
948. *Pyrausta* (Haematia) *despicata* (Scopoli,1763) (Pyralidae)  
949. *Pyrausta* (Haematia) *sanguinalis* (Linnaeus,1767) (Pyralidae)  
950. *Pyrausta* (Haematia) *virginalis* Duponchel,1832 (Pyralidae)  
951. *Pyrausta* (s.str.) *inciae* Koçak,1982 (Pyralidae)  
952. *Pyrausta shirazalis* Amsel,1961 (Pyralidae)  
953. *Saluria maculivittella* Ragonot,1887 (Pyralidae)  
954. *Schoenobius alpherakyi* Staudinger,1874 (Pyralidae)  
955. *Sclerobiodes persica* Amsel,1951 (Pyralidae)  
956. *Scotomerodes syriacalis* Ragonot,1895 (Pyralidae)  
957. *Sefidia persica* Amsel,1950 (Pyralidae)  
958. *Spoladea recurvalis* (Fabricius,1775) (Pyralidae)  
959. *Stiphrometasia monialis* (Erschoff,1871) (Pyralidae)  
960. *Stiphrometasia sancta* (Hampson,1900) (Pyralidae)  
961. *Sultania lophotalis* (Hampson,1900) (Pyralidae)  
962. *Synaphe unifascialis* (Amsel,1961) (Pyralidae)  
963. *Synclera traducalis* (Zeller,1852) (Pyralidae)  
964. *Taftania oxycyma* (Meyrick,1937) (Pyralidae)  
965. *Tegostoma marginalis* Amsel,1961 (Pyralidae)  
966. *Tegostoma perlepidalis* (Guenée,1854) (Pyralidae)  
967. *Tephroniopsis geometridalis* Amsel,1961 (Pyralidae)  
968. *Thyridiphora furia* (Swinhoe,1884) (Pyralidae)  
969. *Titania hyrcanella* Amsel,1950 (Pyralidae)  
970. *Trachycera farsella* (Amsel,1950) (Pyralidae)  
971. *Trachycera niveicinctella* (Ragonot,1887) (Pyralidae)  
972. *Trachycera persicella* (Amsel,1951) (Pyralidae)  
973. *Trachycera praefectella* (Zerny,1936) (Pyralidae)  
974. *Trachycera zamarantha* Roesler,1987 (Pyralidae)  
975. *Trigonuncus euegestalis* Amsel,1953 (Pyralidae)  
976. *Udea ardekanalis* Amsel,1961 (Pyralidae)

977. *Udea ferrugalis* (Hübner,1796) (Pyrilidae)  
 978. *Uncinus hypogryphellus* Amsel,1951 (Pyrilidae)  
 979. *Uresiphita polygonalis* ([Denis & Schiffermüller],1775) (Pyrilidae)  
 980. *Valva pseudodiscomaculella* (Amsel,1935) (Pyrilidae)  
 981. *Saturnia* (s.str.) *pyri* ([Denis & Schiffermüller],1775) (Saturniidae)  
 982. *Chazara* (Neochazara) *anthe* (Hoffmannsegg,1804) (Satyridae)  
 983. *Coenonympha* (s.str.) *saadi* (Kollar,[1849]) (Satyridae)  
 984. *Esperarge* (s.str.) *clymene* (Fabricius,1787) (Satyridae)  
 985. *Hipparchia* (Neohipparchia) *fatua* (Freyer,1844) (Satyridae)  
 986. *Hipparchia* (Neohipparchia) *parisatis* (Kollar,[1849]) (Satyridae)  
 987. *Hyponephele* (s.str. (Ereminephele)) *naricina* (Staudinger,1870) (Satyridae)  
 988. *Hyponephele* (s.str. (Tengrinephele)) *cadusia* (Lederer,1869) (Satyridae)  
 989. *Hyponephele* (s.str. (Turaninephele)) *davendra* (Moore,1865) (Satyridae)  
 990. *Hyponephele* (s.str. (Turaninephele)) *shirazica* Carbonell,1997 (Satyridae)  
 991. *Lasiommata* *menava* Moore,1865 (Satyridae)  
 992. *Melanargia* (Turcargia) *hylata* (Ménétriér,1832) (Satyridae)  
 993. *Pseudochazara* (Achazara) *telephassa* (Geyer,[1827]) (Satyridae)  
 994. *Pseudochazara* (s.str.) *pelozea* (Klug,1832) (Satyridae)  
 995. *Scythris* (inertella-gr.) *ethmiella* Amsel,1974 (Scythridae)  
 996. *Scythris farsi* Passerin d'Entrèves & Roggero,2009 (Scythridae)  
 997. *Chamaesphecia elampiformis* (Herrich-Schäffer,1851) (Sesiidae)  
 998. *Chamaesphecia inexpectata* (Le Cerf,1938) (Sesiidae)  
 999. *Chamaesphecia iranica* Le Cerf,1937 (Sesiidae)  
 1000. *Chamaesphecia leucocnemis* Le Cerf,1938 (Sesiidae)  
 1001. *Chamaesphecia sefid* Le Cerf,1938 (Sesiidae)  
 1002. *Dipchasphecia consobrina* (Le Cerf,1938) (Sesiidae)  
 1003. *Euhagena paralariformis* (Lederer,1858) (Sesiidae)  
 1004. *Akbesia davidi* (Oberthür,1884) (Sphingidae)  
 1005. *Clarina kotschy* (Kollar,[1849]) (Sphingidae)  
 1006. *Marumba quercus* ([Denis & Schiffermüller],1775) (Sphingidae)  
 1007. *Rethera brandti* O.Bang-Haas,1937 (Sphingidae)  
 1008. *Rethera komarovi* (Christoph,1885) (Sphingidae)  
 1009. *Smerinthus kindermanni* Lederer,1852 (Sphingidae)  
 1010. *Stathmopoda diplaspis* (Meyrick,1887) (Stathmopodidae)  
 1011. *Ateliotum confusum* G.Petersen,1966 (Tineidae)  
 1012. *Cinnerethica optodes* (Meyrick,1922) (Tineidae)  
 1013. *Edosa caerulipennis* (Erschoff,1874) (Tineidae)  
 1014. *Hapsifera luridella* Zeller,1847 (Tineidae)  
 1015. *Infurcitinea megalopterella* G.Petersen,1964 (Tineidae)  
 1016. *Monopis imella* (Hübner,[1813]) (Tineidae)  
 1017. *Myrmecozela (Flavida) insignis* Amsel,1935 (Tineidae)  
 1018. *Myrmecozela (Flavida) lutosella* (Eversmann,1844) (Tineidae)  
 1019. *Neurothaumasia macedonica* G.Petersen,1962 (Tineidae)  
 1020. *Perissomastix (Aphrodoxa) flava* (G.Petersen,1960) (Tineidae)  
 1021. *Perissomastix (Aphrodoxa) wiltshirella* (G.Petersen,1964) (Tineidae)  
 1022. *Rhodobates pallipallus* Rebel,1901 (Tineidae)  
 1023. *Tinea translucens* Meyrick,1917 (Tineidae)  
 1024. *Acleris napaea* (Meyrick,1912) (Tortricidae)  
 1025. *Aethes bilbaensis* (Rössler,1877) (Tortricidae)  
 1026. *Aethes iranica* Razowski,1963 (Tortricidae)  
 1027. *Aethes kasyi* Razowski,1962 (Tortricidae)  
 1028. *Aethes persica* Razowski,1963 (Tortricidae)  
 1029. *Aphelia (Zelothereses) conscia* Razowski,1981 (Tortricidae)  
 1030. *Cnephasia (s.str.) regifica* Razowski,1971 (Tortricidae)  
 1031. *Cochylimorpha diana* (Kennel,1899) (Tortricidae)  
 1032. *Cochylimorpha pirizana* (Razowski,1963) (Tortricidae)  
 1033. *Cochylimorpha scrophulana* (Razowski,1963) (Tortricidae)  
 1034. *Cydia farsica* (Danilevski & Kuznetsov,1968) (Tortricidae)  
 1035. *Eucosma persiae* Razowski,1963 (Tortricidae)  
 1036. *Gypsonoma ochrotona* Razowski,1963 (Tortricidae)  
 1037. *Pammene caliginosa* Kuznetsov,1972 (Tortricidae)  
 1038. *Rhopobota safidana* (Razowski,1963) (Tortricidae)  
 1039. *Tortrix viridana* (Linnaeus,1758) (Tortricidae)  
 1040. *Trachysmia lucentana* (Kennel,1899) (Tortricidae)  
 1041. *Zeiraphera smaragdina* Razowski,1963 (Tortricidae)  
 1042. *Digitivalva (s.str.) excussella* (Erschoff,1874) (Yponomeutidae)  
 1043. *Adscita (s.str.) obscura* (Zeller,1847) (Zygaenidae)  
 1044. *Jordanita (Praviela) anatolica* (Naufock,1929) (Zygaenidae)  
 1045. *Rhagades (Naufockia) brandti* (Alberti,1938) (Zygaenidae)  
 1046. *Zygaena (Agrumenia) chirazica* H.Reiss,1938 (Zygaenidae)  
 1047. *Zygaena (Agrumenia) escalerae* Poujade,1900 (Zygaenidae)  
 1048. *Zygaena (Agrumenia) saadii* H.Reiss,1938 (Zygaenidae)  
 1049. *Zygaena (Mesembrynus) cambysea* Lederer,1870 (Zygaenidae)  
 1050. *Zygaena (Mesembrynus) fredii* Reiss,1938 (Zygaenidae)  
 1051. *Zygaena (Mesembrynus) haematina* Kollar,[1849] (Zygaenidae)  
 1052. *Zygaena (Mesembrynus) manlia* Lederer,1870 (Zygaenidae)  
 1053. *Zygaena (Mesembrynus) nocturna* Ebert,1974 (Zygaenidae)  
 1054. *Zygaena (Mesembrynus) rubricollis* Hampson,1900 (Zygaenidae)  
 1055. *Zygaena (Mesembrynus) seitzi* H.Reiss,1938 (Zygaenidae)  
 1056. *Zygaenoprocris (Molletia) persepolis* (Alberti,1938) (Zygaenidae)

## Kuldja (Ku) [Uighur Ili]

1. *Adela mutabilella* Küppers,1980 (Adelidae)  
 2. *Axiopoena maura* (Eichwald,1830) (Arctiidae)  
 3. *Palaearctia glaphyra* (Eversmann,1843) (Arctiidae)  
 4. *Phragmatobia fuliginosa* (Linnaeus,1758) (Arctiidae)  
 5. *Sibirarctia kindermanni* (Staudinger,1867) (Arctiidae)  
 6. *Aglais urticae* (Linnaeus,1758) (Argynniidae)  
 7. *Aglais urticae urticae* (Linnaeus,1758) (Argynniidae)  
 8. *Argynnis (Fabriciana) niobe* (Linnaeus,1758) (Argynniidae)  
 9. *Boloria (Proclissiana) erubescens* (Staudinger,1901) (Argynniidae)  
 10. *Brenthis ino* (Rottemburg,1775) (Argynniidae)  
 11. *Euphydryas (Eurodryas) asiatica* (Staudinger,1881) (Argynniidae)  
 12. *Melitaea (Cinclidia) sibina* Alpheraky,1881 (Argynniidae)  
 13. *Melitaea (Didymaeformis) ala* Staudinger,1881 (Argynniidae)  
 14. *Melitaea (Didymaeformis) didyma* (Esper,[1779]) (Argynniidae)  
 15. *Melitaea (Didymaeformis) fergana* Staudinger,1882 (Argynniidae)  
 16. *Melitaea (s.str.) asteroida* Staudinger,1881 (Argynniidae)  
 17. *Melitaea (s.str.) cinxia* (Linnaeus,1758) (Argynniidae)  
 18. *Melitaea (s.str.) solona* Alpheraky,1881 (Argynniidae)  
 19. *Nymphalis antiopa* (Linnaeus,1758) (Argynniidae)  
 20. *Deroxena venosulella* (Möschler,1862) (Autostichidae)  
 21. *Brachodes fallax* (Staudinger,1900) (Brachodidae)  
 22. *Brachodes pumilus* (Ochsenheimer,1808) (Brachodidae)  
 23. *Coleophora alcyonipennella* (Kollar,1832) (Coleophoridae)  
 24. *Coleophora botaurella* Herrich-Schäffer,1861 (Coleophoridae)  
 25. *Coleophora conspicuella* Zeller,1849 (Coleophoridae)  
 26. *Coleophora ornatipennella* (Hübner,1796) (Coleophoridae)  
 27. *Eteobalea trivirella* (Staudinger,1871) (Cosmopterigidae)  
 28. *Catopta lacertulus* (Staudinger,1887) (Cossidae)  
 29. *Deserticossus arenicola* (Staudinger,1879) (Cossidae)  
 30. *Gobibatyr colossus* (Staudinger,1887) (Cossidae)  
 31. *Holcocerus consobricus* Püngeler,1898 (Cossidae)  
 32. *Holcocerus mongolicus* (Erschoff,1882) (Cossidae)  
 33. *Kotchevnik modestus* (Staudinger,1887) (Cossidae)  
 34. *Ethmia nigripedella* (Erschoff,1877) (Ethmiidae)  
 35. *Ethmia pyrausta* (Pallas,1771) (Ethmiidae)  
 36. *Ethmia vittalbella* (Christoph,1877) (Ethmiidae)  
 37. *Chilopselaphus fallax* Mann,1867 (Gelechiidae)  
 38. *Megacraspedus argyreneurellus* Staudinger,1876 (Gelechiidae)  
 39. *Metanarsia (s.str.) incertella* (Herrich-Schäffer,1861) (Gelechiidae)  
 40. *Metzneria intestinella* (Mann,1864) (Gelechiidae)  
 41. *Platyedra subcinerea* (Haworth,[1828]) (Gelechiidae)  
 42. *Apocheima cinerarium* (Erschoff,1874) (Geometridae)  
 43. *Aspitates acuminaria* (Eversmann,1851) (Geometridae)  
 44. *Casilda antophilaria* (Hübner,[1813]) (Geometridae)

45. *Cataclysmes riguata* (Hübner,[1813]) (Geometridae)
46. *Chiasmia* (Godonela) *aestimaria* (Hübner,[1809]) (Geometridae)
47. *Cinglis humifusaria* (Eversmann,1837) (Geometridae)
48. *Cosmorhoe ocellata* (Linnaeus,1758) (Geometridae)
49. *Costaconvexa* polygrammata (Borkhausen,1794) (Geometridae)
50. *Digrammia rippertaria* (Duponchel,1830) (Geometridae)
51. *Digrammia tancrearia* (Staudinger,1892) (Geometridae)
52. *Dyscia* (Pseudonothrix) *fagaria* (Thunberg,1784) (Geometridae)
53. *Ecliptopera fastigata* (Püngeler,1909) (Geometridae)
54. *Ellicrinia subcordaria* (Herrich-Schäffer,[1852]) (Geometridae)
55. *Ematurga atomaria* (Linnaeus,1758) (Geometridae)
56. *Euphyia intersecta* (Staudinger,1882) (Geometridae)
57. *Eupithecia biornata* Christoph,1867 (Geometridae)
58. *Eupithecia corroborata* Dietze,1908 (Geometridae)
59. *Eupithecia extensaria* (Freyer,1844) (Geometridae)
60. *Eupithecia innotata* (Hufnagel,1767) (Geometridae)
61. *Eupithecia kuldshaensis* Staudinger,1892 (Geometridae)
62. *Eupithecia marginata* Staudinger,1892 (Geometridae)
63. *Eupithecia minusculata* (Alpheraky,1883) (Geometridae)
64. *Eupithecia oblongata* (Thunberg,1784) (Geometridae)
65. *Eupithecia orphnata* W.Petersen,1909 (Geometridae)
66. *Eupithecia paupera* Vojnits,1982 (Geometridae)
67. *Eupithecia pimpinellata* (Hübner,[1813]) (Geometridae)
68. *Eupithecia rebeli* Bohatsch,1893 (Geometridae)
69. *Eupithecia recens* Dietze,1904 (Geometridae)
70. *Eupithecia rubellata* Dietze,1904 (Geometridae)
71. *Eupithecia subpulchrata* Alpheraky,1883 (Geometridae)
72. *Eupithecia subumbrata* ([Denis & Schiffermüller],1775) (Geometridae)
73. *Eupithecia succenturiata* (Linnaeus,1758) (Geometridae)
74. *Gnopharmia colchidaria* (Lederer,1870) (Geometridae)
75. *Gnophos* (Zystrognophos) *kuldjanus* Wehrli,1953 (Geometridae)
76. *Heliomata glarearia* (Brahm,1791) (Geometridae)
77. *Heliotea* (Apetovia) *iliensis* Alpheraky,1883 (Geometridae)
78. *Horisme vitalbata* (Hübner,[1799]) (Geometridae)
79. *Idaea aureolaria* ([Denis & Schiffermüller],1775) (Geometridae)
80. *Idaea descitaria* (Christoph,1893) (Geometridae)
81. *Idaea elongaria* (Rambur,1833) (Geometridae)
82. *Idaea sericeata* (Hübner,[1813]) (Geometridae)
83. *Kuldsha staudingeri* Alpheraky,1883 (Geometridae)
84. *Lithostege coassata* (Hübner,[1825]) (Geometridae)
85. *Lithostege farinata* (Hufnagel,1767) (Geometridae)
86. *Lithostege flavicornata* (Zeller,1847) (Geometridae)
87. *Lithostege staudingeri* Erschoff,1872 (Geometridae)
88. *Lythria cruentaria* (Hufnagel,1767) (Geometridae)
89. *Lythria purpuraria* (Linnaeus,1758) (Geometridae)
90. *Microloxia herbaria* (Hübner,[1813]) (Geometridae)
91. *Narraga tessularia* (Metzner,1845) (Geometridae)
92. *Opisthographis luteolata* (Linnaeus,1758) (Geometridae)
93. *Pellonia vibicaria* (Linnaeus,1761) (Geometridae)
94. *Pelurga comitata* (Linnaeus,1758) (Geometridae)
95. *Phigalia declinata* (Staudinger,1882) (Geometridae)
96. *Phylometra teneraria* (Staudinger,1892) (Geometridae)
97. *Plesioscotia pulchrata* (Alpheraky,1883) (Geometridae)
98. *Rhodostrophia staudingeri* (Alpheraky,1883) (Geometridae)
99. *Scopula ansulata* (Lederer,1871) (Geometridae)
100. *Scopula beckeraria* (Lederer,1853) (Geometridae)
101. *Scopula cumulata* (Alpheraky,1883) (Geometridae)
102. *Scopula flaccidaria* (Zeller,1852) (Geometridae)
103. *Scopula marginepunctata* (Goeze,1781) (Geometridae)
104. *Scopula rubiginata* (Hufnagel,1767) (Geometridae)
105. *Selenia lunularia* (Hübner,1788) (Geometridae)
106. *Siona lineata* (Scopoli,1763) (Geometridae)
107. *Stegania dalmataria* (Guenée,[1858]) (Geometridae)
108. *Stigma kuldshaensis* Alpheraky,1883 (Geometridae)
109. *Synopsis sociaria* (Hübner,[1799]) (Geometridae)
110. *Tephрина arenearia* ([Denis & Schiffermüller],1775) (Geometridae)
111. *Thera* (s.str.) *variata* ([Denis & Schiffermüller],1775) (Geometridae)
112. *Thetidia correspondens* (Alpheraky,1883) (Geometridae)
113. *Thetidia prasinaria* (Eversmann,1837) (Geometridae)
114. *Thetidia smaragdaria* (Fabricius,1787) (Geometridae)
115. *Xanthorhoe fidonaria* (Staudinger,1892) (Geometridae)
116. *Glyphipteryx magnatella* Erschoff,1877 (Glyphipterygidae)
117. *Carcharodus* (s.str.) *alceae* (Esper,[1780]) (Hesperiidae)
118. *Hesperia comma* (Linnaeus,1758) (Hesperiidae)
119. *Pyrgus alveus* (Hübner,[1803]) (Hesperiidae)
120. *Pyrgus malvae* (Linnaeus,1758) (Hesperiidae)
121. *Phylodesma* (Epichnaptera) *albofasciata* (O.Bang-Haas,1927) (Lasiocampidae)
122. *Celastrina argiolus* (Linnaeus,1758) (Lycaenidae)
123. *Cupido* (Everes) *argiades* (Pallas,1771) (Lycaenidae)
124. *Cupido* (s.str.) *buddhista* (Alpheraky,1881) (Lycaenidae)
125. *Glaucopsyche* (s.str.) *aeruginosa* (Staudinger,1881) (Lycaenidae)
126. *Glaucopsyche* (s.str.) *alexis* (Poda,1761) (Lycaenidae)
127. *Lycaena* (Phoenicurusia) *athamantis* (Eversmann,1854) (Lycaenidae)
128. *Lycaena* (Thersamolycaena) *dispar* ([Haworth],1802) (Lycaenidae)
129. *Lycaena* (s.str.) *phlaeas* (Linnaeus,1761) (Lycaenidae)
130. *Neolycaena* (s.str.) *sinensis* (Alpheraky,1881) (Lycaenidae)
131. *Palaeophilotes* (s.str.) *triphsina* (Staudinger,[1892]) (Lycaenidae)
132. *Plebejus* (Alpherakya) *sartus* (Alpheraky,1881) (Lycaenidae)
133. *Plebejus* (Lycaenides) *idas* (Linnaeus,1761) (Lycaenidae)
134. *Plebejus* (Plebejides) *usbekus* Forster,1939 (Lycaenidae)
135. *Plebejus* (s.str.) *argus* (Linnaeus,1758) (Lycaenidae)
136. *Polyommatus* (Albulina) (Plebejidea) *ferganus* (Staudinger,1881) (Lycaenidae)
137. *Polyommatus* (Aricia) (s.str.) *agestis* ([Denis & Schiffermüller],1775) (Lycaenidae)
138. *Polyommatus* (s.str.) (Agrodiaetus) *juldusus* (Staudinger,1886) (Lycaenidae)
139. *Polyommatus* (s.str.) (Cyaniris) *persephattus* (Alpheraky,1881) (Lycaenidae)
140. *Polyommatus* (s.str.) *erotides* (Staudinger,1892) (Lycaenidae)
141. *Polyommatus* (s.str.) *icarus* (Rottentburg,1775) (Lycaenidae)
142. *Polyommatus* (s.str.) *stigmatiferus* Courvoisier,1903 (Lycaenidae)
143. *Praepphilotes anthracias* (Christoph,1877) (Lycaenidae)
144. *Pseudophilotes vicrama* (Moore,1865) (Lycaenidae)
145. *Thecla betulae* (Linnaeus,1758) (Lycaenidae)
146. *Orgyia flavolimbata* Staudinger,1881 (Lymntridae)
147. *Acantholipes regularis* (Hübner,[1813]) (Noctuidae)
148. *Acontia* (s.str.) *lucida* (Hufnagel,1766) (Noctuidae)
149. *Acronicta* (Subacronicta) *centralis* Erschoff,1874 (Noctuidae)
150. *Acronicta* (Triana) *aceris* (Linnaeus,1758) (Noctuidae)
151. *Agrotis* (s.str.) *exclamationis* (Linnaeus,1758) (Noctuidae)
152. *Agrotis* (s.str.) *ripae* (Hübner,[1823]) (Noctuidae)
153. *Agrotis* (s.str.) *segetum* ([Denis & Schiffermüller],1775) (Noctuidae)
154. *Albocosta juldussi* (Alpheraky,1882) (Noctuidae)
155. *Amphipoea oclea* (Linnaeus,1761) (Noctuidae)
156. *Amphipyra alpherakii* (Staudinger,1888) (Noctuidae)
157. *Amphipyra sergei* (Staudinger,1888) (Noctuidae)
158. *Amphipyra tetra* (Fabricius,1787) (Noctuidae)
159. *Antennola impura* (Mann,1862) (Noctuidae)
160. *Anumeta cestis* (Ménétriés,1848) (Noctuidae)
161. *Anumeta ciliaria* (Ménétriés,1847) (Noctuidae)
162. *Anumeta fractistrigata* (Alpheraky,1882) (Noctuidae)
163. *Anydrophila simiola* (Püngeler,1900) (Noctuidae)
164. *Apoestes phantasma* (Eversmann,1843) (Noctuidae)
165. *Athetis furvula* (Hübner,[1808]) (Noctuidae)
166. *Auchmis* (s.str.) *peterseni* (Christoph,1887) (Noctuidae)
167. *Autographa gamma* (Linnaeus,1758) (Noctuidae)
168. *Autophila* (s.str.) *asiatica* (Staudinger,1888) (Noctuidae)
169. *Autophila* (s.str.) *dilucida* (Hübner,[1808]) (Noctuidae)
170. *Autophila* (s.str.) *simplex* (Staudinger,1888) (Noctuidae)
171. *Bryoxena tenuicornis* (Alpheraky,1887) (Noctuidae)
172. *Caradrina* (Platyperigea) *albina* (Eversmann,1848) (Noctuidae)
173. *Cardepia irrisor* (Erschoff,1874) (Noctuidae)
174. *Catocala* (s.str.) *desiderata* Staudinger,1888 (Noctuidae)
175. *Catocala* (s.str.) *elocata* (Esper,[1787]) (Noctuidae)
176. *Catocala* (s.str.) *juncta* Staudinger,1889 (Noctuidae)
177. *Catocala* (s.str.) *kusnezovi* Püngeler,1914 (Noctuidae)
178. *Catocala* (s.str.) *neonympha* (Esper,[1805]) (Noctuidae)
179. *Catocala* (s.str.) *nupta* (Linnaeus,1767) (Noctuidae)
180. *Catocala* (s.str.) *optima* Staudinger,1888 (Noctuidae)



181. *Catocala* (s.str.) *repudiata* Staudinger,1888 (Noctuidae)  
 182. *Chersotis* (s.str.) *stridula* (Hampson,1903) (Noctuidae)  
 183. *Clytie* (s.str.) *delunaris* (Staudinger,1889) (Noctuidae)  
 184. *Cornutiplusia* *circumflexa* (Linnaeus,1767) (Noctuidae)  
 185. *Cryphia* (Bryoleuca) *orthogramma* Boursin,1954 (Noctuidae)  
 186. *Ctenoceratoda* *korghossi* (Alpheraky,1882) (Noctuidae)  
 187. *Cucullia* (Shargacucullia) *xylophana* (Boursin,1934) (Noctuidae)  
 188. *Cucullia* (s.str.) *argentina* (Fabricius,1787) (Noctuidae)  
 189. *Cucullia* (s.str.) *defecta* Staudinger,1897 (Noctuidae)  
 190. *Cucullia* (s.str.) *dracunculi* (Hübner,[1813]) (Noctuidae)  
 191. *Cucullia* (s.str.) *fraudatrix* Eversmann,1837 (Noctuidae)  
 192. *Cucullia* (s.str.) *notodontina* Boursin,1934 (Noctuidae)  
 193. *Cucullia* (s.str.) *retecta* Püngeler,1901 (Noctuidae)  
 194. *Cucullia* (s.str.) *stigmatophora* Hampson,1894 (Noctuidae)  
 195. *Dichagyris* (Yigoga) *orientis* (Alpheraky,1882) (Noctuidae)  
 196. *Dichagyris* (s.str.) *umbrifera* (Alpheraky,1882) (Noctuidae)  
 197. *Drasteria* *aberrans* (Staudinger,1888) (Noctuidae)  
 198. *Drasteria* *caucasica* (Kolenati,1846) (Noctuidae)  
 199. *Drasteria* *flexuosa* (Ménétriés,1848) (Noctuidae)  
 200. *Drasteria* *picta* (Christoph,1877) (Noctuidae)  
 201. *Drasteria* *rada* (Boisduval,1848) (Noctuidae)  
 202. *Dysmilichia* *bicyclia* (Staudinger,1888) (Noctuidae)  
 203. *Egira* *conspicillaris* (Linnaeus,1758) (Noctuidae)  
 204. *Acontia* (Emmelia) *trabealis* (Scopoli,1763) (Noctuidae)  
 205. *Erythrophaia* *suavis* (Staudinger,1888) (Noctuidae)  
 206. *Eublemma* (Glossodice) *gratiosum* (Eversmann,1854) (Noctuidae)  
 207. *Eublemma* (rosina-gr.) *purpurinum* ([Denis & Schiffermüller],1775) (Noctuidae)  
 208. *Euchalcia* (s.str.) *herrichi* Staudinger,1861 (Noctuidae)  
 209. *Euclidia* *glyphica* (Linnaeus,1758) (Noctuidae)  
 210. *Eugnorisma* (s.str.) *trigonica* (Alpheraky,1882) (Noctuidae)  
 211. *Euxoa* (s.str.) *basigramma* (Staudinger,1870) (Noctuidae)  
 212. *Euxoa* (s.str.) *conspicua* (Hübner,[1824]) (Noctuidae)  
 213. *Euxoa* (s.str.) *waltharii* (Corti,1931) (Noctuidae)  
 214. *Gonospileia* *munita* (Hübner,[1813]) (Noctuidae)  
 215. *Gyrophypsa* *sterrha* Staudinger,1888 (Noctuidae)  
 216. *Hadena* (Anepia) *irregularis* (Hufnagel,1766) (Noctuidae)  
 217. *Hadena* (Anepia) *perplexa* ([Denis & Schiffermüller],1775) (Noctuidae)  
 218. *Hadena* (Anepia) *strouhali* Boursin,1955 (Noctuidae)  
 219. *Haderonia* *arschanica* (Alpheraky,1882) (Noctuidae)  
 220. *Haderonia* *tancrei* (Graeser,1892) (Noctuidae)  
 221. *Hadula* (Calocestra (Dianthus)) *dianthi* (Tauscher,1809) (Noctuidae)  
 222. *Hadula* (Calocestra (Furculia)) *schneideri* (Staudinger,1900) (Noctuidae)  
 223. *Hadula* (Calocestra (Hadumendax)) *armata* (Staudinger,1888) (Noctuidae)  
 224. *Hadula* (Calocestra (Hadumendax)) *hoplites* (Staudinger,1901) (Noctuidae)  
 225. *Hadula* (Calocestra (Hadutrifolium)) *trifolii* (Hufnagel,1766) (Noctuidae)  
 226. *Hadula* (Cardiestra) *vaciva* (Püngeler,1906) (Noctuidae)  
 227. *Hadulomorpha* *picteti* (Staudinger,1882) (Noctuidae)  
 228. *Hecatera* *spinaciae* (Vieweg,1790) (Noctuidae)  
 229. *Helicoverpa* *armigera* (Hübner,[1808]) (Noctuidae)  
 230. *Heliophobus* *unicolor* (Alpheraky,1889) (Noctuidae)  
 231. *Heliopsis* *viriplaca* (Hufnagel,1766) (Noctuidae)  
 232. *Heptapotamia* *eustratii* Alpheraky,1882 (Noctuidae)  
 233. *Heterographa* *fabrilis* Püngeler,1909 (Noctuidae)  
 234. *Hyssia* *cavernosa* (Eversmann,1852) (Noctuidae)  
 235. *Lacanobia* (Dianobia) *dissimilis* (Knoch,1781) (Noctuidae)  
 236. *Lacanobia* (Diataraxia) *aliena* (Hübner,[1809]) (Noctuidae)  
 237. *Lacanobia* (Diataraxia) *oleracea* (Linnaeus,1758) (Noctuidae)  
 238. *Lasionycta* *orientalis* (Alpheraky,1882) (Noctuidae)  
 239. *Leiometopon* *simyrides* Staudinger,1888 (Noctuidae)  
 240. *Leucania* *propensa* (Püngeler,1906) (Noctuidae)  
 241. *Macdunnoughia* *confusa* (Stephens,1850) (Noctuidae)  
 242. *Mythimna* (Aletia) *impura* (Hübner,[1808]) (Noctuidae)  
 243. *Nola* *inconspicua* Alpheraky,1882 (Noctuidae)  
 244. *Nycteola* *kuldzhana* Obratzov,1954 (Noctuidae)  
 245. *Odontelia* *ochrea* W.Warren,1910 (Noctuidae)  
 246. *Omphalophana* *serratala* (Staudinger,1888) (Noctuidae)  
 247. *Orthosia* (s.str.) *incerta* (Hufnagel,1766) (Noctuidae)  
 248. *Pericyma* *albidentaria* (Freyer,1842) (Noctuidae)  
 249. *Phoebophilus* *amoenus* Staudinger,1888 (Noctuidae)  
 250. *Photodes* *extrema* (Hübner,[1809]) (Noctuidae)  
 251. *Phyllophila* *obliterata* (Rambur,1833) (Noctuidae)  
 252. *Protoschinia* *scutosa* ([Denis & Schiffermüller],1775) (Noctuidae)  
 253. *Pseudohadena* (s.str.) *oxybela* Boursin,1963 (Noctuidae)  
 254. *Rhyacia* (s.str.) *electra* (Staudinger,1888) (Noctuidae)  
 255. *Rhyacia* (s.str.) *ledereri* (Erschoff,1870) (Noctuidae)  
 256. *Rhyacia* (s.str.) *similis* (Staudinger,1888) (Noctuidae)  
 257. *Rivula* *sericealis* (Scopoli,1763) (Noctuidae)  
 258. *Scotocampa* *indigesta* Staudinger,1888 (Noctuidae)  
 259. *Scythocentropus* *scripturosa* (Eversmann,1854) (Noctuidae)  
 260. *Scythocentropus* *misella* (Püngeler,1907) (Noctuidae)  
 261. *Sideridis* (s.str.) *simplex* (Staudinger,1889) (Noctuidae)  
 262. *Tyta* *luctuosa* ([Denis & Schiffermüller],1775) (Noctuidae)  
 263. *Xestia* (Megasema) *c-nigrum* (Linnaeus,1758) (Noctuidae)  
 264. *Xestia* (Pachnobia) *senescens* (Staudinger,1881) (Noctuidae)  
 265. *Zekeliia* (Rhyndodontodes) *diagonalis* (Alpheraky,1882) (Noctuidae)  
 266. *Clostera* *anastomosis* (Linnaeus,1758) (Notodontidae)  
 267. *Clostera* *curtula* (Linnaeus,1758) (Notodontidae)  
 268. *Clostera* *obscurior* (Staudinger,1887) (Notodontidae)  
 269. *Clostera* *pigra* (Hufnagel,1766) (Notodontidae)  
 270. *Furcula* *aeruginosa* (Christoph,1873) (Notodontidae)  
 271. *Furcula* *interrupta* Christoph,1867 (Notodontidae)  
 272. *Depressaria* *hannemanniana* Lvovsky,1990 (Oecophoridae)  
 273. *Exaeretia* *niviferella* (Christoph,1872) (Oecophoridae)  
 274. *Pleurota* *obtusella* Rebel,1917 (Oecophoridae)  
 275. *Iphiclide* *podalirius* (Linnaeus,1758) (Papilionidae)  
 276. *Papilio* (s.str.) *machaon* Linnaeus,1758 (Papilionidae)  
 277. *Parnassius* (Koramius) *delphius* (Eversmann,1843) (Papilionidae)  
 278. *Parnassius* (s.str.) *actius* (Eversmann,1843) (Papilionidae)  
 279. *Parnassius* (s.str.) *apollo* (Linnaeus,1758) (Papilionidae)  
 280. *Parnassius* (s.str.) *apollonius* (Eversmann,1847) (Papilionidae)  
 281. *Parnassius* (s.str.) *tianschanicus* Oberthür,1879 (Papilionidae)  
 282. *Anthocharis* *cardamines* (Linnaeus,1758) (Pieridae)  
 283. *Aporia* (Metaporia (Turanoporia)) *leucodice* (Eversmann,1843) (Pieridae)  
 284. *Colias* (Eriocolias) *erschoffii* Alpheraky,1881 (Pieridae)  
 285. *Colias* (Eriocolias) *staudingeri* Alpheraky,1881 (Pieridae)  
 286. *Colias* (Neocolias) *erate* (Esper,[1805]) (Pieridae)  
 287. *Colias* (s.str.) *hyale* (Linnaeus,1758) (Pieridae)  
 288. *Euchloe* (s.str.) *ausonia* (Hübner,[1804]) (Pieridae)  
 289. *Gonepteryx* (s.str.) *ramni* (Linnaeus,1758) (Pieridae)  
 290. *Leptidea* *sinapis* (Linnaeus,1758) (Pieridae)  
 291. *Microgrysis* *pyrothoe* (Eversmann,1832) (Pieridae)  
 292. *Pontia* *callidice* (Hübner,[1800]) (Pieridae)  
 293. *Pontia* *edusa* (Fabricius,1777) (Pieridae)  
 294. *Zegris* *eupheme* (Esper,[1804]) (Pieridae)  
 295. *Melasma* *kuldschensis* Caradja,1920 (Psychidae)  
 296. *Psychidopsis* *alpherakii* (Heylaerts,1881) (Psychidae)  
 297. *Psychidopsis* *flavescens* (Heylaerts,1881) (Psychidae)  
 298. *Agdistis* *adactyla* (Hübner,[1819]) (Pterophoridae)  
 299. *Emmelina* *monodactyla* (Linnaeus,1758) (Pterophoridae)  
 300. *Merrifieldia* *baliodactyla* (Zeller,1841) (Pterophoridae)  
 301. *Merrifieldia* *caspia* (Lederer,1870) (Pterophoridae)  
 302. *Paraplatyptilia* *terminalis* (Erschoff,1877) (Pterophoridae)  
 303. *Procapperia* *kuldschensis* (Rebel,1914) (Pterophoridae)  
 304. *Pterophorus* *pentadactylus* (Linnaeus,1758) (Pterophoridae)  
 305. *Stenoptilia* *mannii* (Zeller,1852) (Pterophoridae)  
 306. *Ancylosis* (Cabotia) *lacteicostella* (Ragonot,1887) (Pyralidae)  
 307. *Ancylosis* (Heterographis) *euclastella* (Ragonot,1887) (Pyralidae)  
 308. *Ancylosis* (Heterographis) *gracilella* (Ragonot,1887) (Pyralidae)  
 309. *Ancylosis* (Heterographis) *griseomixtella* (Ragonot,1887) (Pyralidae)  
 310. *Ancylosis* (Heterographis) *nigripunctella* (Staudinger,1879) (Pyralidae)  
 311. *Ancylosis* (Heterographis) *samaritanella* (Zeller,1867) (Pyralidae)  
 312. *Ancylosis* (Heterographis) *xylinella* (Staudinger,1870) (Pyralidae)  
 313. *Ancylosis* (s.str.) *albidella* Ragonot,1888 (Pyralidae)  
 314. *Ancylosis* (s.str.) *cinnamomella* (Duponchel,1836) (Pyralidae)  
 315. *Ancylosis* (s.str.) *dryadella* (Ragonot,1887) (Pyralidae)  
 316. *Ancylosis* (s.str.) *dumetella* (Ragonot,1887) (Pyralidae)  
 317. *Ancylosis* (s.str.) *maculifera* Staudinger,1870 (Pyralidae)

318. *Ancylosis* (s.str.) *ochricostella* Ragonot,1887 (Pyralidae)  
 319. *Aphomia* *sociella* (Linnaeus,1758) (Pyralidae)  
 320. *Aphomia* *sapozhnikovi* (Krulikovsky,1909) (Pyralidae)  
 321. *Aphyletes* *nigrisparsella* (Ragonot,1887) (Pyralidae)  
 322. *Asalebria* (s.str.) *venustella* (Ragonot,1887) (Pyralidae)  
 323. *Bazaria* *gilvella* (Ragonot,1887) (Pyralidae)  
 324. *Catoptria* *xerxes* (Sauber,1904) (Pyralidae)  
 325. *Chilo christophi* Bleszynski,1965 (Pyralidae)  
 326. *Chilo* *luteellus* (Motschulsky,1866) (Pyralidae)  
 327. *Crambus* *pascuellus* (Linnaeus,1758) (Pyralidae)  
 328. *Cybalomia* *fulvomixtalis* Zerny,1914 (Pyralidae)  
 329. *Epischia* *adultella* (Zeller,1848) (Pyralidae)  
 330. *Euchromius* *jaxartellus* (Erschoff,1874) (Pyralidae)  
 331. *Euclasta* (s.str.) *splendidalis* (Herrich-Schäffer,[1848]) (Pyralidae)  
 332. *Euzophera* (s.str.) *albipunctella* Ragonot,1887 (Pyralidae)  
 333. *Euzophera* (s.str.) *alpherakyella* Ragonot,1887 (Pyralidae)  
 334. *Euzophera* (s.str.) *cinerosella* (Zeller,1839) (Pyralidae)  
 335. *Euzophera* (s.str.) *formosella* (Rebel,1910) (Pyralidae)  
 336. *Evergestis* *anartalis* (Staudinger,1892) (Pyralidae)  
 337. *Evergestis* *frumentalis* (Linnaeus,1761) (Pyralidae)  
 338. *Evergestis* *nomadalis* (Lederer,1871) (Pyralidae)  
 339. *Gymnancyla* (Dentinodia) *craticulella* (Ragonot,1887) (Pyralidae)  
 340. *Ingridiola* *conchylia* Ragonot,1887 (Pyralidae)  
 341. *Isauria* *kuldgensis* Ragonot,1887 (Pyralidae)  
 342. *Lambaesia* *pistrinariella* (Ragonot,1887) (Pyralidae)  
 343. *Lepidoneura* *grisealis* Hampson,1900 (Pyralidae)  
 344. *Loxostege* *eversmanni* (Staudinger,1892) (Pyralidae)  
 345. *Loxostege* *mucosalis* (Herrich-Schäffer,[1848]) (Pyralidae)  
 346. *Loxostege* *rhabdalis* (Hampson,1900) (Pyralidae)  
 347. *Megasis* *alpherakii* Ragonot,1887 (Pyralidae)  
 348. *Megasis* *mimeticella* (Staudinger,1879) (Pyralidae)  
 349. *Nyctegretis* *lineana* (Scopoli,1786) (Pyralidae)  
 350. *Pediasia* *kuldjaensis* (Caradja,1916) (Pyralidae)  
 351. *Pediasia* *luteella* ([Denis & Schiffermüller],1775) (Pyralidae)  
 352. *Phycita* *macrodontella* (Ragonot,1887) (Pyralidae)  
 353. *Pima* *boisduvaliella* (Guenée,1845) (Pyralidae)  
 354. *Pogonotrophus* *tancrei* Sauber,1899 (Pyralidae)  
 355. *Seeboldia* *korgosella* Ragonot,1887 (Pyralidae)  
 356. *Sitochroa* *palealis* ([Denis & Schiffermüller],1775) (Pyralidae)  
 357. *Staudingeria* (s.str.) *fuscovenella* (Ragonot,1887) (Pyralidae)  
 358. *Staudingeria* (s.str.) *partitella* Ragonot,1887 (Pyralidae)  
 359. *Talis* *quercella* ([Denis & Schiffermüller],1775) (Pyralidae)  
 360. *Thisanotia* *chrysonuchella* (Scopoli,1763) (Pyralidae)  
 361. *Thospia* *trifasciella* (Ragonot,1887) (Pyralidae)  
 362. *Viettea* *terstrigella* (Christoph,1877) (Pyralidae)  
 363. *Xanthocrambus* *argentarius* (Staudinger,1867) (Pyralidae)  
 364. *Polycaena* *tamerlana* Staudinger,1886 (Riodinidae)  
 365. *Saturnia* (Neoris) *shadulla* (Moore,1872) (Saturniidae)  
 366. *Chazara* (Neochazara) *enervata* (Staudinger,1881) (Satyridae)  
 367. *Chazara* (s.str.) *briseis* (Linnaeus,1764) (Satyridae)  
 368. *Coenonympha* (s.str.) *mahometana* Alpheraky,1881 (Satyridae)  
 369. *Coenonympha* (s.str.) *mongolica* Alpheraky,1881 (Satyridae)  
 370. *Coenonympha* (s.str.) *pamphilus* (Linnaeus,1758) (Satyridae)  
 371. *Erebica* *sibo* Alpheraky,1881 (Satyridae)  
 372. *Erebica* *turanica* Erschoff,1877 (Satyridae)  
 373. *Esperarge* (Marginarge) *eversmanni* (Eversmann,1847) (Satyridae)  
 374. *Hyponephele* (s.str. (Tengrinephele)) *kirghisa* (Alpheraky,1881) (Satyridae)  
 375. *Hyponephele* (s.str.) *lupina* (Costa,[1836]) (Satyridae)  
 376. *Hyponephele* (s.str.) *lycaon* (Rottemburg,1775) (Satyridae)  
 377. *Karanasa* *regeli* (Alpheraky,1881) (Satyridae)  
 378. *Melanargia* (Parce) *rossiae* (Esper,[1784]) (Satyridae)  
 379. *Minois* *dryas* (Scopoli,1763) (Satyridae)  
 380. *Pseudochazara* (s.str.) *mercuria* (Staudinger,1887) (Satyridae)  
 381. *Pseudochazara* (s.str.) *turkestana* (Groum-Grshimailo,1893) (Satyridae)  
 382. *Scythris* (*scopolella*-gr.) *apicalis* (Zeller,1847) (Scythridae)  
 383. *Scythris* (*seliniella*-gr.) *seliniella* (Zeller,1839) (Scythridae)  
 384. *Sesia* *przewalskii* (Alpheraky,1882) (Sesiidae)  
 385. *Deilephila* *porcellus* (Linnaeus,1758) (Sphingidae)  
 386. *Hemaris* (s.str.) *fuciformis* (Linnaeus,1758) (Sphingidae)  
 387. *Hyles* *euphorbiae* (Linnaeus,1758) (Sphingidae)  
 388. *Hyles* *hippophaes* (Esper,[1789]) (Sphingidae)  
 389. *Laothoe* *populeti* (Bienert,[1870]) (Sphingidae)  
 390. *Sphingonaepiopsis* *kuldjaensis* (Graeser,1892) (Sphingidae)  
 391. *Cephitinea* *colonella* (Erschoff,1874) (Tineidae)  
 392. *Myrmecozela* (Flavida) *lutosella* (Eversmann,1844) (Tineidae)  
 393. *Myrmecozela* (s.str.) *dzhungarica* Zagulyaev,1971 (Tineidae)  
 394. *Pararhodobates* *syriacus* (Lederer,1857) (Tineidae)  
 395. *Acleris* *stachi* (Razowski,1953) (Tortricidae)  
 396. *Clepsis* *luctuosana* (Rebel,1914) (Tortricidae)  
 397. *Cnephasia* (s.str.) *tianshanica* Filipjev,1934 (Tortricidae)  
 398. *Cochylimorpha* *meridiana* (Staudinger,1859) (Tortricidae)  
 399. *Cochylimorpha* *meridiolana* (Ragonot,1894) (Tortricidae)  
 400. *Cochylimorpha* *mongolicana* (Ragonot,1894) (Tortricidae)  
 401. *Cochylimorpha* *nomadana* (Erschoff,1874) (Tortricidae)  
 402. *Cochylimorpha* *perturbatana* (Kennel,1900) (Tortricidae)  
 403. *Cydia* *adjunctana* (Kennel,1901) (Tortricidae)  
 404. *Dichrorampha* *alaicana* (Rebel,1910) (Tortricidae)  
 405. *Dichrorampha* *dzhungarica* (Danilevsky,1948) (Tortricidae)  
 406. *Dichrorampha* *gracilis* (Danilevsky,1948) (Tortricidae)  
 407. *Dichrorampha* *senectana* Guenée,1845 (Tortricidae)  
 408. *Eana* (s.str.) *andrea* (Kennel,1919) (Tortricidae)  
 409. *Epinotia* *tianshanensis* Liu & Nasu,1993 (Tortricidae)  
 410. *Eucosma* *haberhaueri* (Kennel,1901) (Tortricidae)  
 411. *Eucosma* *pergratana* (Rebel,1914) (Tortricidae)  
 412. *Eugnosta* *magnificana* (Rebel,1914) (Tortricidae)  
 413. *Eugnosta* *romanovi* (Kennel,1900) (Tortricidae)  
 414. *Lobesia* (s.str.) *herculeana* (Kennel,1900) (Tortricidae)  
 415. *Olethreutes* (*Argyroproce*) *stibiana* (Guenée,1845) (Tortricidae)  
 416. *Pelochrista* *idotatana* (Kennel,1901) (Tortricidae)  
 417. *Phalonidia* *contractana* (Zeller,1847) (Tortricidae)  
 418. *Jordanita* (*Roccia*) *budensis* (Speyer & Speyer,1858) (Zygaenidae)  
 419. *Jordanita* (*Roccia*) *naufocki* (Alberti,1937) (Zygaenidae)  
 420. *Jordanita* (*Roccia*) *paupera* (Christoph,1887) (Zygaenidae)  
 421. *Jordanita* (*Tremewania*) *splendens* (Staudinger,1887) (Zygaenidae)  
 422. *Zygaena* (*Mesembrymus*) *purpuralis* (Brünnich,1763) (Zygaenidae)

## Shan States (Shn) [Myanmar]

1. *Neochera* *marmorea* (Walker,1856) (Aganidae)  
 2. *Aemona* *lena* Atkinson,1871 (Amathusiidae)  
 3. *Cretonotos* *transiens* (Walker,1855) (Arctiidae)  
 4. *Dilpa* *morgiana* (Westwood,[1850]) (Argynniidae)  
 5. *Euthalia* (*Limbusa*) *nara* (Moore,1859) (Argynniidae)  
 6. *Limnitis* (s.str.) *elwesi* Oberthür,1883 (Argynniidae)  
 7. *Neptis* (s.str.) *soma* Moore,1858 (Argynniidae)  
 8. *Euploea* *algea* (Godart,[1819]) (Danaiidae)  
 9. *Euploea* *syvester* (Fabricius,1793) (Danaiidae)  
 10. *Ethmia* *lineatonotella* (Moore,1867) (Ethmiidae)  
 11. *Ethmia* *nigroapicella* (Saalmüller,1880) (Ethmiidae)  
 12. *Pseudojana* *grandis* Rothschild,1917 (Eupterotidae)  
 13. *Chiasmia* (*Godonela*) *xanthonora* (Walker,1861) (Geometridae)  
 14. *Hypomecis* *delatina* (Swinhoe,1900) (Geometridae)  
 15. *Scopula* *pallida* (W.Warren,1888) (Geometridae)  
 16. *Abraximorpha* *esta* Evans,1949 (Hesperiidae)  
 17. *Aeromachus* *kali* De Nicéville,1895 (Hesperiidae)  
 18. *Aeromachus* *stigmatus* (Moore,1878) (Hesperiidae)  
 19. *Ampittia* *dioscorides* (Fabricius,1793) (Hesperiidae)  
 20. *Ancistroides* *nigrita* (Latreille,1824) (Hesperiidae)  
 21. *Caltoris* *kumara* (Moore,1878) (Hesperiidae)  
 22. *Capla* *phanaeus* (Hewitson,1867) (Hesperiidae)

- |   |  |   |
|---|--|---|
| 23. <i>Celaenorrhinus asmara</i> (Butler,[1879]) (Hesperiidae)            | 53. <i>Stimula swinhoei</i> Elwes & Edwards,1897 (Hesperiidae)                               | 85. <i>Atrophaneura</i> (s.str. (Pangerana)) <i>zaleucus</i> (Hewitson,1865) (Papilionidae)             |
| 24. <i>Celaenorrhinus nigricans</i> De Nicéville,1885 (Hesperiidae)       | 54. <i>Suada swerga</i> (De Nicéville,1883) (Hesperiidae)                                    | 86. <i>Chilasa</i> (s.str. (Cadugoides)) <i>agestor</i> (Gray,1831) (Papilionidae)                      |
| 25. <i>Celaenorrhinus patula</i> De Nicéville,1889 (Hesperiidae)          | 55. <i>Tagiades</i> (Nestus-gr) <i>cohaerens</i> Mabilie,1914 (Hesperiidae)                  | 87. <i>Chilasa</i> (s.str. (Cadugoides)) <i>epycides</i> (Hewitson,1864) (Papilionidae)                 |
| 26. <i>Celaenorrhinus pyrrha</i> De Nicéville,1889 (Hesperiidae)          | 56. <i>Tapena thwaitesi</i> Moore,1881 (Hesperiidae)   | 88. <i>Graphium</i> (s.str. (Euryppyleana)) <i>evemon</i> (Boisduval,1836) (Papilionidae)               |
| 27. <i>Celaenorrhinus sumitra</i> Moore,1865 (Hesperiidae)                | 57. <i>Taractrocera maevius</i> (Fabricius,1793) (Hesperiidae)                               | 89. <i>Graphium</i> (s.str. (Zetides)) <i>cloanthus</i> (Westwood,1841) (Papilionidae)                  |
| 28. <i>Chamunda chamunda</i> (Moore,[1866]) (Hesperiidae)                 | 58. <i>Thoressa hyrie</i> (De Nicéville,1891) (Hesperiidae)                                  | 90. <i>Papilio</i> (s.str.) <i>machaon</i> Linnaeus,1758 (Papilionidae)                                 |
| 29. <i>Daimio tethys</i> (Ménétriés,1857) (Hesperiidae)                   | 59. <i>Unkana flava</i> Evans,1932 (Hesperiidae)   | 91. <i>Priniceps</i> (Menelaides (Iliades)) <i>alcmenor</i> (C.Felder & R.Felder,[1865]) (Papilionidae) |
| 30. <i>Darpa hanria</i> Moore,[1866] (Hesperiidae)                        | 60. <i>Allotinus drumila</i> (Moore,1865) (Lycaenidae)                                       | 92. <i>Priniceps</i> (Menelaides (Tamera)) <i>mahadeva</i> (Moore,[1879]) (Papilionidae)                |
| 31. <i>Darpa striata</i> (Druce,1873) (Hesperiidae)                       | 61. <i>Arhopala allata</i> (Staudinger,1889) (Lycaenidae)                                    | 93. <i>Priniceps</i> (s.str. (Achillides)) <i>bianor</i> (Cramer,[1777]) (Papilionidae)                 |
| 32. <i>Halpe hauxwelli</i> Evans,1937 (Hesperiidae)                       | 62. <i>Chrysozephyrus watsoni</i> (Evans,1927) (Lycaenidae)                                  | 94. <i>Priniceps</i> (s.str. (Achillides)) <i>dialis</i> (Leech,1893) (Papilionidae)                    |
| 33. <i>Halpe homolea</i> (Hewitson,1868) (Hesperiidae)                    | 63. <i>Cigaritis maxima</i> (Elwes,1892) (Lycaenidae)  | 95. <i>Priniceps</i> (s.str. (Achillides)) <i>elephenor</i> (Doubleday,1845) (Papilionidae)             |
| 34. <i>Halpe wantona</i> Swinhoe,1893 (Hesperiidae)                       | 64. <i>Curetis santana</i> (Moore,[1858]) (Lycaenidae)                                       | 96. <i>Delias</i> (belladonna-gr.) <i>belladonna</i> (Fabricius,1793) (Pieridae)                        |
| 35. <i>Hasora</i> (Myra-gr.) <i>anura</i> De Nicéville,1889 (Hesperiidae) | 65. <i>Miletus ancon</i> (Doherty,1889) (Lycaenidae)   | 97. <i>Delias</i> (belladonna-gr.) <i>patrua</i> Leech,1890 (Pieridae)                                  |
| 36. <i>Hasora</i> (Myra-gr.) <i>danda</i> Evans,1949 (Hesperiidae)        | 66. <i>Miletus chinensis</i> C.Felder,1862 (Lycaenidae)                                      | 98. <i>Dercas verhuelli</i> (Hoeven,1839) (Pieridae)  |
| 37. <i>Koruthaialos butleri</i> (De Nicéville,1883) (Hesperiidae)         | 67. <i>Miletus croton</i> (Doherty,1889) (Lycaenidae)  | 99. <i>Corynophora torrentellus</i> (Meyrick,1879) (Pyralidae)  |
| 38. <i>Mooreana trichoneura</i> (C.Felder & R.Felder,1860) (Hesperiidae)  | 68. <i>Miletus mallus</i> (Fruhstorfer,1913) (Lycaenidae)                                    | 100. <i>Patissa fulvosparsa</i> (Butler,1881) (Pyralidae)   |
| 39. <i>Notocrypta clavata</i> Staudinger,1889 (Hesperiidae)               | 69. <i>Miletus nymphis</i> (Fruhstorfer,1913) (Lycaenidae)                                   | 101. <i>Ptychopseustis amoenella</i> (Snellen,1880) (Pyralidae)   |
| 40. <i>Ochlodes siva</i> Moore,1878 (Hesperiidae)                         | 70. <i>Niphanda tessellata</i> Moore,[1875] (Lycaenidae)                                     | 102. <i>Prionapteryx investalis</i> (Walker,1863) (Pyralidae)   |
| 41. <i>Ochus subvittatus</i> (Moore,1878) (Hesperiidae)                   | 71. <i>Poritia erycinoides</i> (C.Felder & R.Felder,[1865]) (Lycaenidae)                     | 103. <i>Tirathaba rufivena</i> (Walker,1864) (Pyralidae)  |
| 42. <i>Onryza siamica</i> N.D.Riley & Godfrey,1925 (Hesperiidae)          | 72. <i>Surendra learmondi</i> Tytler,1940 (Lycaenidae)                                       | 104. <i>Lethe naga</i> Doherty,1889 (Satyridae)   |
| 43. <i>Oriens goloides</i> (Moore,1881) (Hesperiidae)                     | 73. <i>Tajuria yajna</i> (Doherty,1886) (Lycaenidae)   | 105. <i>Lethe sidonis</i> (Hewitson,1863) (Satyridae)   |
| 44. <i>Pedesta pandita</i> (De Nicéville,1885) (Hesperiidae)              | 74. <i>Talicauda nyseus</i> (Guérin-Ménéville,1843) (Lycaenidae)                             | 106. <i>Lethe verma</i> (Kollar,[1844]) (Satyridae)   |
| 45. <i>Pelopidas sinensis</i> Mabilie,1877 (Hesperiidae)                  | 75. <i>Euproctis stirasta</i> (Swinhoe,1903) (Lymantriidae)                                  | 107. <i>Neope muirheadi</i> C.Felder & R.Felder,1862 (Satyridae)  |
| 46. <i>Potanthus flavum</i> (Murray,1875) (Hesperiidae)                   | 76. <i>Orgyia nacula</i> Swinhoe,1894 (Lymantriidae)   | 108. <i>Ypthima asterope</i> (Klug,1832) (Satyridae)  |
| 47. <i>Potanthus pseudomaesa</i> (Moore,1881) (Hesperiidae)               | 77. <i>Orgyia turbata</i> Butler,1879 (Lymantriidae)   | 109. <i>Hypolamprus simplex</i> W.Warren,1908 (Thyridae)  |
| 48. <i>Pseudocoladenia dan</i> (Fabricius,1787) (Hesperiidae)             | 78. <i>Pantana visum</i> (Hübner,[1825]) (Lymantriidae)                                      | 110. <i>Hypolamprus subumbratus</i> W.Warren,1905 (Thyridae)  |
| 49. <i>Scobura cephaloides</i> (De Nicéville,1888) (Hesperiidae)          | 79. <i>Pida strigipennis</i> (Moore,1879) (Lymantriidae)                                     | 111. <i>Rhodoneura erubescens</i> W.Warren,1908 (Thyridae)  |
| 50. <i>Sebastonyma pudens</i> Evans,1937 (Hesperiidae)                    | 80. <i>Carea pallida</i> Hampson,1905 (Noctuidae)  | 112. <i>Morophaga</i> (sistrata-gr.) <i>tholerodes</i> (Meyrick,1894) (Tineidae)                        |
| 51. <i>Sovia albipecta</i> (De Nicéville,1891) (Hesperiidae)              | 81. <i>Atrophaneura</i> (s.str. (Byasa)) <i>adamsoni</i> (Grose-Smith,1886) (Papilionidae)   | 113. <i>Epiplema fulvilinea</i> Hampson (Uraniidae)   |
| 52. <i>Spialia</i> (s.str.) <i>galba</i> (Fabricius,1793) (Hesperiidae)   | 82. <i>Atrophaneura</i> (s.str. (Byasa)) <i>crassipes</i> (Oberthür,1893) (Papilionidae)     | 114. <i>Cyclosia papilionaris</i> (Drury,[1782]) (Zygaenidae)   |
|   | 83. <i>Atrophaneura</i> (s.str. (Byasa)) <i>polla</i> De Nicéville,1897 (Papilionidae)       | 115. <i>Histia flabellicornis</i> (Fabricius,1775) (Zygaenidae)   |
|   | 84. <i>Atrophaneura</i> (s.str. (Pangerana)) <i>aidoneus</i> (Doubleday,1845) (Papilionidae) |   |

## Tenasserim (Tns) [Myanmar]

- |  |  |  |
|--|--|--|
| 1. <i>Asota heliconia</i> (Linnaeus,1758) (Aganaiidae)           | 18. <i>Amata pectoralis</i> (Walker,1854) (Ctenuchidae)                      | 34. <i>Ideopsis similis</i> (Linnaeus,1758) (Danaiidae)                    |
| 2. <i>Asota plaginota</i> (Butler,1875) (Aganaiidae)             | 19. <i>Caeneressa annosa</i> (Walker,1859) (Ctenuchidae)                     | 35. <i>Ideopsis vulgaris</i> (Butler,1874) (Danaiidae)                     |
| 3. <i>Asota plana</i> (Walker,1854) (Aganaiidae)                 | 20. <i>Ceryx semicincta</i> (Hampson,1895) (Ctenuchidae)                     | 36. <i>Parantica aglea</i> (Stoll,[1782]) (Danaiidae)                      |
| 4. <i>Asota subsimilis</i> (Walker,1864) (Aganaiidae)            | 21. <i>Eressa discinota</i> (Moore,1879) (Ctenuchidae)                       | 37. <i>Parantica sita</i> (Kollar,[1844]) (Danaiidae)                      |
| 5. <i>Neochera marmorea</i> (Walker,1856) (Aganaiidae)           | 22. <i>Danaus</i> (s.str.) <i>plexippus</i> (Linnaeus,1758) (Danaiidae)      | 38. <i>Ethmia trifida</i> Kun,2004 (Ethmiidae)                             |
| 6. <i>Peridrome subfascia</i> Walker,1854 (Aganaiidae)           | 23. <i>Euploea</i> (Crastia) <i>core</i> (Cramer,[1780]) (Danaiidae)         | 39. <i>Melanothrix leucotrigona</i> Hampson,1892 (Eupterotidae)            |
| 7. <i>Aemona lena</i> Atkinson,1871 (Amathusiidae)               | 24. <i>Euploea</i> (Salpinx) <i>klugii</i> Moore,[1858] (Danaiidae)          | 40. <i>Melanothrix nicevillei</i> Hampson,1896 (Eupterotidae)              |
| 8. <i>Amathusia friderici</i> Fruhstorfer,1904 (Amathusiidae)    | 25. <i>Euploea</i> (Stictoploea) <i>mulciber</i> (Cramer,[1777]) (Danaiidae) | 41. <i>Abraxaphantes perampla</i> (Swinhoe,1890) (Geometridae)             |
| 9. <i>Stichophthalma godfreyi</i> Rothschild,1916 (Amathusiidae) | 26. <i>Euploea algea</i> (Godart,[1819]) (Danaiidae)                         | 42. <i>Abraxas triseriaria</i> Herrich-Schäffer,[1855] (Geometridae)       |
| 10. <i>Eilema fumidiscum</i> (Hampson,1894) (Arctiidae)          | 27. <i>Euploea crameri</i> Lucas,1853 (Danaiidae)                            | 43. <i>Cassephyra lamprostricta</i> (Hampson,1895) (Geometridae)           |
| 11. <i>Teulisma uniformis</i> (Hampson,1894) (Arctiidae)         | 28. <i>Euploea doubledayi</i> C.Felder & R.Felder,[1865] (Danaiidae)         | 44. <i>Chrysocraspeda</i> <i>dipyramida</i> (L.B.Prout,1918) (Geometridae) |
| 12. <i>Cirrochroa aoris</i> Doubleday,[1847] (Argynniidae)       | 29. <i>Euploea eunice</i> (Godart,[1819]) (Danaiidae)                        | 45. <i>Dysphania militaris</i> (Linnaeus,1758) (Geometridae)               |
| 13. <i>Cupha erymanthis</i> (Drury,[1773]) (Argynniidae)         | 30. <i>Euploea midamus</i> (Linnaeus,1758) (Danaiidae)                       | 46. <i>Dysphania subrepleta</i> (Walker,1854) (Geometridae)                |
| 14. <i>Terinos terpander</i> Hewitson,1862 (Argynniidae)         | 31. <i>Euploea modesta</i> Butler,1866 (Danaiidae)                           | 47. <i>Dysphania transducta</i> (Walker,1862) (Geometridae)                |
| 15. <i>Petavia petavia</i> (Cramer,1782) (Callidulidae)          | 32. <i>Euploea sylvester</i> (Fabricius,1793) (Danaiidae)                    | 48. <i>Hypochrosis sternaria</i> Guenée,[1858] (Geometridae)               |
| 16. <i>Groenendaelia kinabaluensis</i> (Gaede,1933) (Cossidae)   | 33. <i>Idea agamarschana</i> (C.Felder & R.Felder,1865) (Danaiidae)          | 49. <i>Metabraxas atrogrisea</i> Inoue,1992 (Geometridae)                  |
| 17. <i>Amata masoni</i> (Moore,1878) (Ctenuchidae)               |  | 50. <i>Milionia basalis</i> Walker,1854 (Geometridae)                      |



- |  |  |  |
|--|--|--|
| 51. <i>Mimochroa angulifascia</i> Moore, 1879 (Geometridae)                  | 87. <i>Giaura niveidisca</i> (Hampson, 1894) (Noctuidae)   | 121. <i>Endocrossis caldusalis</i> (Walker, 1859) (Pyralidae)  |
| 52. <i>Onagrodus victoria</i> L.B. Prout, 1958 (Geometridae)                 | 88. <i>Leucopardus semiflavum</i> (Kishida, 1997) (Noctuidae)  | 122. <i>Joelminetia michaelshafferi</i> Speidel & Witt, 2007 (Pyralidae)                                       |
| 53. <i>Ornithospila esmeralda</i> (Hampson, 1895) (Geometridae)              | 89. <i>Nanaguna breviuscula</i> Walker, 1863 (Noctuidae)   | 123. <i>Pramadea ridopalis</i> (Swinhoe, 1892) (Pyralidae)   |
| 54. <i>Somatina dentifasciaria</i> Inoue, 1992 (Geometridae)                 | 90. <i>Nanaguna variegata</i> (Hampson, 1894) (Noctuidae)  | 124. <i>Abisara bifasciata</i> Moore, 1877 (Riodinidae)  |
| 55. <i>Zamarada eogenaria</i> (Snellen, 1881) (Geometridae)                  | 91. <i>Nicevillea epiplemoides</i> Hampson, 1895 (Noctuidae)   | 125. <i>Abisara kausambi</i> C. Felder & R. Felder, 1860 (Riodinidae)  |
| 56. <i>Arnetta atkinsoni</i> (Moore, 1878) (Hesperiidae)                     | 92. <i>Ptyonota formosa</i> Hampson, 1894 (Noctuidae)  | 126. <i>Antheraea</i> (s.str.) <i>steinkeorum</i> U. Paukstadt, L.H. Paukstadt & U. Brosch, 1999 (Saturniidae) |
| 57. <i>Caltoris cormasa</i> (Hewitson, 1876) (Hesperiidae)                   | 93. <i>Targalla albiceps</i> (Hampson, 1894) (Noctuidae)   | 127. <i>Elymnias vasudeva</i> (Moore, 1857) (Satyridae)  |
| 58. <i>Choaspes benjaminii</i> (Guérin-Ménéville, 1843) (Hesperiidae)        | 94. <i>Gangarides rufinus</i> Schintlmeister, 1997 (Notodontidae)  | 128. <i>Lethe confusa</i> Aurivillius, 1898 (Satyridae)  |
| 59. <i>Mooreana trichoneura</i> (C. Felder & R. Felder, 1860) (Hesperiidae)  | 95. <i>Netria speideli</i> Schintlmeister, 2006 (Notodontidae)   | 129. <i>Lethe dura</i> (Marshall, 1882) (Satyridae)  |
| 60. <i>Odina hieroglyphica</i> (Butler, 1870) (Hesperiidae)                  | 96. <i>Netria multispinae</i> Schintlmeister, 2006 (Notodontidae)  | 130. <i>Lethe gulnihali</i> De Nicéville, 1887 (Satyridae)   |
| 61. <i>Pelopidas mathias</i> (Fabricius, 1798) (Hesperiidae)                 | 97. <i>Somera virens</i> Dierl, 1976 (Notodontidae)  | 131. <i>Lethe latiaris</i> (Hewitson, 1863) (Satyridae)  |
| 62. <i>Quedara albifascia</i> (Moore, 1878) (Hesperiidae)                    | 98. <i>Agonopterix costaemaculella</i> (Christoph, 1882) (Oecophoridae)                                  | 132. <i>Lethe verma</i> (Kollar, 1844) (Satyridae)   |
| 63. <i>Sancus fuligo</i> (Mabille, 1876) (Hesperiidae)                       | 99. <i>Atrophaneura</i> (s.str. (Byasa)) <i>dasarada</i> (Moore, 1857) (Papilionidae)                    | 133. <i>Lethe vindhya</i> C. Felder & R. Felder, 1859 (Satyridae)  |
| 64. <i>Telicota bambusae</i> (Moore, 1878) (Hesperiidae)                     | 100. <i>Atrophaneura</i> (s.str. (Losaria)) <i>coon</i> (Fabricius, 1793) (Papilionidae)                 | 134. <i>Mycalesis francisca</i> (Stoll, 1780) (Satyridae)  |
| 65. <i>Thoressa masoni</i> (Moore, 1878) (Hesperiidae)                       | 101. <i>Atrophaneura</i> (s.str. (Pangerana)) <i>varuna</i> (White, 1842) (Papilionidae)                 | 135. <i>Mycalesis mineus</i> (Linnaeus, 1767) (Satyridae)  |
| 66. <i>Himantopterus zaida</i> (Doubleday, 1843) (Himantopteridae)           | 102. <i>Atrophaneura</i> (s.str. (Pangerana)) <i>zaleucus</i> (Hewitson, 1865) (Papilionidae)            | 136. <i>Mycalesis nicotia</i> Westwood, 1850 (Satyridae)   |
| 67. <i>Metanastria capucina</i> Zolotuhin & Witt, 2000 (Lasiocampidae)       | 103. <i>Chilasa</i> (s.str. (Cadugoides)) <i>slateri</i> (Hewitson, 1859) (Papilionidae)                 | 137. <i>Mycalesis perseus</i> (Fabricius, 1775) (Satyridae)  |
| 68. <i>Trichogyia semifascia</i> Hampson, 1894 (Limacodidae)                 | 104. <i>Chilasa</i> (s.str. (s.str.)) <i>clytia</i> (Linnaeus, 1758) (Papilionidae)                      | 138. <i>Neope bhadra</i> (Moore, 1857) (Satyridae)   |
| 69. <i>Amblypodia narada</i> (Horsfield, 1828) (Lycaenidae)                  | 105. <i>Graphium</i> (Pathysa (Paranticopsis)) <i>macareus</i> (Godart, 1819) (Papilionidae)             | 139. <i>Neope muirheadi</i> C. Felder & R. Felder, 1862 (Satyridae)  |
| 70. <i>Arhopala moolaiana</i> (Moore, 1879) (Lycaenidae)                     | 106. <i>Graphium</i> (Pathysa (s.str.)) <i>aristeus</i> (Cramer, 1782) (Papilionidae)                    | 140. <i>Orinoma damaris</i> Gray, 1846 (Satyridae)   |
| 71. <i>Callenya melaena</i> (Doherty, 1889) (Lycaenidae)                     | 107. <i>Graphium</i> (s.str. (Eurypleana)) <i>eurypylus</i> (Linnaeus, 1758) (Papilionidae)              | 141. <i>Penthema darlisa</i> Moore, 1879 (Satyridae)   |
| 72. <i>Deramas livens</i> Distant, 1886 (Lycaenidae)                         | 108. <i>Graphium</i> (s.str. (Zetides)) <i>sarpedon</i> (Linnaeus, 1758) (Papilionidae)                  | 142. <i>Ypthima avanta</i> Moore, 1874 (Satyridae)   |
| 73. <i>Heliophorus</i> (s.str.) <i>ila</i> (De Nicéville, 1896) (Lycaenidae) | 109. <i>Princeps</i> (Menelaides (Sainia)) <i>demolion</i> (Cramer, 1775) (Papilionidae)                 | 143. <i>Ypthima baldus</i> (Fabricius, 1775) (Satyridae)   |
| 74. <i>Miletus chinensis</i> C. Felder, 1862 (Lycaenidae)                    | 110. <i>Princeps</i> (Menelaides (Tamera)) <i>mahadeva</i> (Moore, 1879) (Papilionidae)                  | 144. <i>Synanthedon flavicincta</i> (Hampson, 1893) (Sesiidae)   |
| 75. <i>Miletus croton</i> (Doherty, 1889) (Lycaenidae)                       | 111. <i>Princeps</i> (Menelaides (Tamera)) <i>nepheus</i> (Boisduval, 1836) (Papilionidae)               | 145. <i>Cerace loxodes</i> Meyrick, 1912 (Tortricidae)   |
| 76. <i>Thaduka multicaudata</i> Moore, 1879 (Lycaenidae)                     | 112. <i>Princeps</i> (Menelaides (fuscus-gr)) <i>pitmani</i> (Elwes & De Nicéville, 1886) (Papilionidae) | 146. <i>Lipsotelus armiger</i> Diakonoff, 1973 (Tortricidae)   |
| 77. <i>Euproctis venosa</i> (Moore, 1879) (Lymantriidae)                     | 113. <i>Princeps</i> (s.str. (Achillides)) <i>bianor</i> (Cramer, 1777) (Papilionidae)                   | 147. <i>Lipsotelus lichenoides</i> Walsingham, 1900 (Tortricidae)  |
| 78. <i>Laelia litura</i> (Walker, 1855) (Lymantriidae)                       | 114. <i>Delias</i> (belladonna-gr.) <i>belladonna</i> (Fabricius, 1793) (Pieridae)                       | 148. <i>Loboschiza koenigiana</i> (Fabricius, 1775) (Tortricidae)  |
| 79. <i>Lymantria ganara</i> Moore, 1860 (Lymantriidae)                       | 115. <i>Delias</i> (pasithoe-gr.) <i>ninus</i> (Wallace, 1867) (Pieridae)                                | 149. <i>Sycacantha</i> (inodes-gr.) <i>choanantha</i> Diakonoff, 1971 (Tortricidae)                            |
| 80. <i>Orgyia turbata</i> Butler, 1879 (Lymantriidae)                        | 116. <i>Delias</i> (singapura-gr.) <i>agorani</i> Grose-Smith, 1887 (Pieridae)                           | 150. <i>Acropterus obliquaria</i> Moore, 1877 (Uraniidae)  |
| 81. <i>Scarpaena ennomoides</i> (Walker, 1862) (Lymantriidae)                | 117. <i>Dercas verhuelli</i> (Hoeven, 1839) (Pieridae)   | 151. <i>Amesia aliris</i> (Doubleday, 1847) (Zygaenidae)   |
| 82. <i>Apothripa albonotata</i> (Hampson, 1894) (Noctuidae)                  | 118. <i>Eurema simulatrix</i> Staudinger, 1891 (Pieridae)  | 152. <i>Brachartona catoxantha</i> Hampson, 1892 (Zygaenidae)  |
| 83. <i>Athyra heterographa</i> (Hampson, 1912) (Noctuidae)                   | 119. <i>Pareronia paravatar</i> Bingham, 1907 (Pieridae)   | 153. <i>Cyclosia midama</i> (Herrich-Schäffer, 1853) (Zygaenidae)  |
| 84. <i>Avatha heterographa</i> (Hampson, 1912) (Noctuidae)                   | 120. <i>Pterophorus lacteipennis</i> (Walker, 1864) (Pterophoridae)                                      | 154. <i>Cyclosia papilionaris</i> (Drury, 1782) (Zygaenidae)   |
| 85. <i>Calesia flabellifera</i> Moore, 1878 (Noctuidae)                      |  | 155. <i>Cyclosia pieridoides</i> (Herrich-Schäffer, 1853) (Zygaenidae)   |
| 86. <i>Episteme nipalensis</i> (Butler, 1875) (Noctuidae)                    |  | 156. <i>Eterusia ni</i> (Swinhoe, 1919) (Zygaenidae)   |

## Khasi Hills (Khs) [India]

- |  |  |   |
|--|--|---|
| 1. <i>Asota paphos</i> (Fabricius, 1787) (Aganidae)                            | 13. <i>Calpenia</i> (s.str.) <i>khasiana</i> Moore, 1878 (Arctiidae) | 23. <i>Lemyra pilosa</i> (Rothschild, 1910) (Arctiidae)       |
| 2. <i>Aloa lactinea</i> (Cramer, 1777) (Arctiidae)                             | 14. <i>Aemene amnaea</i> Swinhoe, 1894 (Arctiidae)                   | 24. <i>Lemyra sikkimensis</i> (Moore, 1879) (Arctiidae)       |
| 3. <i>Aloa negrita</i> (Hampson, 1894) (Arctiidae)                             | 15. <i>Aemene mesozonata</i> Hampson, 1898 (Arctiidae)               | 25. <i>Lemyra venosa</i> (Moore, 1879) (Arctiidae)            |
| 4. <i>Alphaea</i> (Flavalphaea) <i>khasiana</i> (Rothschild, 1910) (Arctiidae) | 16. <i>Kishidaria khasiana</i> (Moore, 1878) (Arctiidae)             | 26. <i>Miltochrista coccinea</i> Rothschild, 1913 (Arctiidae) |
| 5. <i>Arctia</i> (s.str.) <i>caja</i> (Linnaeus, 1758) (Arctiidae)             | 17. <i>Lemyra biseriata</i> (Moore, 1877) (Arctiidae)                | 27. <i>Miltochrista germana</i> Rothschild, 1913 (Arctiidae)  |
| 6. <i>Baroa vatata</i> Swinhoe, 1894 (Arctiidae)                               | 18. <i>Lemyra khasiana</i> Thomas, 1990 (Arctiidae)                  | 28. <i>Spilarctia leopardina</i> (Kollar, 1844) (Arctiidae)   |
| 7. <i>Areas</i> (s.str.) <i>galactina</i> (Hoeven, 1840) (Arctiidae)           | 19. <i>Lemyra melanosoma</i> (Hampson, 1894) (Arctiidae)             | 29. <i>Spilarctia multiguttata</i> (Walker, 1855) (Arctiidae) |
| 8. <i>Asura calamaria</i> (Moore, 1888) (Arctiidae)                            | 20. <i>Lemyra multivittata</i> (Moore, 1865) (Arctiidae)             | 30. <i>Alexotypha vitata</i> (Meyrick, 1913) (Carposinidae)   |
| 9. <i>Asura infumata</i> (R. Felder & Rogenhofer, 1874) (Arctiidae)            | 21. <i>Lemyra nigrescens</i> (Rothschild, 1910) (Arctiidae)          | 31. <i>Brenthia ardens</i> Meyrick, 1912 (Choreutidae)        |
| 10. <i>Asura lacteiflava</i> Rothschild, 1913 (Arctiidae)                      | 22. <i>Lemyra obliquivitta</i> (Moore, 1879) (Arctiidae)             | 32. <i>Litobrenthia carola</i> (Meyrick, 1912) (Choreutidae)  |
| 11. <i>Asura punctata</i> Rothschild, 1913 (Arctiidae)                         |  |   |
| 12. <i>Asura strigatula</i> Rothschild, 1913 (Arctiidae)                       |  |   |

- |  |   |   |
|--|---|---|
| 33. Prochoreutis halimora (Meyrick,1912)                   | 80. Dichomeris lissota (Meyrick,1913)                       | 127. Anthypertythra hermearia Swinhoe,1891 (Geometridae)            |
| 34. Prochoreutis hestiarca (Meyrick,1912)                  | 81. Dichomeris lupata (Meyrick,1913)                        | 128. Antimimistis subteracta L.B.Prout,1925 (Geometridae)           |
| 35. Cosmopterix belonacma Meyrick,1909 (Cosmopterigidae)   | 82. Dichomeris macroxyla (Meyrick,1913)                     | 129. Antityrgodes agrata (R.Felder & Rogenhofer,1875) (Geometridae) |
| 36. Cosmopterix calypso Meyrick,1919 (Cosmopterigidae)     | 83. Dichomeris malachias (Meyrick,1913)                     | 130. Aplochloa dentisignata (Moore,1868) (Geometridae)              |
| 37. Cosmopterix chrysobela Meyrick,1928 (Cosmopterigidae)  | 84. Dichomeris ferrata Meyrick,1913                         | 131. Apostegania crina (Swinhoe,1892) (Geometridae)                 |
| 38. Cosmopterix erethista Meyrick,1909 (Cosmopterigidae)   | 85. Dichomeris ferruginosa Meyrick,1913                     | 132. Archiplutodes prasina (Swinhoe,1892) (Geometridae)             |
| 39. Cosmopterix holophracta Meyrick,1909 (Cosmopterigidae) | 86. Dichomeris ptychosema Meyrick,1913                      | 133. Arichanna peniculifera Stüning,2000 (Geometridae)              |
| 40. Cosmopterix ingeniosa Meyrick,1909 (Cosmopterigidae)   | 87. Dichomeris sciadora Meyrick,1922                        | 134. Asthena livida (W.Warren,1896) (Geometridae)                   |
| 41. Cosmopterix paltophanes Meyrick,1909 (Cosmopterigidae) | 88. Dichomeris summata Meyrick,1913                         | 135. Atopophysa indistincta (Butler,1889) (Geometridae)             |
| 42. Cosmopterix vexillaris Meyrick,1909 (Cosmopterigidae)  | 89. Dichomeris pelitis (Meyrick,1913)                       | 136. Berta acte (Swinhoe,1892) (Geometridae)                        |
| 43. Phragmacossia stigmatica (Moore,1879) (Cossidae)       | 90. Dichomeris picrocarpa (Meyrick,1913)                    | 137. Berta angustimedia L.B.Prout,1918 (Geometridae)                |
| 44. Relluna nurella (Swinhoe,1894) (Cossidae)              | 91. Dichomeris sandycitis (Meyrick,1907)                    | 138. Berta annulifera (W.Warren,1896) (Geometridae)                 |
| 45. Zeuzera multistrigata Moore,1881 (Cossidae)            | 92. Dichomeris siranta (Meyrick,1913)                       | 139. Berta antepлага L.B.Prout,1916 (Geometridae)                   |
| 46. Amata assamensis (Zerny,1912) (Ctenuchidae)            | 93. Dichomeris thyriscicola (Meyrick,1913)                  | 140. Calletaera subexpressa (Walker,1861) (Geometridae)             |
| 47. Amata khasiana (Butler,1876) (Ctenuchidae)             | 94. Dichomeris viridescens (Meyrick,1918)                   | 141. Carbia nexilinea (W.Warren,1898) (Geometridae)                 |
| 48. Eressa aperiens (Walker,1864) (Ctenuchidae)            | 95. Epimimastis emblematica Meyrick,1916 (Gelechiidae)      | 142. Carbia pulchilinea (Walker,1866) (Geometridae)                 |
| 49. Euploea (Salpinx) klugii Moore,[1858] (Danaidae)       | 96. Helcystogramma armatum (Meyrick,1911) (Gelechiidae)     | 143. Carige rachiaria Swinhoe,1891 (Geometridae)                    |
| 50. Euploea algea (Godart,[1819]) (Danaidae)               | 97. Helcystogramma augusta (Meyrick,1911) (Gelechiidae)     | 144. Chalybocydon flexilinea W.Warren,1898 (Geometridae)            |
| 51. Canucha miranda W.Warren,1923 (Drepanidae)             | 98. Helcystogramma balteatum (Meyrick,1911) (Gelechiidae)   | 145. Chiasmia (Godonela) avitusaria (Walker,1860) (Geometridae)     |
| 52. Leucoblepsis excisa (Hampson,1892) (Drepanidae)        | 99. Helcystogramma bicuneum (Meyrick,1911) (Gelechiidae)    | 146. Chiasmia azataria (Swinhoe,1893) (Geometridae)                 |
| 53. Microblepsis cupreogrisea (Hampson,1895) (Drepanidae)  | 100. Helcystogramma obscuratum (Meyrick,1911) (Gelechiidae) | 147. Chiasmia khasiana (Moore,1888) (Geometridae)                   |
| 54. Microblepsis leucosticta Hampson,1895 (Drepanidae)     | 101. Heterodermes oxylitha Meyrick,1929 (Gelechiidae)       | 148. Chiasmia octolinearia (Swinhoe,1894) (Geometridae)             |
| 55. Nordstromia duplicata (W.Warren,1922) (Drepanidae)     | 102. Onebala armata (Meyrick,1911) (Gelechiidae)            | 149. Chiasmia rufifascia (W.Warren,1896) (Geometridae)              |
| 56. Phalacra ochrea W.Warren,1922 (Drepanidae)             | 103. Onebala balteata (Meyrick,1911) (Gelechiidae)          | 150. Chiasmiodes variolinea W.Warren,1896 (Geometridae)             |
| 57. Phalacra acutipennis Swinhoe,1903 (Drepanidae)         | 104. Onebala obscurata (Meyrick,1911) (Gelechiidae)         | 151. Chlorissa distinctaria (Walker,1866) (Geometridae)             |
| 58. Phalacra albilinea W.Warren,1899 (Drepanidae)          | 105. Hypatima anguinea (Meyrick,1913) (Gelechiidae)         | 152. Chloromianta ferruginata W.Warren,1896 (Geometridae)           |
| 59. Paralbara inaequidiscata (W.Warren,1922) (Drepanidae)  | 106. Hypatima caryodora (Meyrick,1913) (Gelechiidae)        | 153. Chloromma mimica W.Warren,1896 (Geometridae)                   |
| 60. Spectroreta hyalodisca Hampson,1896 (Drepanidae)       | 107. Hypatima cirrhospila (Meyrick,1920) (Gelechiidae)      | 154. Chorodna reticulata (Hampson,1895) (Geometridae)               |
| 61. Epicopeia polydora Westwood,1841 (Epicopeiidae)        | 108. Hypatima lactifera (Meyrick,1913) (Gelechiidae)        | 155. Chorodna tephrosiaria (W.Warren,1896) (Geometridae)            |
| 62. Eupterote testacea Walker,1855 (Eupterotidae)          | 109. Hypatima silvestris (Meyrick,1913) (Gelechiidae)       | 156. Chrioloba etaina (Swinhoe,1900) (Geometridae)                  |
| 63. Apona frater Rothschild,1917 (Eupterotidae)            | 110. Hypatima tonsa (Meyrick,1913) (Gelechiidae)            | 157. Chrysocraspeda conspicuaria Swinhoe,1905 (Geometridae)         |
| 64. Apona chasiana Swinhoe (Eupterotidae)                  | 111. Abaciscus atmala (Swinhoe,1894) (Geometridae)          | 158. Chrysocraspeda fulviplaga Swinhoe,1905 (Geometridae)           |
| 65. Eupterote patula (Walker,1855) (Eupterotidae)          | 112. Abaciscus stellifera W.Warren,1896 (Geometridae)       | 159. Chrysocraspeda iole (Swinhoe,1892) (Geometridae)               |
| 66. Deimnestr thyriscicola (Meyrick,1913) (Gelechiidae)    | 113. Abraxas abrasata W.Warren,1888 (Geometridae)           | 160. Chrysocraspeda marginata W.Warren,1897 (Geometridae)           |
| 67. Dichomeris ampliata Meyrick,1913 (Gelechiidae)         | 114. Abraxas disrupta W.Warren,1894 (Geometridae)           | 161. Chrysocraspeda perpicta W.Warren,1896 (Geometridae)            |
| 68. Dichomeris brachygrapha Meyrick,1920 (Gelechiidae)     | 115. Abraxas intermedia W.Warren,1888 (Geometridae)         | 162. Chrysocraspeda plumbeofusa Swinhoe,1894 (Geometridae)          |
| 69. Dichomeris caeruleascens (Meyrick,1913) (Gelechiidae)  | 116. Abraxas symmetrica W.Warren,1894 (Geometridae)         | 163. Chrysocraspeda sanguinea W.Warren,1896 (Geometridae)           |
| 70. Dichomeris excoriata Meyrick,1913 (Gelechiidae)        | 117. Absala dorcada Swinhoe,1893 (Geometridae)              | 164. Cleora inoffensa (Swinhoe,1902) (Geometridae)                  |
| 71. Dichomeris cellaria (Meyrick,1913) (Gelechiidae)       | 118. Agathia carissima Butler,1878 (Geometridae)            | 165. Comibaena quadrinotata Butler,1889 (Geometridae)               |
| 72. Dichomeris cocta (Meyrick,1913) (Gelechiidae)          | 119. Agathia codina Swinhoe,1892 (Geometridae)              | 166. Comostola subtiliaria (Bremer,1864) (Geometridae)              |
| 73. Dichomeris corniculata (Meyrick,1913) (Gelechiidae)    | 120. Agathia gaudens L.B.Prout,1932 (Geometridae)           | 167. Comostola turgescens (L.B.Prout,1917) (Geometridae)            |
| 74. Dichomeris crambaleas (Meyrick,1913) (Gelechiidae)     | 121. Agathia gemma Swinhoe,1892 (Geometridae)               | 168. Comostola virago L.B.Prout,1926 (Geometridae)                  |
| 75. Dichomeris dicausta (Meyrick,1913) (Gelechiidae)       | 122. Alcis orbifer W.Warren,1896 (Geometridae)              | 169. Conolophia helicola (Swinhoe,1894) (Geometridae)               |
| 76. Dichomeris enoptrias (Meyrick,1911) (Gelechiidae)      | 123. Alcis semialba (Moore,1888) (Geometridae)              | 170. Coremecis stueningi Sato,1995 (Geometridae)                    |
| 77. Dichomeris frenigera (Meyrick,1913) (Gelechiidae)      | 124. Alcis variegata (Moore,1888) (Geometridae)             | 171. Cyclophora frenaria (Guenée,[1858]) (Geometridae)              |
| 78. Dichomeris fungifera (Meyrick,1913) (Gelechiidae)      | 125. Alex palparia (Walker,1861) (Geometridae)              |   |
| 79. Dichomeris illucescens (Meyrick,1918) (Gelechiidae)    | 126. Amraica recursaria (Walker,1860) (Geometridae)         |   |

- |   |   |  |
|---|---|--|
| 172. Cyclophora imbuta (W.Warren,1897)<br>(Geometridae)         | 218. Heterolocha patalata R.Felder &<br>Rogenhofer,1875 (Geometridae) | 263. Loxofidonia bareconia bareconia<br>(Swinhoe,1894) (Geometridae) |
| 173. Derambila costata (W.Warren,1896)<br>(Geometridae)         | 219. Heterostegane aurantiaca W.Warren,1894<br>(Geometridae)          | 264. Loxofidonia buda (Swinhoe,1895)<br>(Geometridae)                |
| 174. Derambila dentifera (Moore,1888)<br>(Geometridae)          | 220. Heterostegane lala (Swinhoe,1892)<br>(Geometridae)               | 265. Luxiaria emphatica L.B.Prout,1925<br>(Geometridae)              |
| 175. Dindica para Swinhoe,1891 (Geometridae)                    | 221. Heterostegane tritocampsis<br>(L.B.Prout,1934) (Geometridae)     | 266. Maxates adaptaria (L.B.Prout,1933)<br>(Geometridae)             |
| 176. Dipluroides vestita W.Warren,1896<br>(Geometridae)         | 222. Hirasa contubernalis Moore,1888<br>(Geometridae)                 | 267. Maxates auspicata (L.B.Prout,1917)<br>(Geometridae)             |
| 177. Dithcodes idaea (Swinhoe,1892)<br>(Geometridae)            | 223. Hyperythra flavaria (Fabricius,1787)<br>(Geometridae)            | 268. Maxates coelataria (Walker,1861)<br>(Geometridae)               |
| 178. Dysphania subrepleta (Walker,1854)<br>(Geometridae)        | 224. Hyperythra phoenix Swinhoe,1891<br>(Geometridae)                 | 269. Maxates convallata (W.Warren,1906)<br>(Geometridae)             |
| 179. Ecliptopera fulvidorsata (Swinhoe,1894)<br>(Geometridae)   | 225. Hypochrosis venusa Swinhoe,1894<br>(Geometridae)                 | 270. Maxates fuscifimbria (L.B.Prout,1911)<br>(Geometridae)          |
| 180. Ecliptopera furva (Swinhoe,1891)<br>(Geometridae)          | 226. Hypocomete clauda W.Warren,1896<br>(Geometridae)                 | 271. Maxates hemitheoides (L.B.Prout,1916)<br>(Geometridae)          |
| 181. Ecliptopera leucoglyphica (W.Warren,1898)<br>(Geometridae) | 227. Hypomecis fasciata (Swinhoe,1894)<br>(Geometridae)               | 272. Maxates insignipecten (L.B.Prout,1928)<br>(Geometridae)         |
| 182. Ecliptopera lucrosa L.B.Prout,1940<br>(Geometridae)        | 228. Hypomecis nepalensis (Hampson,1902)<br>(Geometridae)             | 273. Maxates iridescens (W.Warren,1896)<br>(Geometridae)             |
| 183. Ecliptopera muscicolor (Moore,1888)<br>(Geometridae)       | 229. Hypomecis ratotaria (Swinhoe,1894)<br>(Geometridae)              | 274. Maxates mutatilea (L.B.Prout,1916)<br>(Geometridae)             |
| 184. Ecliptopera rectilinea W.Warren,1894<br>(Geometridae)      | 230. Hypomecis reparata (Walker,1860)<br>(Geometridae)                | 275. Maxates veninotata (W.Warren,1894)<br>(Geometridae)             |
| 185. Electrophaes fulgidaria (Leach,1897)<br>(Geometridae)      | 231. Hyposidra murina (Swinhoe,1891)<br>(Geometridae)                 | 276. Menophra codra (Swinhoe,1891)<br>(Geometridae)                  |
| 186. Darisa lampasaria (Hampson,1895)<br>(Geometridae)          | 232. Idaea aequisinuata (W.Warren,1898)<br>(Geometridae)              | 277. Menophra costistrigata (W.Warren,1896)<br>(Geometridae)         |
| 187. Darisa leledaria (Swinhoe,1905)<br>(Geometridae)           | 233. Idaea charitotes (L.B.Prout,1922)<br>(Geometridae)               | 278. Menophra lignata (W.Warren,1894)<br>(Geometridae)               |
| 188. Eois ingrataria (W.Warren,1898)<br>(Geometridae)           | 234. Idaea costiguttata (W.Warren,1896)<br>(Geometridae)              | 279. Menophra serpentinaria (W.Warren,1896)<br>(Geometridae)         |
| 189. Eois lunulosa (Moore,[1887]) (Geometridae)                 | 235. Idaea craspedota (L.B.Prout,1934)<br>(Geometridae)               | 280. Menophra subpilosa (W.Warren,1894)<br>(Geometridae)             |
| 190. Eois phaneroscia L.B.Prout,1922<br>(Geometridae)           | 236. Idaea flavisinuata (W.Warren,1896)<br>(Geometridae)              | 281. Menophra subterminalis (L.B.Prout,1925)<br>(Geometridae)        |
| 191. Pseudepisothalma ocellata (Swinhoe,1903)<br>(Geometridae)  | 237. Idaea grisescens (W.Warren,1896)<br>(Geometridae)                | 282. Menophra translineata (Walker,1869)<br>(Geometridae)            |
| 192. Episothalma robustaria (Guenée,[1858])<br>(Geometridae)    | 238. Idaea improvisa (L.B.Prout,1938)<br>(Geometridae)                | 283. Menophra trilineata (W.Warren,1896)<br>(Geometridae)            |
| 193. Eucyclodes albiviridis (Moore,1872)<br>(Geometridae)       | 239. Idaea leucozona (Hampson,1895)<br>(Geometridae)                  | 284. Metabraxas coryneta (Swinhoe,1894)<br>(Geometridae)             |
| 194. Eucyclodes aureofulva (W.Warren,1897)<br>(Geometridae)     | 240. Idaea maculata (W.Warren,1896)<br>(Geometridae)                  | 285. Metallaxis semiustus (Swinhoe,1894)<br>(Geometridae)            |
| 195. Eupithecia albispumata W.Warren,1893<br>(Geometridae)      | 241. Idaea obliquilinea (W.Warren,1896)<br>(Geometridae)              | 286. Metallophya ocellata (W.Warren,1897)<br>(Geometridae)           |
| 196. Eupithecia biviridata (W.Warren,1896)<br>(Geometridae)     | 242. Idaea persimilis (W.Warren,1896)<br>(Geometridae)                | 287. Micronissa delphinaria Swinhoe,1891<br>(Geometridae)            |
| 197. Eupithecia leucospila Swinhoe,1906<br>(Geometridae)        | 243. Idaea rubellata (W.Warren,1896)<br>(Geometridae)                 | 288. Micronissa delphinaria Swinhoe,1893<br>(Geometridae)            |
| 198. Eupithecia ochracea (W.Warren,1888)<br>(Geometridae)       | 244. Idaea rubridentata (W.Warren,1896)<br>(Geometridae)              | 289. Micrulia tenuilinea W.Warren,1896<br>(Geometridae)              |
| 199. Eupithecia rigida Swinhoe,1892<br>(Geometridae)            | 245. Idaea ruptifascia (W.Warren,1896)<br>(Geometridae)               | 290. Mimomiza creuntaria (Moore,1868)<br>(Geometridae)               |
| 200. Eupithecia robiginascens L.B.Prout,1926<br>(Geometridae)   | 246. Idaea semilinea (W.Warren,1896)<br>(Geometridae)                 | 291. Monocerotesa radiata (W.Warren,1897)<br>(Geometridae)           |
| 201. Eupithecia ruficarpus (W.Warren,1897)<br>(Geometridae)     | 247. Idaea semisericea (W.Warren,1897)<br>(Geometridae)               | 292. Monocerotesa strigata (W.Warren,1893)<br>(Geometridae)          |
| 202. Fascellina castanea Moore,1877<br>(Geometridae)            | 248. Idiochlora contracta W.Warren,1896<br>(Geometridae)              | 293. Myrioblephara planaria (Swinhoe,1894)<br>(Geometridae)          |
| 203. Fascellina dacoda Swinhoe,1893<br>(Geometridae)            | 249. Idiochlora planata (L.B.Prout,1917)<br>(Geometridae)             | 294. Myrioblephara simplaria (Swinhoe,1894)<br>(Geometridae)         |
| 204. Fascellina punctata W.Warren,1898<br>(Geometridae)         | 250. Jodis albipuncta W.Warren,1898<br>(Geometridae)                  | 295. Nothomiza binotata W.Warren,1897<br>(Geometridae)               |
| 205. Fascellina rectimarginata W.Warren,1894<br>(Geometridae)   | 251. Jodis coeruleata W.Warren,1896<br>(Geometridae)                  | 296. Nothomiza nana W.Warren,1897<br>(Geometridae)                   |
| 206. Fascellina subsignata W.Warren,1893<br>(Geometridae)       | 252. Jodis delicatula W.Warren,1896<br>(Geometridae)                  | 297. Nothomiza peralba (Swinhoe,1894)<br>(Geometridae)               |
| 207. Campptolophia marmorata W.Warren,1896<br>(Geometridae)     | 253. Jodis inumbrata W.Warren,1896<br>(Geometridae)                   | 298. Nothomiza peralba (Swinhoe,1894)<br>(Geometridae)               |
| 208. Gonodontis clelia (Cramer,[1780])<br>(Geometridae)         | 254. Jodis rhabdota L.B.Prout,1917<br>(Geometridae)                   | 299. Ocoelophora maculifera W.Warren,1896<br>(Geometridae)           |
| 209. Hemitheia antigrapha L.B.Prout,1917<br>(Geometridae)       | 255. Jodis xynia L.B.Prout,1917 (Geometridae)                         | 300. Odontopera heydena (Swinhoe,1894)<br>(Geometridae)              |
| 210. Hemitheia melalopha L.B.Prout,1931<br>(Geometridae)        | 256. Krananda oliveomarginata Swinhoe,1894<br>(Geometridae)           | 301. Odontopera imitata (W.Warren,1897)<br>(Geometridae)             |
| 211. Herochroma baba Swinhoe,1893<br>(Geometridae)              | 257. Lipomelia subusta W.Warren,1893<br>(Geometridae)                 | 302. Odontopera justa (L.B.Prout,1928)<br>(Geometridae)              |
| 212. Herochroma cristata (W.Warren,1894)<br>(Geometridae)       | 258. Lomographa longipennis (W.Warren,1907)<br>(Geometridae)          | 303. Onagodes obscurata W.Warren,1896<br>(Geometridae)               |
| 213. Herochroma elaearia (Hampson,1903)<br>(Geometridae)        | 259. Lophophelma erionoma (Swinhoe,1893)<br>(Geometridae)             | 304. Ophthalmitis cordularia (Swinhoe,1893)<br>(Geometridae)         |
| 214. Herochroma flavitincta (W.Warren,1897)<br>(Geometridae)    | 260. Lophophelma funebrosa (W.Warren,1896)<br>(Geometridae)           | 305. Ophthalmitis herbidaria (Guenée,[1858])<br>(Geometridae)        |
| 215. Herochroma liliana (Swinhoe,1892)<br>(Geometridae)         | 261. Lophophleps informis (W.Warren,1897)<br>(Geometridae)            | 306. Ophthalmitis lectularia (Swinhoe,1891)<br>(Geometridae)         |
| 216. Herochroma ochreipicta (Swinhoe,1905)<br>(Geometridae)     | 262. Loxofidonia bareconia (Swinhoe,1894)<br>(Geometridae)            | 307. Organopoda annulifera (Butler,1889)<br>(Geometridae)            |
| 217. Herochroma viridaria (Moore,1868)<br>(Geometridae)         |   |  |



308. <i>Organopoda carnearia</i> (Walker,1861) (Geometridae)	354. <i>Polyscia ochrilinea</i> W.Warren,1896 (Geometridae)	399. <i>Scopula ochricrinita</i> L.B.Prout,1920 (Geometridae)
309. <i>Orthobrachia flavidior</i> (Hampson,1898) (Geometridae)	355. <i>Pomasia parerga</i> L.B.Prout,1941 (Geometridae)	400. <i>Scopula pulverosa</i> L.B.Prout,1934 (Geometridae)
310. <i>Orthocabera fuscolineata</i> (Swinhoe,1894) (Geometridae)	356. <i>Problepsis crassinotata</i> L.B.Prout,1917 (Geometridae)	401. <i>Scopula quinquestriata</i> (W.Warren,1916) (Geometridae)
311. <i>Orthocabera luteifrons</i> (Swinhoe,1894) (Geometridae)	357. <i>Problepsis longipennis</i> L.B.Prout,1917 (Geometridae)	402. <i>Scopula scialophia</i> L.B.Prout,1919 (Geometridae)
312. <i>Orthocabera ocernaria</i> (Swinhoe,1893) (Geometridae)	358. <i>Prochasma mimica</i> W.Warren,1897 (Geometridae)	403. <i>Scopula tenuimedia</i> L.B.Prout,1938 (Geometridae)
313. <i>Orthoserica rufigrisea</i> W.Warren,1896 (Geometridae)	359. <i>Protulioconemis castalaria</i> (Oberthür,1916) (Geometridae)	404. <i>Serratophyga subangulata</i> (W.Warren,1896) (Geometridae)
314. <i>Oxymacaria hepaticata</i> (Swinhoe,1894) (Geometridae)	360. <i>Pseudeuchlora kafebera</i> (Swinhoe,1894) (Geometridae)	405. <i>Sirinopteryx rufilineata</i> W.Warren,1893 (Geometridae)
315. <i>Oxymacaria maculosata</i> (W.Warren,1896) (Geometridae)	361. <i>Pseudocollix hyperythra</i> (Hampson,1895) (Geometridae)	406. <i>Somatina rosacea</i> Swinhoe,1894 (Geometridae)
316. <i>Oxymacaria temeraria</i> (Swinhoe,1891) (Geometridae)	362. <i>Pseudocollix hyperythra hyperythra</i> (Hampson,1895) (Geometridae)	407. <i>Spaniocentra lyra</i> (Swinhoe,1892) (Geometridae)
317. <i>Ozola picaria</i> (Swinhoe,1892) (Geometridae)	363. <i>Pseudomiza leucogonia</i> (Hampson,1895) (Geometridae)	408. <i>Discoglypha aureifloris</i> W.Warren,1896 (Geometridae)
318. <i>Ozola sinuicosta</i> L.B.Prout,1910 (Geometridae)	364. <i>Psilalcis pallidaria</i> (Moore,1888) (Geometridae)	409. <i>Discoglypha hampsoni</i> (Swinhoe,1892) (Geometridae)
319. <i>Paramaxates khasiana</i> (W.Warren,1894) (Geometridae)	365. <i>Psilalcis rufaria</i> (W.Warren,1896) (Geometridae)	410. <i>Discoglypha inflammata</i> W.Warren,1896 (Geometridae)
320. <i>Parasynegia atomaria</i> (W.Warren,1896) (Geometridae)	366. <i>Psilalcis subochrea</i> (W.Warren,1896) (Geometridae)	411. <i>Discoglypha locupletata</i> L.B.Prout,1917 (Geometridae)
321. <i>Parasynegia nigriclavata</i> W.Warren,1897 (Geometridae)	367. <i>Racotis boarmiaria</i> (Guenée,[1858]) (Geometridae)	412. <i>Discoglypha sanguinata</i> (W.Warren,1896) (Geometridae)
322. <i>Parasynegia rufinervis</i> W.Warren,1896 (Geometridae)	368. <i>Racotis discistigmata</i> (Hampson,1902) (Geometridae)	413. <i>Discoglypha variostigma</i> W.Warren,1896 (Geometridae)
323. <i>Parazoma semifusca</i> (W.Warren,1896) (Geometridae)	369. <i>Rheumaptera anestia</i> (L.B.Prout,1941) (Geometridae)	414. <i>Symmacra regularis</i> W.Warren,1896 (Geometridae)
324. <i>Pasiphila palpata</i> (Walker,1862) (Geometridae)	370. <i>Craspediopsis bimaculata</i> W.Warren,1895 (Geometridae)	415. <i>Syncosmia patinata</i> W.Warren,1897 (Geometridae)
325. <i>Orothalassodes falsaria</i> (L.B.Prout,1912) (Geometridae)	371. <i>Craspediopsis inaequata</i> W.Warren,1896 (Geometridae)	416. <i>Synegia campptogrammaria</i> (Guenée,[1858]) (Geometridae)
326. <i>Peratostega indistincta</i> (Moore,1888) (Geometridae)	372. <i>Rhodostrophia pelloniaria</i> (Guenée,[1858]) (Geometridae)	417. <i>Syzeuxis magnidica</i> L.B.Prout,1926 (Geometridae)
327. <i>Perixera absconditaria</i> (Walker,1863) (Geometridae)	373. <i>Rhodostrophia similata</i> (Moore,1888) (Geometridae)	418. <i>Syzeuxis nigrinotata</i> (W.Warren,1896) (Geometridae)
328. <i>Perixera argentosa</i> (L.B.Prout,1920) (Geometridae)	374. <i>Rhynchobapta eburnivea</i> (W.Warren,1896) (Geometridae)	419. <i>Syzeuxis seminanis</i> L.B.Prout,1926 (Geometridae)
329. <i>Perixera argyromma</i> (W.Warren,1896) (Geometridae)	375. <i>Sarcinodes susana</i> Swinhoe,1891 (Geometridae)	420. <i>Tanaorhinus kina</i> Swinhoe,1893 (Geometridae)
330. <i>Perixera clandestina</i> (L.B.Prout,1918) (Geometridae)	376. <i>Sauris bicolor</i> (W.Warren,1896) (Geometridae)	421. <i>Tanaotrichia prasonaria</i> (Swinhoe,1892) (Geometridae)
331. <i>Perixera denticulata</i> (Hampson,1895) (Geometridae)	377. <i>Sauris improspira</i> L.B.Prout,1931 (Geometridae)	422. <i>Tasta reflexa</i> Swinhoe,1902 (Geometridae)
332. <i>Perixera dotilla</i> (Swinhoe,1894) (Geometridae)	378. <i>Sauris inscissa</i> L.B.Prout,1958 (Geometridae)	423. <i>Timandra obsoleta</i> W.Warren,1897 (Geometridae)
333. <i>Perixera jocosa</i> (W.Warren,1896) (Geometridae)	379. <i>Sauris interruptata</i> (Moore,1888) (Geometridae)	424. <i>Timandra responsaria</i> Moore,1888 (Geometridae)
334. <i>Perixera monetaria</i> (Guenée,[1858]) (Geometridae)	380. <i>Sauris nigrifusalis</i> (W.Warren,1896) (Geometridae)	425. <i>Timandra ruptilinea</i> W.Warren,1897 (Geometridae)
335. <i>Perixera oblivaria</i> (Walker,1861) (Geometridae)	381. <i>Scardamia rectilinea</i> W.Warren,1896 (Geometridae)	426. <i>Timandromorpha discolor</i> (W.Warren,1896) (Geometridae)
336. <i>Perixera perscripta</i> (L.B.Prout,1938) (Geometridae)	382. <i>Schistophyle falcifera</i> W.Warren,1896 (Geometridae)	427. <i>Trichopterigia sanguinipunctata</i> (W.Warren,1893) (Geometridae)
337. <i>Perixera sarawackaria</i> (Guenée,[1858]) (Geometridae)	383. <i>Scopula albiflava</i> (W.Warren,1896) (Geometridae)	428. <i>Trichopterigia ustimargo</i> W.Warren,1896 (Geometridae)
338. <i>Perizoma decorata</i> (Moore,1888) (Geometridae)	384. <i>Scopula asparta</i> L.B.Prout,1938 (Geometridae)	429. <i>Triphosa corrasata</i> W.Warren,1897 (Geometridae)
339. <i>Perizoma tenuifascia</i> W.Warren,1896 (Geometridae)	385. <i>Scopula atridiscata</i> (W.Warren,1897) (Geometridae)	430. <i>Triphosa oenozona</i> L.B.Prout,1923 (Geometridae)
340. <i>Perizoma triplagiata</i> W.Warren,1896 (Geometridae)	386. <i>Scopula bispurcata</i> (W.Warren,1898) (Geometridae)	431. <i>Xandrames latiferaria</i> (Walker,1860) (Geometridae)
341. <i>Petelia albopunctata</i> (Swinhoe,1891) (Geometridae)	387. <i>Scopula coagulata</i> L.B.Prout,1920 (Geometridae)	432. <i>Xenocystia nigroviridata</i> (W.Warren,1896) (Geometridae)
342. <i>Pholodes squamosa</i> (W.Warren,1896) (Geometridae)	388. <i>Scopula complanata</i> (W.Warren,1896) (Geometridae)	433. <i>Xenographia adustata</i> (Moore,1888) (Geometridae)
343. <i>Phthonandria conjunctiva</i> W.Warren,1896 (Geometridae)	389. <i>Scopula consimilata</i> (W.Warren,1896) (Geometridae)	434. <i>Xenographia manifesta</i> W.Warren,1897 (Geometridae)
344. <i>Pingasa alba</i> Swinhoe,1891 (Geometridae)	390. <i>Scopula melanstigma</i> L.B.Prout,1938 (Geometridae)	435. <i>Xenographia semifusa</i> Hampson,1895 (Geometridae)
345. <i>Pingasa pseudoterpnaria</i> (Guenée,[1858]) (Geometridae)	391. <i>Scopula rufistigma</i> (W.Warren,1895) (Geometridae)	436. <i>Xenoplia maculata</i> (Moore,1868) (Geometridae)
346. <i>Pingasa rubicunda</i> W.Warren,1894 (Geometridae)	392. <i>Scopula subcarnea</i> L.B.Prout,1934 (Geometridae)	437. <i>Yashmakia submissa</i> (W.Warren,1894) (Geometridae)
347. <i>Plesiomorpha flaviceps</i> (Butler,1881) (Geometridae)	393. <i>Scopula sublutescens</i> L.B.Prout,1920 (Geometridae)	438. <i>Yashmakia suffusa</i> (W.Warren,1893) (Geometridae)
348. <i>Plesiomorpha punctilinearia</i> (Leech,1891) (Geometridae)	394. <i>Scopula subpartita</i> L.B.Prout,1919 (Geometridae)	439. <i>Zamarada eogenaria</i> (Snellen,1881) (Geometridae)
349. <i>Plutodes lamisca</i> Swinhoe,1894 (Geometridae)	395. <i>Scopula unilineata</i> (W.Warren,1896) (Geometridae)	440. <i>Zamarada symmetra</i> D.S.Fletcher,1974 (Geometridae)
350. <i>Plutodes philornis</i> L.B.Prout,1926 (Geometridae)	396. <i>Scopula erubescens</i> (W.Warren,1895) (Geometridae)	441. <i>Zanclopera falcata</i> W.Warren,1894 (Geometridae)
351. <i>Pogonopygia nigralbata</i> W.Warren,1897 (Geometridae)	397. <i>Scopula inangulata</i> (W.Warren,1896) (Geometridae)	442. <i>Ziridava khasiensis</i> L.B.Prout,1958 (Geometridae)
352. <i>Polynesia curtitibia</i> L.B.Prout,1922 (Geometridae)	398. <i>Scopula nigridentata</i> (W.Warren,1896) (Geometridae)	443. <i>Glyphipterix carenota</i> Meyrick,1909 (Glyphipterygidae)
353. <i>Polynesia truncapex</i> Swinhoe,1892 (Geometridae)		

444. *Acrocercops argyraspis* (Gracillariidae) Meyrick, 1908
445. *Acrocercops chrysargyra* (Gracillariidae) Meyrick, 1908
446. *Acrocercops cornicina* (Gracillariidae) Meyrick, 1908
447. *Acrocercops galeopa* (Gracillariidae) Meyrick, 1908
448. *Acrocercops macropalca* (Gracillariidae) Meyrick, 1908
449. *Acrocercops mantica* (Gracillariidae) Meyrick, 1908
450. *Acrocercops melanoplecta* (Gracillariidae) Meyrick, 1908
451. *Acrocercops ochronephela* (Gracillariidae) Meyrick, 1908
452. *Acrocercops ortholocha* (Gracillariidae) Meyrick, 1908
453. *Acrocercops patricia* (Gracillariidae) Meyrick, 1908
454. *Acrocercops sauropis* (Gracillariidae) Meyrick, 1908
455. *Acrocercops selmatica* (Gracillariidae) Meyrick, 1918
456. *Acrocercops strophala* (Gracillariidae) Meyrick, 1908
457. *Acrocercops tricyma* (Gracillariidae) Meyrick, 1908
458. *Borboryctis triplaca* (Meyrick, 1908)
459. *Caloptilia* (Timodora) *acinata* Yuan & G.S. Robinson, 1993 (Gracillariidae)
460. *Caloptilia* (s.str.) *ariana* (Meyrick, 1914)
461. *Caloptilia* (s.str.) *isochrysa* (Meyrick, 1908)
462. *Caloptilia* (s.str.) *metadoxa* (Meyrick, 1908)
463. *Caloptilia* (s.str.) *parasticta* (Meyrick, 1908)
464. *Epicephala ancylopa* (Gracillariidae) Meyrick, 1918
465. *Epicephala calasiris* (Gracillariidae) Meyrick, 1908
466. *Gibbovalva urbana* (Meyrick, 1908)
467. *Macarostola callischema* (Gracillariidae) Meyrick, 1908
468. *Macarostola tegulata* (Gracillariidae) Meyrick, 1908
469. *Parectopa promyalea* (Meyrick, 1917)
470. *Phrixosceles hydrocosma* (Gracillariidae) Meyrick, 1908
471. *Phrixosceles trochosticha* (Gracillariidae) Meyrick, 1908
472. *Telamoptilia cathedraea* (Meyrick, 1908)
473. *Aeromachus jhorus* De Nicéville, 1885 (Hesperiidae)
474. *Arnetta atkinsoni* (Moore, 1878)
475. *Caltoris cahira* (Moore, 1877) (Hesperiidae)
476. *Capila pennicillatum* De Nicéville, 1892 (Hesperiidae)
477. *Capila phanaeus* (Hewitson, 1867)
478. *Capila pieridoides* (Moore, 1878)
479. *Caprona agama* (Moore, 1857) (Hesperiidae)
480. *Celaenorrhinus munda* Moore, 1865 (Hesperiidae)
481. *Halpe homolea* (Hewitson, 1868)
482. *Halpe knyvetti* Elwes & Edwards, 1897 (Hesperiidae)
483. *Halpe kumara* De Nicéville, 1885 (Hesperiidae)
484. *Halpe sikkima* (Moore, 1882) (Hesperiidae)
485. *Hasora* (Myra-gr.) *anura* De Nicéville, 1889 (Hesperiidae)
486. *Koruthaialos rubecula* (Plötz, 1882)
487. *Lotongus sarala* De Nicéville, 1889 (Hesperiidae)
488. *Matapa purpurascens* Elwes & Edwards, 1897 (Hesperiidae)
489. *Matapa purpurascens purpurascens* Elwes & Edwards, 1897 (Hesperiidae)
490. *Ochlodes siva* Moore, 1878 (Hesperiidae)
491. *Ochlodes subhyalinus* (Bremer & Grey, 1853) (Hesperiidae)
492. *Ochus subvittatus* (Moore, 1878) (Hesperiidae)
493. *Parnara ganga* Evans, 1937 (Hesperiidae)
494. *Polytremis discreta* Elwes & Edwards, 1897 (Hesperiidae)
495. *Pseudocoladenia dan* (Fabricius, 1787) (Hesperiidae)
496. *Sovia grahami* (Evans, 1926) (Hesperiidae)
497. *Thoressa fusca* (Elwes, 1892) (Hesperiidae)
498. *Zela zeus* De Nicéville, 1895 (Hesperiidae)
499. *Himantopterus doherlyi* (Elwes, 1890) (Himantopteridae)
500. *Dendrolimus grisea* (Moore, 1879) (Lasiocampidae)
501. *Kosala sanguinea* Moore, 1879 (Lasiocampidae)
502. *Odonestis pruni* (Linnaeus, 1758) (Lasiocampidae)
503. *Paradoxopla sinuata* (Moore, 1879) (Lasiocampidae)
504. "Frisilia" *sulcata* Meyrick, 1910 (Lecithoceridae)
505. *Amaloxestis callitricha* (Meyrick, 1910) (Lecithoceridae)
506. *Amaloxestis chiloptila* (Meyrick, 1921) (Lecithoceridae)
507. *Amaloxestis perizeucta* (Meyrick, 1910) (Lecithoceridae)
508. *Aproparia pselaphistis* (Meyrick, 1910) (Lecithoceridae)
509. *Catacreagra citrostrota* (Meyrick, 1911) (Lecithoceridae)
510. *Catacreagra melicrata* (Meyrick, 1910) (Lecithoceridae)
511. *Catacreagra tricholpa* (Meyrick, 1929) (Lecithoceridae)
512. *Crocogma cribanota* (Meyrick, 1910) (Lecithoceridae)
513. *Crocogma isocola* Meyrick, 1918 (Lecithoceridae)
514. *Epharmonia ardua* (Meyrick, 1910) (Lecithoceridae)
515. *Frisilia sulcata* Meyrick, 1910 (Lecithoceridae)
516. *Monerista hippastis* (Meyrick, 1908) (Lecithoceridae)
517. *Odites* (s.str.) *aspasta* Meyrick, 1908 (Lecithoceridae)
518. *Odites* (s.str.) *eriopa* Meyrick, 1908 (Lecithoceridae)
519. *Odites* (s.str.) *practoria* Meyrick, 1908 (Lecithoceridae)
520. *Odites* (s.str.) *sphenidias* Meyrick, 1914 (Lecithoceridae)
521. *Pompographa psilosopha* (Meyrick, 1911) (Lecithoceridae)
522. *Spatulignatha hemichrysa* (Meyrick, 1910) (Lecithoceridae)
523. *Sphaerolbia chrematistis* Meyrick, 1934 (Lecithoceridae)
524. *Stryphnoca trinitata* Meyrick, 1920 (Lecithoceridae)
525. *Synchalara byrsina* (Meyrick, 1907) (Lecithoceridae)
526. *Synchalara minax* (Meyrick, 1907) (Lecithoceridae)
527. *Synchalara rhombota* (Meyrick, 1907) (Lecithoceridae)
528. *Thubana bullulata* (Meyrick, 1910) (Lecithoceridae)
529. *Thubana laxata* (Meyrick, 1911) (Lecithoceridae)
530. *Thubana residua* (Meyrick, 1923) (Lecithoceridae)
531. *Thubana xanthoteles* (Meyrick, 1923) (Lecithoceridae)
532. *Thymiatris melitacma* Meyrick, 1907 (Lecithoceridae)
533. *Torodora bracculata* (Meyrick, 1911) (Lecithoceridae)
534. *Torodora corsota* (Meyrick, 1911) (Lecithoceridae)
535. *Torodora digna* (Meyrick, 1918) (Lecithoceridae)
536. *Torodora eupatris* (Meyrick, 1910) (Lecithoceridae)
537. *Torodora metasaris* (Meyrick, 1911) (Lecithoceridae)
538. *Torodora octavana* (Meyrick, 1911) (Lecithoceridae)
539. *Torodora sortilega* (Meyrick, 1911) (Lecithoceridae)
540. *Atosia himalayana* Holloway, 1986 (Limacodidae)
541. *Ceratonema ferrugineum* Hampson, 1896 (Limacodidae)
542. *Ceratonema rufibasale* Hampson, 1896 (Limacodidae)
543. *Darna* (Oxyplax) *ochracea* (Moore, 1883) (Limacodidae)
544. *Macrolepta semiaurantia* Hampson, 1896 (Limacodidae)
545. *Mahanta quadrilinea* Moore, 1879 (Limacodidae)
546. *Natada ocellata* Moore, 1879 (Limacodidae)
547. *Phocoderma ocellata* (Moore, 1879) (Limacodidae)
548. *Phocoderma witti* Solovyev, 2008 (Limacodidae)
549. *Rhamnosa plumbifusa* (Hampson, 1905) (Limacodidae)
550. *Rhamnosa uniformis* (Swinhoe, 1895) (Limacodidae)
551. *Scopelodes tantula* Swinhoe, 1904 (Limacodidae)
552. *Thosea ostia* (Swinhoe, 1902) (Limacodidae)
553. *Celatoxia marginata* (De Nicéville, 1884) (Lycanidae)
554. *Chrysozephyrus khasius* (De Nicéville, 1890) (Lycanidae)
555. *Aroa atrella* Hampson, 1892 (Lymantriidae)
556. *Aroa atrescens* Hampson, 1897 (Lymantriidae)
557. *Aroa pyrrhochroma* Walker, 1865 (Lymantriidae)
558. *Aroa sienna* Hampson, 1890 (Lymantriidae)
559. *Aroa socrus* (Geyer, [1837]) (Lymantriidae)
560. *Aroa substrigosa* Walker, 1855 (Lymantriidae)
561. *Calliteara angulata* (Hampson, 1895) (Lymantriidae)
562. *Calliteara postfusca* (Swinhoe, 1895) (Lymantriidae)
563. *Calliteara strigata* (Moore, 1879) (Lymantriidae)
564. *Cifuna biundulans* Hampson, 1897 (Lymantriidae)
565. *Cifuna locuples* Walker, 1855 (Lymantriidae)
566. *Cobanilla plumbacea* Swinhoe, 1903 (Lymantriidae)
567. *Dasychira chloroptera* Hampson, 1892 (Lymantriidae)
568. *Dasychira magnalia* Swinhoe, 1903 (Lymantriidae)
569. *Dasychira orimba* (Swinhoe, 1894) (Lymantriidae)
570. *Dendrophleps semihyalina* Hampson, 1893 (Lymantriidae)
571. *Euproctis albescens* Swinhoe, 1903 (Lymantriidae)
572. *Euproctis atripuncta* Hampson, 1897 (Lymantriidae)
573. *Euproctis basalis* (Moore, 1879) (Lymantriidae)
574. *Euproctis digramma* (Guérin-Méneville, 1838) (Lymantriidae)
575. *Euproctis endoplagia* Hampson, 1897 (Lymantriidae)
576. *Euproctis madana* Moore, 1859 (Lymantriidae)
577. *Euproctis magna* (Swinhoe, 1891) (Lymantriidae)
578. *Euproctis olivata* Hampson, 1897 (Lymantriidae)
579. *Euproctis oreosaura* (Swinhoe, 1894) (Lymantriidae)
580. *Euproctis pelona* (Swinhoe, 1891) (Lymantriidae)
581. *Euproctis phaea* Hampson, 1900 (Lymantriidae)
582. *Euproctis plana* Walker, 1856 (Lymantriidae)
583. *Euproctis renifera* Swinhoe, 1895 (Lymantriidae)
584. *Euproctis semivitta* Moore, 1879 (Lymantriidae)
585. *Euproctis xanthopera* Hampson, 1897 (Lymantriidae)

586. *Euproctis xanthorrhoea* (Kollar,[1844]) (Lymantriidae)  
 587. *Laelia litura* (Walker,1855) (Lymantriidae)  
 588. *Leucoma pellucida* Swinhoe,1903 (Lymantriidae)  
 589. *Leucoma silhetica* (Walker,1856) (Lymantriidae)  
 590. *Lymantria rhodina* Walker,1865 (Lymantriidae)  
 591. *Numenes patrana* Moore,1859 (Lymantriidae)  
 592. *Numenes siletti* Walker,1855 (Lymantriidae)  
 593. *Olene dudgeoni* (Swinhoe,1907) (Lymantriidae)  
 594. *Orgyia nucula* Swinhoe,1894 (Lymantriidae)  
 595. *Pantana albifascia* (Walker,1865) (Lymantriidae)  
 596. *Pantana bicolor* (Walker,1855) (Lymantriidae)  
 597. *Pantana eurygania* Druce,1899 (Lymantriidae)  
 598. *Pantana interjecta* Swinhoe,1891 (Lymantriidae)  
 599. *Pantana luteiceps* Swinhoe,1896 (Lymantriidae)  
 600. *Pendria rinaria* (Moore,1859) (Lymantriidae)  
 601. *Pida apicalis* Walker,1865 (Lymantriidae)  
 602. *Pida decolorata* (Walker,1869) (Lymantriidae)  
 603. *Pida strigipennis* (Moore,1879) (Lymantriidae)  
 604. *Redoa submarginata* Walker,1855 (Lymantriidae)  
 605. "*Meganola*" *basalactifera* Holloway,2003 (Noctuidae)  
 606. *Acantholipes hypenoides* Moore,1881 (Noctuidae)  
 607. *Acrapex atriceps* Hampson,1910 (Noctuidae)  
 608. *Adisura marginalis* (Walker,1858) (Noctuidae)  
 609. *Adrapsa abnormalis* Swinhoe,1895 (Noctuidae)  
 610. *Agrapha aeneofusa* (Hampson,1894) (Noctuidae)  
 611. *Anacronycta infausta* (Walker,1856) (Noctuidae)  
 612. *Anoba pectinata* (Hampson,1896) (Noctuidae)  
 613. *Anoba pectinata* (Hampson,1896) (Noctuidae)  
 614. *Apothripa binotata* Hampson,1912 (Noctuidae)  
 615. *Aquis aquisoides* (Swinhoe,1905) (Noctuidae)  
 616. *Aquita lunisigna* (Hampson,1898) (Noctuidae)  
 617. *Arachnognatha metascotia* Hampson,1897 (Noctuidae)  
 618. *Asiccia lithosiana* Hampson,1926 (Noctuidae)  
 619. *Asinduma olivana* (Swinhoe,1896) (Noctuidae)  
 620. *Athetis atriluna* (W.Warren,1913) (Noctuidae)  
 621. *Athetis longiciliata* Hampson,1909 (Noctuidae)  
 622. *Athetis praetexta* (Swinhoe,1905) (Noctuidae)  
 623. *Athetis rufistigma* W.Warren,1914 (Noctuidae)  
 624. *Athetis stellata* (Moore,1882) (Noctuidae)  
 625. *Athyrrmina birthana* (Swinhoe,1895) (Noctuidae)  
 626. *Autoba griseicosta* W.Warren,1913 (Noctuidae)  
 627. *Autoba grisescens* W.Warren,1913 (Noctuidae)  
 628. *Autoba latistriga* W.Warren,1913 (Noctuidae)  
 629. *Avitta fasciosa* (Moore,1882) (Noctuidae)  
 630. *Avitta subsignans* Walker,1858 (Noctuidae)  
 631. *Badiza despecta* (Walker,1865) (Noctuidae)  
 632. *Badiza ereboides* (Walker,1864) (Noctuidae)  
 633. *Baorisa hieroglyphica* Moore,1882 (Noctuidae)  
 634. *Barasa suffida* Swinhoe,1919 (Noctuidae)  
 635. *Barastrotia metalophota* (Hampson,1898) (Noctuidae)  
 636. *Bastilla acuta* (Moore,1887) (Noctuidae)  
 637. *Bastilla maturata* (Walker,1858) (Noctuidae)  
 638. *Batracharta albistrigosa* W.Warren,1915 (Noctuidae)  
 639. *Beara dilatata* Holloway,1982 (Noctuidae)  
 640. *Belciana striatovirens* (Moore,1882) (Noctuidae)  
 641. *Bocana manifestalis* Walker,[1859] (Noctuidae)  
 642. *Callopietria nivetacta* (W.Warren,1912) (Noctuidae)  
 643. *Callopietria variegata* (Swinhoe,1895) (Noctuidae)  
 644. *Dierna strigata* (Moore,1867) (Noctuidae)  
 645. *Camptoloma interioratum* (Walker,1864) (Noctuidae)  
 646. *Carea albopurpurea* Hampson,1894 (Noctuidae)  
 647. *Carea confinis* W.Warren,1916 (Noctuidae)  
 648. *Carea devia* Hampson,1912 (Noctuidae)  
 649. *Carea dione* Swinhoe,1905 (Noctuidae)  
 650. *Carea immemor* (W.Warren,1916) (Noctuidae)  
 651. *Carea internifusca* Hampson,1912 (Noctuidae)  
 652. *Carea nebulifera* W.Warren,1912 (Noctuidae)  
 653. *Carea trilineata* W.Warren,1912 (Noctuidae)  
 654. *Carea tumidistigma* (W.Warren,1916) (Noctuidae)  
 655. *Carea viridipicta* (Hampson,1896) (Noctuidae)  
 656. *Catada nigribasis* Hampson,1895 (Noctuidae)  
 657. *Catada picta* (Moore,1882) (Noctuidae)  
 658. *Cephena costata* Moore,1882 (Noctuidae)  
 659. *Cerynea igniaria* (Hampson,1898) (Noctuidae)  
 660. *Characoma araca* Swinhoe,1919 (Noctuidae)  
 661. *Characoma polia* (Hampson,1898) (Noctuidae)  
 662. *Condate purpurea* (Hampson,1902) (Noctuidae)  
 663. *Cucullia* (s.str.) *mediogrisea* W.Warren,1911 (Noctuidae)  
 664. *Diarsia basistriga* (Moore,1867) (Noctuidae)  
 665. *Dichromia triplicalis* Walker,1859 (Noctuidae)  
 666. *Diomea cremata* (Butler,1862) (Noctuidae)  
 667. *Diphtherocome chrysoclora* (Hampson,1898) (Noctuidae)  
 668. *Egnasia ephyrodalis* Walker,[1859] (Noctuidae)  
 669. *Egnasia khasiana* Moore,1882 (Noctuidae)  
 670. *Egnasia rectilineata* Swinhoe,1895 (Noctuidae)  
 671. *Euplexia magniclavus* (Hampson,1898) (Noctuidae)  
 672. *Euplexia magnirena* W.Warren,1912 (Noctuidae)  
 673. *Euplexidia noctuiformis* Hampson,1896 (Noctuidae)  
 674. *Eutamisia albilineata* (W.Warren,1912) (Noctuidae)  
 675. *Extremoplusia megaloba* (Hampson,1912) (Noctuidae)  
 676. *Folka oxydata* (Hampson,1898) (Noctuidae)  
 677. *Giaura lichenosa* (Hampson,1896) (Noctuidae)  
 678. *Hamodes lutea* (Walker,[1863]) (Noctuidae)  
 679. *Homodes iomolybda* Meyrick,1889 (Noctuidae)  
 680. *Hypena cidarioides* Moore,1882 (Noctuidae)  
 681. *Hypena indicatalis* Walker,[1859] (Noctuidae)  
 682. *Hypena phecomalis* Swinhoe,1905 (Noctuidae)  
 683. *Hypena quadralis* (Walker,[1859]) (Noctuidae)  
 684. *Hypena triangularis* Moore,1882 (Noctuidae)  
 685. *Hypena umbripennis* Moore,1882 (Noctuidae)  
 686. *Hyperstrotia albicincta* (Hampson,1898) (Noctuidae)  
 687. *Hyposada niveipuncta* W.Warren,1913 (Noctuidae)  
 688. *Hyposada pallidicosta* W.Warren,1913 (Noctuidae)  
 689. *Hyposada tritonia* (Hampson,1898) (Noctuidae)  
 690. *Labanda palliviridis* Holloway,2003 (Noctuidae)  
 691. *Leucania binigrata* (W.Warren,1912) (Noctuidae)  
 692. *Leucania nigristriga* Hreblay & Legrain & Yoshimatsu,1998 (Noctuidae)  
 693. *Leucopardus tigrinus* Hampson,1894 (Noctuidae)  
 694. *Lithacodia coenia* (Swinhoe,1901) (Noctuidae)  
 695. *Lithacodia crotopha* (Swinhoe,1901) (Noctuidae)  
 696. *Lithacodia melanostigma* (Hampson,1894) (Noctuidae)  
 697. *Lithacodia picatina* A.E.Prout,1921 (Noctuidae)  
 698. *Lithacodia picta* Hampson,1896 (Noctuidae)  
 699. *Lophoptera olivascens* (Moore,1882) (Noctuidae)  
 700. *Maliattha bilineata* (Hampson,1898) (Noctuidae)  
 701. *Maliattha marginalis* (Walker,[1863]) (Noctuidae)  
 702. *Maliattha vialis* (Moore,1882) (Noctuidae)  
 703. *Maxera discosticta* (Hampson,1898) (Noctuidae)  
 704. *Mecodina analis* Swinhoe,1890 (Noctuidae)  
 705. *Mecodina umbrosa* (Hampson,1893) (Noctuidae)  
 706. *Mecodina albodentata* (Swinhoe,1895) (Noctuidae)  
 707. *Mecodina cyanodonta* Hampson,1902 (Noctuidae)  
 708. *Mecodina odontophora* (Swinhoe,1895) (Noctuidae)  
 709. *Metachrostis quinaria* (Moore,1881) (Noctuidae)  
 710. *Micreremites tausigna* (Hampson,1898) (Noctuidae)  
 711. *Mixomelia decipiens* Hampson,1898 (Noctuidae)  
 712. *Mythimna* (Hyphilare) *ignifera* Hreblay,1998 (Noctuidae)  
 713. *Mythimna* (Hyphilare) *ignita* (Hampson,1905) (Noctuidae)  
 714. *Mythimna* (Hyphilare) *tricorna* Hreblay, Legrain & Yoshimatsu,1998 (Noctuidae)  
 715. *Mythimna* (s.str.) *khasiensis* Hreblay & Legrain,1998 (Noctuidae)  
 716. *Nanaguna albisepta* Hampson,1905 (Noctuidae)  
 717. *Nanaguna brunnea* Hampson,1905 (Noctuidae)  
 718. *Neachrostia brunneiplaga* (Swinhoe,1905) (Noctuidae)  
 719. *Nola endotherma* (Hampson,1918) (Noctuidae)  
 720. *Manoba tessellata* (Hampson,1896) (Noctuidae)  
 721. *Oligia albirivula* Hampson,1908 (Noctuidae)  
 722. *Olulis absimilis* Hampson,1898 (Noctuidae)  
 723. *Ophiusa indistincta* (Moore,1882) (Noctuidae)  
 724. *Oxaeanus picticilia* (Hampson,1896) (Noctuidae)  
 725. *Pangrapta albistigma* (Hampson,1898) (Noctuidae)  
 726. *Pareuplexia erythriris* (Hampson,1908) (Noctuidae)  
 727. *Pareuplexia humilis* W.Warren,1911 (Noctuidae)  
 728. *Pareuplexia nigrifula* W.Warren,1911 (Noctuidae)  
 729. *Phalga sinuosa* Moore,1881 (Noctuidae)  
 730. *Plecoptera ferrilineata* Swinhoe,1891 (Noctuidae)  
 731. *Plecoptera stigmatica* (W.Warren,1912) (Noctuidae)  
 732. *Plecoptera siderogramma* Hampson,1926 (Noctuidae)  
 733. *Rhynchina rivuligera* Butler,1889 (Noctuidae)  
 734. *Risoba obscurivialis* Holloway,2003 (Noctuidae)  
 735. *Rivula striatura* Swinhoe,1895 (Noctuidae)  
 736. *Ruttenstorferia bipartita* (Moore,1882) (Noctuidae)  
 737. *Saroba ceylonica* (Walker,1865) (Noctuidae)



738. *Schistorhynchus argentipectus* Hampson, 1898 (Noctuidae)  
 739. *Sigmuncus arcuatus* (Hampson, 1897) (Noctuidae)  
 740. *Stictoptera anca* Swinhoe, 1919 (Noctuidae)  
 741. *Synpnoidea pannosa* (Moore, 1882) (Noctuidae)  
 742. *Tambana albiplaga* (W. Warren, 1912) (Noctuidae)  
 743. *Tiracola plagiata* (Walker, 1857) (Noctuidae)  
 744. *Toana caustipennis* Hampson, 1910 (Noctuidae)  
 745. *Tochara creberrima* (Walker, 1858) (Noctuidae)  
 746. *Trisuloides luteifascia* Hampson, 1894 (Noctuidae)  
 747. *Tropidotamba lepraota* (Hampson, 1898) (Noctuidae)  
 748. *Khasidonta picta* (Hampson, 1900) (Notodontidae)  
 749. *Netria viridescens* Walker, 1855 (Notodontidae)  
 750. *Netria multispinae* Schintlmeister, 2006 (Notodontidae)  
 751. *Porsica ingens* Walker, 1866 (Notodontidae)  
 752. *Pseudallata laticostalis* (Hampson, 1900) (Notodontidae)  
 753. *Ramesa bhutanica* (Bänziger, 1988) (Notodontidae)  
 754. *Somera virens* Dierl, 1976 (Notodontidae)  
 755. *Lactistica pentoni* Stringer, 1928 (Oecophoridae)  
 756. *Opostega chalcophylla* Meyrick, 1910 (Opostegidae)  
 757. *Pseudopostega zelopa* (Meyrick, 1905) (Opostegidae)  
 758. *Delias (belladonna-gr.) belladonna* (Fabricius, 1793) (Pieridae)  
 759. *Eurema (Terias) blanda* (Boisduval, 1836) (Pieridae)  
 760. *Buckleria paludum* (Zeller, 1839) (Pterophoridae)  
 761. *Cosmoclostis auxileuca* (Meyrick, 1908) (Pterophoridae)  
 762. *Cosmoclostis pesseuta* Meyrick, 1906 (Pterophoridae)  
 763. *Crombrugghia distans* (Zeller, 1847) (Pterophoridae)  
 764. *Deuterochalcophylla planetus* Meyrick, 1908 (Pterophoridae)  
 765. *Diacrotricha fasciola* Zeller, 1852 (Pterophoridae)  
 766. *Gypsochares catharotes* (Meyrick, 1908) (Pterophoridae)  
 767. *Hellinsia fletcheri* Arenberger, 1992 (Pterophoridae)  
 768. *Hellinsia harpactes* (Meyrick, 1908) (Pterophoridae)  
 769. *Hellinsia procontias* (Meyrick, 1908) (Pterophoridae)  
 770. *Hellinsia triadias* (Meyrick, 1908) (Pterophoridae)  
 771. *Ochyrotica connexiva* (Walsingham, 1891) (Pterophoridae)  
 772. *Procaperia pelecynes* (Meyrick, 1908) (Pterophoridae)  
 773. *Pterophorus claeopus* (Meyrick, 1908) (Pterophoridae)  
 774. *Pterophorus leucadactylus* (Walker, 1864) (Pterophoridae)  
 775. *Pterophorus melanopodus* (T. B. Fletcher, 1907) (Pterophoridae)  
 776. *Pterophorus nigropunctatus* Arenberger, 1989 (Pterophoridae)  
 777. *Sphenarches zanclistes* (Meyrick, 1905) (Pterophoridae)  
 778. *Stenodacma pyrrhodes* (Meyrick, 1889) (Pterophoridae)  
 779. *Tetrasthalis ischnites* Meyrick, 1908 (Pterophoridae)  
 780. *Tetrasthalis ochrias* Meyrick, 1908 (Pterophoridae)  
 781. *Trichoptilus bidens* Meyrick, 1930 (Pterophoridae)  
 782. *Trichoptilus pelias* Meyrick, 1908 (Pterophoridae)  
 783. *Agassziella albidivisa* (W. Warren, 1896) (Pyralidae)  
 784. *Ambia magnificalis* Swinhoe, 1895 (Pyralidae)  
 785. *Ambia semifascialis* (W. Warren, 1896) (Pyralidae)  
 786. *Ammatucha semiirreola* (Hampson, 1896) (Pyralidae)  
 787. *Ancylolomia felderella* Bleszynski, 1970 (Pyralidae)  
 788. *Ancylolomia taprobanensis* Zeller, 1877 (Pyralidae)  
 789. *Argyria plumbeolinealis* (Hampson, 1896) (Pyralidae)  
 790. *Cataglyphis croesusalis* Walker, 1859 (Pyralidae)  
 791. *Ceroprepes patriciella* Zeller, 1867 (Pyralidae)  
 792. *Charltona diatraeella* (Hampson, 1896) (Pyralidae)  
 793. *Charltoniada apicella* (Hampson, 1896) (Pyralidae)  
 794. *Chilo pulverulentus* W. Warren (Pyralidae)  
 795. *Chiloptera polychrysis* (Meyrick, 1932) (Pyralidae)  
 796. *Coenodomus aglossalis* (W. Warren, 1896) (Pyralidae)  
 797. *Coenodomus fumosalis* Hampson, 1903 (Pyralidae)  
 798. *Coniesta albipennella* (Hampson, 1895) (Pyralidae)  
 799. *Coniesta diaperalis* (Hampson, 1919) (Pyralidae)  
 800. *Copamyntis infusella* (Meyrick, 1879) (Pyralidae)  
 801. *Cotachena alysoni* Whalley, 1961 (Pyralidae)  
 802. *Crambus coryolanus* Bleszynski, 1961 (Pyralidae)  
 803. *Cryptoblabes angustipennella* Ragonot, 1888 (Pyralidae)  
 804. *Cymoriza ustalis* (Walker, 1865) (Pyralidae)  
 805. *Dasytropa homogenes* Meyrick, 1894 (Pyralidae)  
 806. *Diplostephanos perieresalis* (Walker, 1859) (Pyralidae)  
 807. *Diptychophora euzonella* Hampson, 1896 (Pyralidae)  
 808. *Endotricha nigromaculata* Whalley, 1963 (Pyralidae)  
 809. *Eristena muralis* W. Warren, 1896 (Pyralidae)  
 810. *Eschata chrysargyria* (Walker, [1866]) (Pyralidae)  
 811. *Eschata gelida* Walker, 1856 (Pyralidae)  
 812. *Eschata roco* Bleszynski, 1970 (Pyralidae)  
 813. *Euclasta (s.str.) defamatalis* (Walker, 1859) (Pyralidae)  
 814. *Faveria leucophaea* (Zeller, 1867) (Pyralidae)  
 815. *Faveria majoralis* (Hampson, 1896) (Pyralidae)  
 816. *Faveria tenebralis* (Hampson, 1896) (Pyralidae)  
 817. *Gaana nigrallbella* (Hampson, 1899) (Pyralidae)  
 818. *Glaucocharis tripunctata* (Moore, 1888) (Pyralidae)  
 819. *Epicrocis festivella* Zeller, 1848 (Pyralidae)  
 820. *Epicrocis hilarella* (Ragonot, 1888) (Pyralidae)  
 821. *Indomyrma eugraphella* (Ragonot, 1888) (Pyralidae)  
 822. *Macalla margarita* (Butler, 1879) (Pyralidae)  
 823. *Macalla validalis* (Walker, 1865) (Pyralidae)  
 824. *Macrochilo ambiguellus* (Snellen, 1890) (Pyralidae)  
 825. *Magiria imparella* Zeller, 1867 (Pyralidae)  
 826. *Massepha bengalensis* Moore, 1877 (Pyralidae)  
 827. *Massepha carbonalis* W. Warren, 1896 (Pyralidae)  
 828. *Micraglossa aenealis* Hampson, 1897 (Pyralidae)  
 829. *Microchilo fulvizonellus* (Hampson, 1896) (Pyralidae)  
 830. *Microstega contractalis* (W. Warren, 1896) (Pyralidae)  
 831. *Musotima instrumentalis* (Swinhoe, 1894) (Pyralidae)  
 832. *Nymphula nigra* W. Warren, 1896 (Pyralidae)  
 833. *Oligostigma conspurcatalis* (W. Warren, 1896) (Pyralidae)  
 834. *Oligostigma hapilista* (Swinhoe, 1892) (Pyralidae)  
 835. *Orphnophanes laevis* (W. Warren, 1896) (Pyralidae)  
 836. *Orthoraphis metasticta* Hampson, 1898 (Pyralidae)  
 837. *Ostrinia furnacalis* (Guenée, 1854) (Pyralidae)  
 838. *Paliga machaeralis* (Walker, 1859) (Pyralidae)  
 839. *Paliga rubicundalis* W. Warren, 1896 (Pyralidae)  
 840. *Parthenodes aequivalis* (W. Warren, 1896) (Pyralidae)  
 841. *Parthenodes aurantialis* Swinhoe, 1895 (Pyralidae)  
 842. *Parthenodes latifascialis* (W. Warren, 1896) (Pyralidae)  
 843. *Parthenodes stellata* W. Warren, 1896 (Pyralidae)  
 844. *Pelema sericea* (Butler, 1879) (Pyralidae)  
 845. *Pramadea ridopalis* (Swinhoe, 1892) (Pyralidae)  
 846. *Pseudargyria paralela* (Zeller, 1867) (Pyralidae)  
 847. *Pseudocatharylla chalcipetra* (Hampson, 1896) (Pyralidae)  
 848. *Pseudodavara haemaphoralis* (Hampson, 1908) (Pyralidae)  
 849. *Sandrabatis crassella* Ragonot, 1893 (Pyralidae)  
 850. *Schoenobius dodatellus* Walker, 1864 (Pyralidae)  
 851. *Scirpophaga auristrigella* (Hampson, 1895) (Pyralidae)  
 852. *Scirpophaga aurivena* (Hampson, 1903) (Pyralidae)  
 853. *Scirpophaga khasis* Lewvanich, 1981 (Pyralidae)  
 854. *Spatulipalpia pallicostalis* (Walker, 1863) (Pyralidae)  
 855. *Strepsinoma croesusalis* (Walker, 1859) (Pyralidae)  
 856. *Symphonia trivitalis* (W. Warren, 1895) (Pyralidae)  
 857. *Tegulifera drapesalis* (Walker, 1859) (Pyralidae)  
 858. *Tirathaba unicolora* (Hampson, 1896) (Pyralidae)  
 859. *Volobilis biplaga* Walker, 1863 (Pyralidae)  
 860. *Volobilis chloroptera* (Hampson, 1896) (Pyralidae)  
 861. *Salassa thespis* (Leech, 1890) (Saturniidae)  
 862. *Lethe yama* (Moore, 1857) (Satyridae)  
 863. *Mycalesis nicotia* Westwood, [1850] (Satyridae)  
 864. *Neope bhadra* (Moore, 1857) (Satyridae)  
 865. *Neorina patria* Leech, 1891 (Satyridae)  
 866. *Acosmeryx anceus* (Stoll, [1781]) (Sphingidae)  
 867. *Ambulyx ochracea* Butler, 1885 (Sphingidae)  
 868. *Ampelophaga khasiana* Rothschild, 1895 (Sphingidae)  
 869. *Cechenena lineosa* (Walker, 1856) (Sphingidae)  
 870. *Daphnis hypothous* (Cramer, [1780]) (Sphingidae)  
 871. *Deilephila elpenor* (Linnaeus, 1758) (Sphingidae)  
 872. *Eupanacra mydon* (Walker, 1856) (Sphingidae)  
 873. *Macroglossum belis* (Linnaeus, 1758) (Sphingidae)  
 874. *Meganoton analis* (R. Felder & Rogenhofer, [1874]) (Sphingidae)  
 875. *Nephele hespera* (Fabricius, 1775) (Sphingidae)  
 876. *Pentateucha curiosa* Swinhoe, 1908 (Sphingidae)  
 877. *Pergesa actea* (Cramer, 1779) (Sphingidae)  
 878. *Rhagastis velata* (Walker, 1856) (Sphingidae)  
 879. *Stathmopoda cissota* Meyrick, 1913 (Stathmopodidae)  
 880. *Acraa ceramitis* Meyrick, 1908 (Stenomidae)  
 881. *Acraa euletra* Meyrick, 1908 (Stenomidae)  
 882. *Acraa xanthosaris* Meyrick, 1908 (Stenomidae)  
 883. *Aeolanthus callidora* Meyrick, 1907 (Stenomidae)  
 884. *Aeolanthus dicraea* Meyrick, 1908 (Stenomidae)

885. <i>Aeolanthus euryatma</i> (Stenomidae) Meyrick, 1908	934. <i>Archimaga philomina</i> (Tortricidae) Meyrick, 1918	983. <i>Cydia cyanogona</i> (Tortricidae) (Meyrick, 1907)
886. <i>Aeolanthus rhodochrysa</i> (Stenomidae) Meyrick, 1907	935. <i>Archips machlopiis</i> (Tortricidae) (Meyrick, 1912)	984. <i>Cydia endrosias</i> (Tortricidae) (Meyrick, 1907)
887. <i>Antolaea xanthopa</i> (Stenomidae) Meyrick, 1914	936. <i>Artiphanes prospera</i> (Tortricidae) (Meyrick, 1909)	985. <i>Cydia hyalitis</i> (Meyrick, 1909) (Tortricidae)
888. <i>Habrosyne armata</i> (Thyatiidae) Moore, 1882	937. <i>Asaphistis praeceps</i> (Tortricidae) (Meyrick, 1909)	986. <i>Cydia isacma</i> (Meyrick, 1907) (Tortricidae)
889. <i>Horithyatira diehli</i> (Thyatiidae) Werny, [1967]	938. <i>Assulella litigiosa</i> (Tortricidae) (Meyrick, 1912)	987. <i>Cydia optica</i> (Meyrick, 1912) (Tortricidae)
890. <i>Psidopala undulans</i> (Thyatiidae) (Hampson, 1893)	939. <i>Asymmetrarcha iograptia</i> (Tortricidae) (Meyrick, 1907)	988. <i>Cydia prolopha</i> (Meyrick, 1912) (Tortricidae)
891. <i>Thyatira stramineata</i> (Thyatiidae) W. Warren, 1912	940. <i>Asymmetrarcha xenopa</i> (Tortricidae) Diakonoff, 1973	989. <i>Gypsonoma solidata</i> (Tortricidae) (Meyrick, 1912)
892. <i>Wernya solena</i> (Thyatiidae) (Swinhoe, 1894)	941. <i>Aterpia palliata</i> (Tortricidae) (Meyrick, 1909)	990. <i>Idiothauma druidica</i> (Tortricidae) (Meyrick, 1909)
893. <i>Banisia lobata</i> (Thyridae) (Moore, 1882)	942. <i>Callibryastis pachnota</i> (Tortricidae) Meyrick, 1912	991. <i>Lambertiodes harmonia</i> (Tortricidae) (Meyrick, 1908)
894. <i>Camptochilus funifer</i> (Thyridae) W. Warren, 1898	943. <i>Cerace onustana</i> Walker, 1863 (Tortricidae)	992. <i>Lepteucosma ceriodes</i> (Tortricidae) (Meyrick, 1909)
895. <i>Collinsa decoratalis</i> (Thyridae) (W. Warren, 1896)	944. <i>Cerace sardias</i> Meyrick, 1907 (Tortricidae)	993. <i>Lipsetulus anacanthus</i> (Tortricidae) Diakonoff, 1973
896. <i>Dysodia laevis</i> W. Warren, 1900 (Thyridae)	945. <i>Cerace stipana</i> Walker, 1863 (Tortricidae)	994. <i>Lobesia orphica</i> (Tortricidae) (Meyrick, 1920)
897. <i>Glanyeus tricolor</i> Moore, 1879 (Thyridae)	946. <i>Cerace tetraonis</i> Butler, 1886 (Tortricidae)	995. <i>Lobesia gabina</i> (Meyrick, 1909) (Tortricidae)
898. <i>Rhodoneura atomosalis</i> Hampson, 1898 (Thyridae)	947. <i>Cerace xanthothrix</i> (Tortricidae) Diakonoff, 1950	996. <i>Lopharcha amethystas</i> (Tortricidae) (Meyrick, 1912)
899. <i>Rhodoneura comparalis</i> (Thyridae) (W. Warren, 1908)	948. <i>Cimeliomorpha cymbalora</i> (Tortricidae) (Meyrick, 1907)	997. <i>Lopharcha curiosa</i> (Tortricidae) (Meyrick, 1908)
900. <i>Rhodoneura erubescens</i> (Thyridae) W. Warren, 1908	949. <i>Clepsis melissa</i> (Meyrick, 1908) (Tortricidae)	998. <i>Matsumuraea trophiodes</i> (Tortricidae) (Meyrick, 1908)
901. <i>Rhodoneura fulvipicta</i> (Thyridae) (W. Warren, 1908)	950. <i>Clepsis provocata</i> (Tortricidae) (Meyrick, 1912)	999. <i>Megalota fallax</i> (Meyrick, 1909) (Tortricidae)
902. <i>Rhodoneura maevina</i> (Thyridae) Moore, 1888	951. <i>Arotrophora semifulva</i> (Tortricidae) (Meyrick, 1908)	1000. <i>Neopotamia divisa</i> (Tortricidae) (Walsingham, 1900)
903. <i>Rhodoneura mollis</i> (Thyridae) (W. Warren, 1896)	952. <i>Arotrophora khasiasana</i> (Tortricidae) Razowski, 2009	1001. <i>Neopotamia ioxantha</i> (Tortricidae) (Meyrick, 1907)
904. <i>Rhodoneura scripta</i> (Thyridae) (W. Warren, 1898)	953. <i>Arotrophora paiana</i> (Tortricidae) Razowski, 2009	1002. <i>Neopotamia orophias</i> (Tortricidae) (Meyrick, 1907)
905. <i>Rhodoneura taeniata</i> (Thyridae) (W. Warren, 1908)	954. <i>Arotrophora obrimsocia</i> (Tortricidae) Razowski, 2009	1003. <i>Notocelia zelota</i> (Tortricidae) (Meyrick, 1916)
906. <i>Strigina duplicifimbria</i> (Thyridae) W. Warren, 1896	955. <i>Cnephasitis dryadarcha</i> (Tortricidae) (Meyrick, 1912)	1004. <i>"Argyroplote" caryactis</i> (Tortricidae) Meyrick, 1909
907. <i>Scardia assamensis</i> (Tineidae) G.S. Robinson, 1986	956. <i>Cnesteoboda assamica</i> (Tortricidae) (Razowski, 1964)	1005. <i>"Argyroplote" catapittoma</i> (Tortricidae) Walsingham, 1900
908. <i>Eucosma ceriodes</i> (Tortricidae) Meyrick, 1909	957. <i>Cnesteoboda facilis</i> (Tortricidae) (Meyrick, 1912)	1006. <i>"Argyroplote" hilaraspis</i> (Tortricidae) Meyrick, 1931
909. <i>Eucosma legitima</i> (Tortricidae) Meyrick, 1912	958. <i>Costosa rhodantha</i> (Tortricidae) (Meyrick, 1907)	1007. <i>"Argyroplote" microplaca</i> (Tortricidae) Meyrick, 1912
910. <i>Eucosma melanoneura</i> (Tortricidae) Meyrick, 1912	959. <i>Cydia turifera</i> (Meyrick, 1912) (Tortricidae)	1008. <i>"Argyroplote" solaris</i> (Tortricidae) Meyrick, 1909
911. <i>Eucosma numellata</i> (Tortricidae) Meyrick, 1912	960. <i>Cydia pulverula</i> (Meyrick, 1912) (Tortricidae)	1009. <i>Pammene leucitis</i> (Tortricidae) (Meyrick, 1907)
912. <i>Eucosma speculatrix</i> (Tortricidae) (Meyrick, 1907)	961. <i>Cydia leucostoma</i> (Tortricidae) (Meyrick, 1912)	1010. <i>Paratorna dorcas</i> Meyrick, 1907 (Tortricidae)
913. <i>Acleris chionocentra</i> (Tortricidae) (Meyrick, 1908)	962. <i>Dactyloglypha tonica</i> (Tortricidae) (Meyrick, 1909)	1011. <i>Peridaedala algosa</i> (Tortricidae) (Meyrick, 1912)
914. <i>Acleris curiosa</i> (Meyrick, 1908) (Tortricidae)	963. <i>Dicephalarcha dimorpha</i> (Tortricidae) (Meyrick, 1909)	1012. <i>Peridaedala chlorissa</i> (Tortricidae) (Meyrick, 1912)
915. <i>Acleris dryadarcha</i> (Tortricidae) (Meyrick, 1912)	964. <i>Dicephalarcha herbosa</i> (Tortricidae) (Meyrick, 1909)	1013. <i>Phaenocasiophora astrosema</i> (Tortricidae) (Meyrick, 1909)
916. <i>Acleris elearcha</i> (Tortricidae) (Meyrick, 1908)	965. <i>Dudua tetanota</i> (Tortricidae) (Meyrick, 1909)	1014. <i>Phaenocasiophora caryosema</i> (Tortricidae) (Meyrick, 1931)
917. <i>Acleris enitescens</i> (Tortricidae) (Meyrick, 1912)	966. <i>Eboda virescens</i> (Tortricidae) Razowski, 1964	1015. <i>Phaenocasiophora cornigera</i> (Tortricidae) Diakonoff, 1959
918. <i>Acleris extensana</i> (Tortricidae) (Walker, 1863)	967. <i>Electraglaia caementosa</i> (Tortricidae) (Meyrick, 1908)	1016. <i>Phaenocasiophora diluta</i> (Tortricidae) Diakonoff, 1973
919. <i>Acleris glaucomis</i> (Tortricidae) (Meyrick, 1908)	968. <i>Electraglaia isozone</i> (Tortricidae) (Meyrick, 1908)	1017. <i>Phaenocasiophora diserta</i> (Tortricidae) (Meyrick, 1909)
920. <i>Acleris hapalactis</i> (Tortricidae) (Meyrick, 1912)	969. <i>Endothenia citharistis</i> (Tortricidae) (Meyrick, 1909)	1018. <i>Proschistis invida</i> (Tortricidae) Meyrick, 1909
921. <i>Acleris placata</i> (Meyrick, 1912) (Tortricidae)	970. <i>Epagoge melanatma</i> (Tortricidae) (Meyrick, 1908)	1019. <i>Protopterna chalybias</i> (Tortricidae) Meyrick, 1908
922. <i>Acroclita belinda</i> Meyrick, 1912 (Tortricidae)	971. <i>Eucoenogenes cyanopis</i> (Tortricidae) (Meyrick, 1912)	1020. <i>Reptilisocia paryphaea</i> (Tortricidae) (Meyrick, 1907)
923. <i>Acroclita corinthia</i> (Tortricidae) Meyrick, 1912	972. <i>Eucosma calligrapha</i> (Tortricidae) (Meyrick, 1912)	1021. <i>Retinia khasiensis</i> (Tortricidae) (Miller, 1977)
924. <i>Acroclita esmeralda</i> (Tortricidae) Meyrick, 1912	973. <i>Eucosma spicea</i> Meyrick, 1912 (Tortricidae)	1022. <i>Rhodacra pyrrhocrossa</i> (Meyrick, 1912) (Tortricidae)
925. <i>Acroclita scatebrossa</i> (Tortricidae) Meyrick, 1912	974. <i>Eucosmogastrea aeolantha</i> (Tortricidae) (Meyrick, 1914)	1023. <i>Rhodacra rupifera</i> (Tortricidae) (Meyrick, 1909)
926. <i>Acroclita thysanota</i> (Tortricidae) Meyrick, 1912	975. <i>Eucosmogastrea aeraria</i> (Tortricidae) (Meyrick, 1909)	1024. <i>Rhopobota argyrophenga</i> (Diakonoff, 1950) (Tortricidae)
927. <i>Adoxophyes parastrophia</i> (Tortricidae) Meyrick, 1912	976. <i>Eucosmogastrea callicratis</i> (Tortricidae) (Meyrick, 1909)	1025. <i>Rhopobota clivosa</i> (Tortricidae) (Meyrick, 1912)
928. <i>Adoxophyes revoluta</i> (Tortricidae) (Meyrick, 1908)	977. <i>Eudemis (s.str.) centritis</i> (Tortricidae) (Meyrick, 1912)	1026. <i>Rhopobota symbolias</i> (Tortricidae) (Meyrick, 1912)
929. <i>Ancylis hylaea</i> Meyrick, 1912 (Tortricidae)	978. <i>Eudemis (s.str.) gyrotis</i> (Tortricidae) (Meyrick, 1909)	1027. <i>Sorolopha aeolochlora</i> (Tortricidae) (Meyrick, 1916)
930. <i>Ancylis thalera</i> Meyrick, 1907 (Tortricidae)	979. <i>Eupoecilia ambiguella</i> (Tortricidae) (Hübner, 1796)	1028. <i>Sorolopha callichlora</i> (Tortricidae) (Meyrick, 1909)
931. <i>Andrioplecta pulverula</i> (Tortricidae) (Meyrick, 1912)	980. <i>Gibberifera glaciata</i> (Tortricidae) (Meyrick, 1907)	1029. <i>Sorolopha herbifera</i> (Tortricidae) (Meyrick, 1909)
932. <i>Apotomis generosa</i> (Tortricidae) (Meyrick, 1909)	981. <i>Gnorismoneura prochyta</i> (Tortricidae) (Meyrick, 1908)	1030. <i>Sorolopha semiculta</i> (Tortricidae) (Meyrick, 1909)
933. <i>Aprepodoxa glycitis</i> (Tortricidae) (Meyrick, 1928)	982. <i>Cydia callisphena</i> (Tortricidae) (Meyrick, 1907)	

1031. <i>Spatalistis armata</i> Razowski, 1966 (Tortricidae)	1055. <i>Epiplema moza</i> (Butler, 1878) (Uraniidae)	1080. <i>Balataea zebraica</i> (Butler, 1876) (Zygaenidae)
1032. <i>Spatalistis hormota</i> Meyrick, 1907 (Tortricidae)	1056. <i>Epiplema ocusta</i> Swinhoe, 1894 (Uraniidae)	1081. <i>Chalcophaedra zuleika</i> (Doubleday, 1847) (Zygaenidae)
1033. <i>Spatalistis orbiger</i> Meyrick, 1912 (Tortricidae)	1057. <i>Epiplema reticulata</i> Moore, 1879 (Uraniidae)	1082. <i>Chalcosiopsis variata</i> Swinhoe, 1894 (Zygaenidae)
1034. <i>Spatalistis rhopica</i> Meyrick, 1907 (Tortricidae)	1058. <i>Epiplema rhagavata</i> Walker, 1861 (Uraniidae)	1083. <i>Clelea metacyanea</i> Hampson, 1896 (Zygaenidae)
1035. <i>Spatalistis tyrophthora</i> Meyrick, 1912 (Tortricidae)	1059. <i>Epiplema sreapa</i> Swinhoe, 1894 (Uraniidae)	1084. <i>Clelea refulgens</i> Hampson, 1905 (Zygaenidae)
1036. <i>Spilonota calceata</i> (Meyrick, 1907) (Tortricidae)	1060. <i>Orudiza prothelaria</i> Walker, 1861 (Uraniidae)	1085. <i>Clelea simplex</i> Jordan, 1908 (Zygaenidae)
1037. <i>Spilonota melanacta</i> (Meyrick, 1907) (Tortricidae)	1061. <i>Pseudomicronia coelata</i> Moore, 1887 (Uraniidae)	1086. <i>Cyclosia inornata</i> (Walker, 1864) (Zygaenidae)
1038. <i>Spilonota melanocopa</i> (Meyrick, 1912) (Tortricidae)	1062. <i>Urapteroides astheniata</i> (Guenée, [1858]) (Uraniidae)	1087. <i>Ephemeroidea cyanea</i> Jordan, 1908 (Zygaenidae)
1039. <i>Spilonota semicurva</i> (Meyrick, 1912) (Tortricidae)	1063. <i>Cophomantella elaphopis</i> (Meyrick, 1910) (Xyloryctidae)	1088. <i>Eterusia aedeia</i> (Linnaeus, 1763) (Zygaenidae)
1040. <i>Statherotis aspidias</i> (Meyrick, 1909) (Tortricidae)	1064. <i>Epichostis cryphaea</i> (Meyrick, 1908) (Xyloryctidae)	1089. <i>Eterusia lativitta</i> Moore, 1879 (Zygaenidae)
1041. <i>Statignatha primigena</i> (Meyrick, 1912) (Tortricidae)	1065. <i>Epichostis leucorma</i> (Meyrick, 1908) (Xyloryctidae)	1090. <i>Gyneutocera papilionaris</i> Guérin-Méneville, 1831 (Zygaenidae)
1042. <i>Sycacantha (inodes-gr.) hilarograpt</i> (Meyrick, 1933) (Tortricidae)	1066. <i>Epichostis stelota</i> (Meyrick, 1908) (Xyloryctidae)	1091. <i>Hampsonia pulcherrima</i> Swinhoe, 1894 (Zygaenidae)
1043. <i>Terthreutis sphaerocosma</i> Meyrick, 1918 (Tortricidae)	1067. <i>Epichostis tympanias</i> (Meyrick, 1908) (Xyloryctidae)	1092. <i>Herpidia eupompa</i> (Swinhoe, 1897) (Zygaenidae)
1044. <i>Diactenis bidentifera</i> Meyrick, 1928 (Tortricidae)	1068. <i>Epimactis turbida</i> Meyrick, 1914 (Xyloryctidae)	1093. <i>Heterusinula dichroa</i> (Jordan, 1907) (Zygaenidae)
1045. <i>Diactenis deformata</i> Meyrick, 1928 (Tortricidae)	1069. <i>Lasiodictis melistoma</i> Meyrick, 1912 (Xyloryctidae)	1094. <i>Milleria adalifa</i> (Doubleday, 1847) (Zygaenidae)
1046. <i>Tymbarcha cerinopa</i> Meyrick, 1908 (Tortricidae)	1070. <i>Linoclostis gonatias</i> Meyrick, 1908 (Xyloryctidae)	1095. <i>Milleria hamiltoni</i> Swinhoe, 1891 (Zygaenidae)
1047. <i>Acropteris iphiata</i> Guenée, [1858] (Uraniidae)	1071. <i>Metathrinca illuvialis</i> (Meyrick, 1914) (Xyloryctidae)	1096. <i>Phacusa khasiana</i> (Moore, 1879) (Zygaenidae)
1048. <i>Acropteris obliquaria</i> Moore, 1877 (Uraniidae)	1072. <i>Acrolepia conchitis</i> Meyrick, 1913 (Yponomeutidae)	1097. <i>Philipator rotunda</i> Hampson, 1896 (Zygaenidae)
1049. <i>Amana angulifera</i> Walker, 1855 (Uraniidae)	1073. <i>Alophogaster rubribasis</i> Hampson, 1892 (Zygaenidae)	1098. <i>Piarosoma sizala</i> (Swinhoe, 1894) (Zygaenidae)
1050. <i>Dysaethria rhagavolita</i> Holloway, 1998 (Uraniidae)	1074. <i>Arachotia euglenia</i> Jordan, 1908 (Zygaenidae)	1099. <i>Pseudocaptisyle circumdata</i> (Walker, [1865]) (Zygaenidae)
1051. <i>Epiplema fulvilinea</i> Hampson (Uraniidae)	1075. <i>Artona flavigula</i> (Hampson, 1896) (Zygaenidae)	1100. <i>Soritia pulchella</i> (Kollar, [1848]) (Zygaenidae)
1052. <i>Epiplema himala</i> (Butler, 1880) (Uraniidae)	1076. <i>Artona flavipuncta</i> Hampson, 1900 (Zygaenidae)	1101. <i>Tasema bipars</i> Walker, 1856 (Zygaenidae)
1053. <i>Epiplema instabilata</i> Walker, 1866 (Uraniidae)	1077. <i>Artona lugubris</i> Jordan, 1907 (Zygaenidae)	
1054. <i>Epiplema irrorata</i> Moore, 1887 (Uraniidae)	1078. <i>Artona microstigma</i> Jordan, 1907 (Zygaenidae)	
	1079. <i>Balataea lugubris</i> (Jordan, 1907) (Zygaenidae)	

## Murree (Mre) [Pakistan]

1. <i>Andala unifascia</i> Walker, 1855 (Arctiidae)	21. <i>Danaus (Anosia) chrysippus</i> (Linnaeus, 1758) (Danaiidae)	40. <i>Gnophos dispunctatus</i> Walker, 1868 (Geometridae)
2. <i>Lemyra multivittata</i> (Moore, 1865) (Arctiidae)	22. <i>Mustilia columbaris</i> Butler, 1886 (Endromidae)	41. <i>Hemistola detracta</i> Walker, 1861 (Geometridae)
3. <i>Spilartia obliqua</i> (Walker, 1855) (Arctiidae)	23. <i>Abraxas virginalis</i> Butler, 1886 (Geometridae)	42. <i>Hemistola loxiaria</i> (Guenée, [1858]) (Geometridae)
4. <i>Spilosoma lubricipeda</i> (Linnaeus, 1758) (Arctiidae)	24. <i>Alcis iterata</i> (Butler, 1886) (Geometridae)	43. <i>Heterolocha phoenicotaeniata</i> (Kollar, [1844]) (Geometridae)
5. <i>Aglais kaschmirensis</i> (Kollar, [1844]) (Argynnidae)	25. <i>Alcis nudipennis</i> W. Warren, 1888 (Geometridae)	44. <i>Heterothera dentifasciata</i> (Hampson, 1895) (Geometridae)
6. <i>Argynnis (Argyreus) hyperbius</i> (Linnaeus, 1763) (Argynnidae)	26. <i>Anonychia rostrifera</i> (W. Warren, 1888) (Geometridae)	45. <i>Lampropteryx jameza</i> (Butler, 1898) (Geometridae)
7. <i>Argynnis (Protodryas) kamala</i> Moore, 1857 (Argynnidae)	27. <i>Arichanna diversicolor</i> (W. Warren, 1888) (Geometridae)	46. <i>Ligdia coctata</i> Guenée, [1858] (Geometridae)
8. <i>Athyma (Tatisia) opalina</i> (Kollar, [1844]) (Argynnidae)	28. <i>Chloroglyphica variegata</i> (Butler, 1889) (Geometridae)	47. <i>Menophra plantei</i> Inoue, 1993 (Geometridae)
9. <i>Cyrestis (s.str.) thyodamas</i> Boisduval, 1836 (Argynnidae)	29. <i>Colostygia albigirata</i> (Kollar, [1844]) (Geometridae)	48. <i>Menophra subplagiata</i> (Walker, 1860) (Geometridae)
10. <i>Issoria issaea</i> (Moore, 1857) (Argynnidae)	30. <i>Electrophaes fulgidaria</i> (Leach, 1897) (Geometridae)	49. <i>Myrioblephara repleta</i> (L.B. Prout, 1926) (Geometridae)
11. <i>Issoria lathonia</i> (Linnaeus, 1758) (Argynnidae)	31. <i>Electrophaes perpulchra</i> (Butler, 1886) (Geometridae)	50. <i>Nadagara grisea</i> Butler, 1883 (Geometridae)
12. <i>Limnitis (s.str.) trivena</i> Moore, 1864 (Argynnidae)	32. <i>Garaeus albipunctatus</i> Hampson, 1895 (Geometridae)	51. <i>Odontopera kametaria</i> (R. Felder & Rogenhofer, [1875]) (Geometridae)
13. <i>Neptis (s.str.) mahendra</i> Moore, 1872 (Argynnidae)	33. <i>Garaeus signatus</i> (Butler, 1886) (Geometridae)	52. <i>Opisthographis mimulina</i> (Butler, 1886) (Geometridae)
14. <i>Neptis (s.str.) yerburii</i> Butler, 1886 (Argynnidae)	34. <i>Eupithecia conjunctiva</i> Hampson, 1895 (Geometridae)	53. <i>Ourapteryx yerburii</i> (Butler, 1886) (Geometridae)
15. <i>Nymphalis polychloros</i> (Linnaeus, 1758) (Argynnidae)	35. <i>Eupithecia fletcheri</i> L.B. Prout, 1926 (Geometridae)	54. <i>Petula stramineata</i> (W. Warren, 1888) (Geometridae)
16. <i>Polygonia (Comma) egea</i> (Cramer, [1775]) (Argynnidae)	36. <i>Eupithecia impavida</i> Vojnits, 1979 (Geometridae)	55. <i>Rhodometra sacraria</i> (Linnaeus, 1767) (Geometridae)
17. <i>Precis (Junonia) orithya</i> (Linnaeus, 1758) (Argynnidae)	37. <i>Eupithecia interrubescens</i> (Hampson, 1902) (Geometridae)	56. <i>Rhodostrophia herbicolens</i> (Butler, 1883) (Geometridae)
18. <i>Sephisa dichroa</i> (Kollar, [1844]) (Argynnidae)	38. <i>Eupithecia subrubescens</i> (W. Warren, 1888) (Geometridae)	57. <i>Rhodostrophia inconspicua</i> (Butler, 1886) (Geometridae)
19. <i>Vanessa (s.str.) indica</i> (Herbst, 1794) (Argynnidae)	39. <i>Gnophos (Ctenognophos) oblectarius</i> Walker, 1866 (Geometridae)	58. <i>Rhodostrophia pelloniaria</i> (Guenée, [1858]) (Geometridae)
20. <i>Brahmaea (Brahmophthalma) wallichii</i> (Gray, 1831) (Brahmaeidae)		59. <i>Rhodostrophia vinacearia</i> (Moore, 1868) (Geometridae)



- |  |  |   |
|--|--|---|
| 60. <i>Scopula ornata</i> (Scopoli,1763) (Geometridae)   | 100. <i>Polyommatus</i> (s.str.) <i>pseuderos</i> (Moore,1879) (Lycaenidae)                        | 141. <i>Colias</i> ( <i>Neocolias</i> ) <i>erate erate</i> (Esper,[1805]) (Pieridae)  |
| 61. <i>Scopula pallida</i> (W.Warren,1888) (Geometridae)   | 101. <i>Rapala iarbus</i> (Fabricius,1787) (Lycaenidae)  | 142. <i>Colotis</i> (s.str.) <i>etrida</i> (Boisduval,1836) (Pieridae)                |
| 62. <i>Thalassodes opalina</i> Butler,1880 (Geometridae)   | 102. <i>Rapala nissa</i> (Kollar,[1844]) (Lycaenidae)  | 143. <i>Gonepteryx</i> (s.str.) <i>mahaguru</i> (Gistel,1857) (Pieridae)              |
| 63. <i>Triphosa dubiosata</i> (Walker,1862) (Geometridae)  | 103. <i>Tarucus</i> (s.str.) <i>hazarus</i> Evans,1932 (Lycaenidae)                                | 144. <i>Pieris</i> ( <i>Artogeia</i> ) <i>ajaka</i> Moore,1865 (Pieridae)             |
| 64. <i>Venusia pallidaria</i> Hampson,1903 (Geometridae)   | 104. <i>Thecla ziha</i> (Hewitson,1865) (Lycaenidae)   | 145. <i>Pieris</i> ( <i>Artogeia</i> ) <i>canidia</i> (Sparrman,1768) (Pieridae)      |
| 65. <i>Xenortholita latifusata</i> (Walker,1862) (Geometridae)   | 105. <i>Zizeeria</i> ( <i>Pseudozizeeria</i> ) <i>maha</i> (Kollar,[1844]) (Lycaenidae)            | 146. <i>Aglossa pinguinalis</i> (Linnaeus,1758) (Pyralidae)                           |
| 66. <i>Acrocercops scoliograpt</i> Meyrick,1922 (Gracillariidae)   | 106. <i>Zizeeria</i> (s.str.) <i>karsandra</i> (Moore,1865) (Lycaenidae)                           | 147. <i>Coniesta albipennella</i> (Hampson,1895) (Pyralidae)                          |
| 67. <i>Caloptilia</i> (s.str.) <i>porphyraema</i> (Meyrick,1922) (Gracillariidae)                            | 107. <i>Euproctis angulifera</i> (Butler,1886) (Lymantriidae)                                      | 148. <i>Haimbachia albipennella</i> (Hampson,1896) (Pyralidae)                        |
| 68. <i>Phyllonorycter eratantha</i> (Meyrick,1922) (Gracillariidae)  | 108. <i>Euproctis scintillans</i> (Walker,1856) (Lymantriidae)                                     | 149. <i>Haimbachia strigulalis</i> (Hampson,1896) (Pyralidae)                         |
| 69. <i>Phyllonorycter montanella</i> Bradley,1980 (Gracillariidae)   | 109. <i>Euproctis vitellina</i> (Kollar,[1844]) (Lymantriidae)                                     | 150. <i>Macalla derogatella</i> Walker,1863 (Pyralidae)                               |
| 70. <i>Phyllonorycter philerata</i> (Meyrick,1922) (Gracillariidae)  | 110. <i>Ochropleura triangularis</i> Moore,1867 (Noctuidae)  | 151. <i>Nomophila noctuella</i> ([Denis & Schiffermüller],1775) (Pyralidae)           |
| 71. <i>Aeromachus stigmatus</i> (Moore,1878) (Hesperiidae)   | 111. <i>Agrotis</i> (s.str.) <i>segetum</i> ([Denis & Schiffermüller],1775) (Noctuidae)            | 152. <i>Ostrinia kasmirica</i> (Moore,1888) (Pyralidae)                               |
| 72. <i>Bibasis sena</i> (Moore,[1866]) (Hesperiidae)   | 112. <i>Albocosta stentzi</i> (Lederer,1853) (Noctuidae)   | 153. <i>Pyralis pictalis</i> (Curtis,1834) (Pyralidae)                                |
| 73. <i>Carcharodus</i> (s.str.) <i>alceae</i> (Esper,[1780]) (Hesperiidae)                                   | 113. <i>Amphipyra murrensis</i> Strand,1916 (Noctuidae)  | 154. <i>Samea yerburi</i> Butler,1886 (Pyralidae)                                     |
| 74. <i>Celaenorrhinus leucocera</i> (Kollar,[1844]) (Hesperiidae)  | 114. <i>Amphipyra pyramidea</i> (Linnaeus,1758) (Noctuidae)  | 155. <i>Dodona dipoea</i> Hewitson,1866 (Riodinidae)                                  |
| 75. <i>Celaenorrhinus munda</i> Moore,1865 (Hesperiidae)   | 115. <i>Apamea niveiplaga</i> (Walker,1857) (Noctuidae)  | 156. <i>Dodona durga</i> (Kollar,[1844]) (Riodinidae)                                 |
| 76. <i>Lobocla liliana</i> (Atkinson,1871) (Hesperiidae)   | 116. <i>Arytrurides inornata</i> (Walker,1865) (Noctuidae)   | 157. <i>Dodona eugenes</i> Bates,1867 (Riodinidae)                                    |
| 77. <i>Parnara guttatus</i> (Bremer & Grey,[1852]) (Hesperiidae)   | 117. <i>Autophila</i> (s.str.) <i>himalayica</i> (Hampson,1894) (Noctuidae)                        | 158. <i>Saturnia</i> ( <i>Rinaca</i> ) <i>simla</i> Westwood,1847 (Saturniidae)       |
| 78. <i>Pelopidas agna</i> (Moore,[1866]) (Hesperiidae)   | 118. <i>Catocala</i> (s.str.) <i>persimilis</i> W.Warren,1888 (Noctuidae)                          | 159. <i>Aulocera saraswati</i> (Kollar,[1844]) (Satyridae)                            |
| 79. <i>Polytremis discreta</i> Elwes & Edwards,1897 (Hesperiidae)  | 119. <i>Cucullia</i> (s.str.) <i>nigrifascia</i> Hampson,1894 (Noctuidae)                          | 160. <i>Aulocera swaha</i> (Kollar,[1844]) (Satyridae)                                |
| 80. <i>Polytremis eltola</i> (Hewitson,1869) (Hesperiidae)   | 120. <i>Cucullia</i> (s.str.) <i>stigmatophora</i> Hampson,1894 (Noctuidae)                        | 161. <i>Callerebia nirmala</i> (Moore,1865) (Satyridae)                               |
| 81. <i>Seseria dohertyi</i> (E.Y.Watson,1893) (Hesperiidae)  | 121. <i>Euplexia pectinata</i> W.Warren,1888 (Noctuidae)   | 162. <i>Lasiommata schakra</i> (Kollar,[1844]) (Satyridae)                            |
| 82. <i>Tagiades</i> ( <i>Nestus-gr</i> ) <i>cohaerens</i> Mabilie,1914 (Hesperiidae)                         | 122. <i>Harutaegrapha diffusa</i> Yoshimoto,1994 (Noctuidae)                                       | 163. <i>Lethe confusa</i> Aurivillius,1898 (Satyridae)                                |
| 83. <i>Telicota bambusae</i> (Moore,1878) (Hesperiidae)  | 123. <i>Hypocalamia meterythra</i> (Hampson,1894) (Noctuidae)                                      | 164. <i>Lethe rohria</i> (Fabricius,1787) (Satyridae)                                 |
| 84. <i>Trabala vishnou</i> (Lefebvre,1827) (Lasiocampidae)   | 124. <i>Lygephila dorsigera</i> (Walker,1865) (Noctuidae)  | 165. <i>Ypthima avanta</i> Moore,1874 (Satyridae)                                     |
| 85. <i>Libythea</i> (s.str.) <i>lepita</i> Moore,1857 (Libytheidae)  | 125. <i>Meganola scripta</i> (Moore,1888) (Noctuidae)  | 166. <i>Ypthima nareda</i> (Kollar,[1844]) (Satyridae)                                |
| 86. <i>Aphendala cana</i> (Walker,1865) (Limacodidae)  | 126. <i>Mimeugoa bifasciata</i> (Hampson,1894) (Noctuidae)   | 167. <i>Ypthima nikaea</i> Moore,1874 (Satyridae)                                     |
| 87. <i>Arhopala rama</i> (Kollar,[1844]) (Lycaenidae)  | 127. <i>Mythimna</i> ( <i>Pseudaetia</i> ) <i>unipuncta</i> (Haworth,[1809]) (Noctuidae)           | 168. <i>Ypthima sakra</i> Moore,1857 (Satyridae)                                      |
| 88. <i>Euchrysops cnejus</i> (Fabricius,1798) (Lycaenidae)   | 128. <i>Odontodes aleuca</i> Guenée,1852 (Noctuidae)   | 169. <i>Paranthrene flammans</i> (Hampson,[1893]) (Sesiidae)                          |
| 89. <i>Celastrina gigas</i> (Hemming,1928) (Lycaenidae)  | 129. <i>Paralelia latifascia</i> (W.Warren,1888) (Noctuidae)                                       | 170. <i>Hemaris</i> ( <i>Saundersia</i> ) <i>saundersi</i> (Walker,1856) (Sphingidae) |
| 90. <i>Celastrina kollari</i> (Westwood,[1852]) (Lycaenidae)   | 130. <i>Perigrapha</i> ( <i>Harutaegrapha</i> ) <i>bidui</i> Hreblay & Plante,1996 (Noctuidae)     | 171. <i>Macroglossum nycteris</i> (Kollar,1844) (Sphingidae)                          |
| 91. <i>Cupido</i> ( <i>Everes</i> ) <i>dipora</i> (Moore,1865) (Lycaenidae)                                  | 131. <i>Perigrapha</i> ( <i>Harutaegrapha</i> ) <i>kofka</i> Hreblay,1996 (Noctuidae)              | 172. <i>Macroglossum stellatarum</i> (Linnaeus,1758) (Sphingidae)                     |
| 92. <i>Deudorix</i> (s.str.) <i>epijarbas</i> (Moore,[1858]) (Lycaenidae)                                    | 132. <i>Rhynchina sagittata</i> Butler,1889 (Noctuidae)  | 173. <i>Macroglossum stellatarum stellatarum</i> (Linnaeus,1758) (Sphingidae)         |
| 93. <i>Euaspa milionia</i> (Hewitson,[1869]) (Lycaenidae)  | 133. <i>Xestia</i> (s.str.) <i>consanguinea</i> (Moore,1881) (Noctuidae)                           | 174. <i>Theretra alecto</i> (Linnaeus,1758) (Sphingidae)                              |
| 94. <i>Heliophorus</i> ( <i>Nesa</i> ) <i>sena</i> (Kollar,[1844]) (Lycaenidae)                              | 134. <i>Rhynchina plusioides</i> (Butler,1889) (Noctuidae)   | 175. <i>Theretra alecto alecto</i> (Linnaeus,1758) (Sphingidae)                       |
| 95. <i>Heliophorus</i> (s.str.) <i>tamu</i> (Kollar,[1844]) (Lycaenidae)                                     | 135. <i>Graphium</i> (s.str. ( <i>Zetides</i> )) <i>cloanthus</i> (Westwood,1841) (Papilionidae)   | 176. <i>Acraea amphorodes</i> Meyrick,1923 (Stenomidae)                               |
| 96. <i>Lycaena</i> (s.str.) <i>phlaeas</i> (Linnaeus,1761) (Lycaenidae)                                      | 136. <i>Papilio</i> (s.str.) <i>machaon</i> Linnaeus,1758 (Papilionidae)                           | 177. <i>Tethea hodita</i> (Swinhoe,1895) (Thyatiridae)                                |
| 97. <i>Oreolyce</i> ( <i>Arletta</i> ) <i>vardhana</i> (Moore,1874) (Lycaenidae)                             | 137. <i>Princeps</i> (s.str. ( <i>Achillides</i> )) <i>arcturus</i> (Westwood,1842) (Papilionidae) | 178. <i>Eucosma prominens</i> Meyrick,1922 (Tortricidae)                              |
| 98. <i>Polyommatus</i> ( <i>Aricia</i> (s.str.)) <i>agestis</i> ([Denis & Schiffermüller],1775) (Lycaenidae) | 138. <i>Princeps</i> (s.str. ( <i>Achillides</i> )) <i>bianor</i> (Cramer,[1777]) (Papilionidae)   | 179. <i>Celypha constructa</i> (Meyrick,1922) (Tortricidae)                           |
| 99. <i>Polyommatus</i> (s.str.) <i>arianus</i> Moore,[1866] (Lycaenidae)                                     | 139. <i>Colias</i> ( <i>Eriocolias</i> ) <i>fieldii</i> Ménétériés,1855 (Pieridae)                 | 180. <i>Cerace tetraonis</i> Butler,1886 (Tortricidae)                                |
|  | 140. <i>Colias</i> ( <i>Neocolias</i> ) <i>erate</i> (Esper,[1805]) (Pieridae)                     | 181. <i>Clepsis chlorodoxa</i> (Meyrick,1920) (Tortricidae)                           |
|  |  | 182. <i>Cochylidia moguntiana</i> (Rössler,1864) (Tortricidae)                        |
|  |  | 183. <i>Pammene dicastica</i> Meyrick,1922 (Tortricidae)                              |
|  |  | 184. <i>Pandemis dryoxesta</i> Meyrick,1920 (Tortricidae)                             |
|  |  | 185. <i>Pentacitrotus vulneratus</i> Butler,1881 (Tortricidae)                        |
|  |  | 186. <i>Agalope hyalina</i> (Kollar,[1844]) (Zygaenidae)                              |
|  |  | 187. <i>Praezygaena caschmirensis</i> (Kollar,[1844]) (Zygaenidae)                    |

## Rangoon (Rgo) [Myanmar]

- |  |   |  |
|--|---|--|
| 1. <i>Pseudoblabea oophora</i> Zeller,1853 (Arctiidae) | 2. <i>Miltochrista multifasciata</i> Hampson,1894 (Arctiidae) | 3. <i>Euploea midamus</i> (Linnaeus,1758) (Danaidae) |
|  |   | 4. <i>Tirumala gautama</i> (Moore,1877) (Danaidae)   |

- |   |  |  |
|---|--|--|
| 5. Eois memorata (Walker,1861)<br>(Geometridae)               | 19. Parasa darma Moore,[1860] (Limacodidae)                      | 34. Maliattha baetica (Swinhoe,1890)<br>(Noctuidae)          |
| 6. Hyposidra infixaria (Walker,1860)<br>(Geometridae)         | 20. Thosea unifascia Walker,1855<br>(Limacodidae)                | 35. Mecodina analis Swinhoe,1890 (Noctuidae)                 |
| 7. Traminda mundissima (Walker,1861)<br>(Geometridae)         | 21. Triplophleps inferna (Swinhoe,1890)<br>(Limacodidae)         | 36. Mecodina agrestis Swinhoe,1890<br>(Noctuidae)            |
| 8. Caltoris cahira (Moore,1877) (Hesperiidae)                 | 22. Arhopala asinarus C.Felder &<br>R.Felder,[1865] (Lycaenidae) | 37. Neurois atrovirens (Walker,1865)<br>(Noctuidae)          |
| 9. Potanthus junio Evans,1932 (Hesperiidae)                   | 23. Euproctis virgo Swinhoe,1903<br>(Lymantriidae)               | 38. Nola taeniata Snellen,1875 (Noctuidae)                   |
| 10. Altha lacteola (Swinhoe,1890)<br>(Limacodidae)            | 24. Aquita laminata (Hampson,1891)<br>(Noctuidae)                | 39. Tamba nigrilinea (Walker,1869) (Noctuidae)               |
| 11. Cania bandura (Moore,[1860])<br>(Limacodidae)             | 25. Bocana manifestalis Walker,[1859]<br>(Noctuidae)             | 40. Thalathoides conjecturalis (Swinhoe,1890)<br>(Noctuidae) |
| 12. Chalcoecelis albiguttatus (Snellen,1879)<br>(Limacodidae) | 26. Catoblemma semialba (Hampson,1902)<br>(Noctuidae)            | 41. Bireta longivitta Walker,1856<br>(Notodontidae)          |
| 13. Macroplectra minutissima (Swinhoe,1890)<br>(Limacodidae)  | 27. Characoma curiosa (Swinhoe,1890)<br>(Noctuidae)              | 42. Paliga machaeralis (Walker,1859)<br>(Pyrilidae)          |
| 14. Iragoides conjuncta (Walker,1855)<br>(Limacodidae)        | 28. Dyrzela bosca Swinhoe,1890 (Noctuidae)                       | 43. Paranthrene gracilis (Swinhoe,1890)<br>(Sesiidae)        |
| 15. Macroplectra minutissima (Swinhoe,1890)<br>(Limacodidae)  | 29. Dyrzela plagiata Walker,1858 (Noctuidae)                     | 44. Paranthrene noblei (Swinhoe,1890)<br>(Sesiidae)          |
| 16. Natada cephica Swinhoe,1890<br>(Limacodidae)              | 30. Egnasia fasciata Moore,1882 (Noctuidae)                      | 45. Pseudosesia rangoonensis (Swinhoe,1890)<br>(Sesiidae)    |
| 17. Natada convergens (Walker,1855)<br>(Limacodidae)          | 31. Giaura multipunctata Swinhoe,1919<br>(Noctuidae)             | 46. Corma zelica (Doubleday,1847)<br>(Zygaenidae)            |
| 18. Natada rufescens Walker,1855<br>(Limacodidae)             | 32. Hadennia jutalis (Walker,[1859])<br>(Noctuidae)              | 47. Phacusa properta (Swinhoe,1890)<br>(Zygaenidae)          |
|   | 33. Idia fulvipicta (Butler,1889) (Noctuidae)                    |  |

## Erivan (Eri) [Armenia]

- |   |  |  |
|---|--|--|
| 1. Adela mazzolella (Hübner,[1801])<br>(Adelidae)   | 28. Caradrina (Platyperigea) terrea<br>(Freyer,[1840]) (Noctuidae)         | 54. Procapperia maculata (Constant,1865)<br>(Pterophoridae)                  |
| 2. Alucita desmodactyla Zeller,1847<br>(Alucitidae)   | 29. Cardepiia sociabilis (Graslin,1850)<br>(Noctuidae)                     | 55. Stangeia siceliota (Zeller,1847)<br>(Pterophoridae)                      |
| 3. Alucita araxella Zagulyaev,2000 (Alucitidae)   | 30. Chersotis (s.str.) fimbriola (Esper,[1798])<br>(Noctuidae)             | 56. Stenoptilia bipunctidactyla (Scopoli,1763)<br>(Pterophoridae)            |
| 4. Carposina diampyx Diakonoff,1989<br>(Carposinidae)   | 31. Dichagyris (s.str.) armeniaca<br>Kozhantshikov,1929 (Noctuidae)        | 57. Stenoptilia mannii (Zeller,1852)<br>(Pterophoridae)                      |
| 5. Ascalenia viviparella Kasy,1969<br>(Cosmopterigidae)   | 32. Dichagyris (s.str.) terminicincta (Corti &<br>Draudt,1933) (Noctuidae) | 58. Stenoptilia stigmatodactyla (Zeller,1852)<br>(Pterophoridae)             |
| 6. Dyspessa salicicola (Eversmann,1848)<br>(Cossidae)   | 33. Luperina diversa (Staudinger,1892)<br>(Noctuidae)                      | 59. Asalebria (Exophora) exasperata<br>(Staudinger,1879) (Pyrilidae)         |
| 7. Amata caspia (Staudinger,1877)<br>(Ctenuchidae)  | 34. Oligia latruncula ([Denis &<br>Schiffmüller],1775) (Noctuidae)         | 60. Asalebria (s.str.) venustella (Ragonot,1887)<br>(Pyrilidae)              |
| 8. Amata rossica (Turati,1917) (Ctenuchidae)  | 35. Opigena polygona (Fabricius,1787)<br>(Noctuidae)                       | 61. Bradyrrhoa gilveolella (Treitschke,1833)<br>(Pyrilidae)                  |
| 9. Dysauxes (s.str.) fraterna Ignatyev &<br>Zolotuhin,2006 (Ctenuchidae)                          | 36. Rhyacia (s.str.) nyctimerides (O.Bang-<br>Haas,1922) (Noctuidae)       | 62. Dipleurina lacustrata (Panzer,1804)<br>(Pyrilidae)                       |
| 10. Endromis versicolora (Linnaeus,1758)<br>(Endromidae)  | 37. Scythrocentropus misella (Püngeler,1907)<br>(Noctuidae)                | 63. Evergestis desertalis (Hübner,[1813])<br>(Pyrilidae)                     |
| 11. Ethmia quadrinotella (Mann,1861)<br>(Ethmiidae)   | 38. Stenodrina paupera (Christoph,1885)<br>(Noctuidae)                     | 64. Evergestis flavifuscalis Rebel,1903<br>(Pyrilidae)                       |
| 12. Bryotropha domestica (Haworth,1828)<br>(Gelechiidae)  | 39. Victrix (s.str.) karsiana Staudinger,1879<br>(Noctuidae)               | 65. Evergestis manglialis Erschoff,1877<br>(Pyrilidae)                       |
| 13. Dyscia (Calodyscia) innocentaria<br>(Christoph,1885) (Geometridae)                            | 40. Epicalima formosella ([Denis &<br>Schiffmüller],1775) (Oecophoridae)   | 66. Homoeosoma (s.str.) sinuellum<br>(Fabricius,1794) (Pyrilidae)            |
| 14. Dyscia (s.str.) conspersaria ([Denis &<br>Schiffmüller],1775) (Geometridae)                   | 41. Parnassius (Driopa) mnemosyne<br>(Linnaeus,1758) (Papilionidae)        | 67. Homoeosoma (s.str.) subalbatellum<br>(Mann,1864) (Pyrilidae)             |
| 15. Eupithecia amasina Bohatsch,1893<br>(Geometridae)   | 42. Parnassius (s.str.) apollo (Linnaeus,1758)<br>(Papilionidae)           | 68. Hypochalcia corella (Hübner,[1810])<br>(Pyrilidae)                       |
| 16. Eupithecia hamleti Vardikjan,1985<br>(Geometridae)  | 43. Zerynthia (Allancastris) caucasica<br>(Lederer,1864) (Papilionidae)    | 69. Pempelia intricatella Ragonot,1887<br>(Pyrilidae)                        |
| 17. Eupithecia innotata (Hufnagel,1767)<br>(Geometridae)  | 44. Canephora lutea (Staudinger,1871)<br>(Psychidae)                       | 70. Praeepischnia lydella (Lederer,1865)<br>(Pyrilidae)                      |
| 18. Eupithecia ochrovittata Christoph,1887<br>(Geometridae)                                       | 45. Canephora minuta (Kozhantshikov,1956)<br>(Psychidae)                   | 71. Pristocrella solskyi (Christoph,1877)<br>(Pyrilidae)                     |
| 19. Eupithecia separata Staudinger,1879<br>(Geometridae)  | 46. Canephora unicolorata<br>(Kozhantshikov,1956) (Psychidae)              | 72. Pterothrixidia caucasiella (Ragonot,1888)<br>(Pyrilidae)                 |
| 20. Microbiston phaeothorax Wehrli,1941<br>(Geometridae)  | 47. Ptilocephala (gr.4) plumifera<br>(Ochsenheimer,1810) (Psychidae)       | 73. Pterothrixidia contectella (Zeller,1848)<br>(Pyrilidae)                  |
| 21. Scotopteryx kuznetsovi (Vardikjan,1957)<br>(Geometridae)                                      | 48. Agdistis adactyla (Hübner,[1819])<br>(Pterophoridae)                   | 74. Xanthocrambus saxonellus (Zincken,1821)<br>(Pyrilidae)                   |
| 22. Semiothisa erevanica Vardikjan,1985<br>(Geometridae)  | 49. Capperia maratonica Adamczewski,1951<br>(Pterophoridae)                | 75. Saturnia (s.str.) pyri ([Denis &<br>Schiffmüller],1775) (Saturniidae)    |
| 23. Callophrys danchenkoi Zhanko,1998<br>(Lycaenidae)   | 50. Cnaemidophorus rhododactylus<br>(Fabricius,1787) (Pterophoridae)       | 76. Scythris (inertella-gr.) ethmiella Amsel,1974<br>(Scythridae)            |
| 24. Polyommatus (s.str.) (Agrodiaetus<br>(Admetusia))) eriwanensis (Forster,1960)<br>(Lycaenidae) | 51. Crombrugghia distans (Zeller,1847)<br>(Pterophoridae)                  | 77. Scythris (pascuella-gr.) tabescentella<br>(Staudinger,1880) (Scythridae) |
| 25. Agrochola (Anchoscelis) osthelderi<br>Boursin,1951 (Noctuidae)                                | 52. Oxyptilus parvidactylus (Haworth,[1811])<br>(Pterophoridae)            | 78. Scythris (scopolella-gr.) apicalis<br>(Zeller,1847) (Scythridae)         |
| 26. Athymia centrargo (Haworth,[1809])<br>(Noctuidae)   | 53. Platypilia armeniaca Zagulyaev,1984<br>(Pterophoridae)                 | 79. Scythris (scopolella-gr.) flabella<br>(Mann,1861) (Scythridae)           |

- |  |  |  |
|--|--|--|
| 80. Scythris degenerella Fuchs,1903 (Scythridae)                   | 89. Aethes margaritifera Falkovitsh,1963 (Tortricidae)                 | 98. Phtheochroa subfumida (Falkovitsh,1963) (Tortricidae)                  |
| 81. Proserpinus proserpinus (Pallas,1772) (Sphingidae)             | 90. Aethes margarotana (Duponchel,1836) (Tortricidae)                  | 99. Thiodia anatoliana Kennel,1916 (Tortricidae)                           |
| 82. Ceratuncus danubiellus (Mann,1866) (Tineidae)                  | 91. Aethes prangana (Kennel,1900) (Tortricidae)                        | 100. Thiodia caradjana Kennel,1916 (Tortricidae)                           |
| 83. Haplotinea ditella (Pierce & Diakonoff,1938) (Tineidae)        | 92. Cochylimorpha nomadana (Erschoff,1874) (Tortricidae)               | 101. Zygaena (Agrumenia) olivieri Boisduval,1828 (Zygaenidae)              |
| 84. Myrmecozela (Flavida) armeniaca Zagulyaev,1971 (Tineidae)      | 93. Olethreutes (Argyroplote) ? plumbiferana Kennel,1916 (Tortricidae) | 102. Zygaena (Mesembrynus) cambysea Lederer,1870 (Zygaenidae)              |
| 85. Petalographis orientalis (G.Petersen,1961) (Tineidae)          | 94. "Argyroplote" plumbifera Kennel,1918 (Tortricidae)                 | 103. Zygaena (Mesembrynus) cuvieri Boisduval,1828 (Zygaenidae)             |
| 86. Acleris napaea (Meyrick,1912) (Tortricidae)                    | 95. Pammene avetianae Kuznetsov,1964 (Tortricidae)                     | 104. Zygaena (Mesembrynus) punctum Ochsenheimer,1808 (Zygaenidae)          |
| 87. Acleris rhombana ([Denis & Schiffermüller],1775) (Tortricidae) | 96. Phalonidia acutana (Kennel,1913) (Tortricidae)                     | 105. Zygaena (Agrumenia) loti ([Denis & Schiffermüller],1775) (Zygaenidae) |
| 88. Aethes deutschiana (Zetterstedt,1839) (Tortricidae)            | 97. Phtheochroa rugosana (Hübner,[1799]) (Tortricidae)                 | 106. Zygaenoprocris (Molletia) taftana (Alberti,1939) (Zygaenidae)         |

## Kızılcahamam (06R) [Turkey]

- |  |   |  |
|--|---|--|
| 1. Arctia (Epicallia) villica (Linnaeus,1758) (Arctiidae)                        | 35. Nymphalis antiopa (Linnaeus,1758) (Argynnididae)                | 69. Deltophora maculata (Staudinger,1879) (Gelechiidae)                        |
| 2. Arctia (Eucharia) festiva (Hufnagel,1766) (Arctiidae)                         | 36. Nymphalis polychloros (Linnaeus,1758) (Argynnididae)            | 70. Dirhinosis arnoldiella (Rebel,1905) (Gelechiidae)                          |
| 3. Manulea (s.str.) complana (Linnaeus,1758) (Arctiidae)                         | 37. Polygonia (Comma) c-album (Linnaeus,1758) (Argynnididae)        | 71. Ephysteris (Microcraspedus) deserticolella (Staudinger,1871) (Gelechiidae) |
| 4. Manulea (s.str.) costalis (Zeller,1847) (Arctiidae)                           | 38. Polygonia (Comma) egea (Cramer,[1775]) (Argynnididae)           | 72. Nothris verbascella (Brahm,1791) (Gelechiidae)                             |
| 5. Manulea (s.str.) palliatella (Scopoli,1763) (Arctiidae)                       | 39. Thaleropsis ionia (Eversmann,1851) (Argynnididae)               | 73. Pexicopia malvella (Hübner,[1805]) (Gelechiidae)                           |
| 6. Manulea (s.str.) pseudocomplana (Daniel,1939) (Arctiidae)                     | 40. Vanessa (s.str.) atalanta (Linnaeus,1758) (Argynnididae)        | 74. Platydra subcinerea (Haworth,[1828]) (Gelechiidae)                         |
| 7. Manulea (s.str.) pygmaeola (Doubleday,1847) (Arctiidae)                       | 41. Amselina parapsesta Gozmany,1986 (Autostichidae)                | 75. Scrobipalpa (Ilseopsis) grossa Povolny,1966 (Gelechiidae)                  |
| 8. Epatolmis caesarea (Goeze,1781) (Arctiidae)                                   | 42. Brachodes appendiculata (Esper,[1783]) (Brachodidae)            | 76. Scrobipalpula psilella (Herrich-Schäffer,[1854]) (Gelechiidae)             |
| 9. Euplagia quadripunctaria (Poda,1761) (Arctiidae)                              | 43. Bucculatrix anthemidella Deschka,1972 (Bucculatricidae)         | 77. Sophronia finitimella Rebel,1905 (Gelechiidae)                             |
| 10. Lacydes spectabilis (Tauscher,1806) (Arctiidae)                              | 44. Carposina berberidella Herrich-Schäffer,[1854] (Carposinidae)   | 78. Stenolechia gemmella (Linnaeus,1758) (Gelechiidae)                         |
| 11. Ocnogyna (Somatotrichia) parasita (Hübner,1790) (Arctiidae)                  | 45. Carposina scirrhosella Herrich-Schäffer,[1854] (Carposinidae)   | 79. Teleopsis diffinis (Haworth,[1828]) (Gelechiidae)                          |
| 12. Paidia (s.str.) cinerascens (Herrich-Schäffer,[1847]) (Arctiidae)            | 46. Coleophora amasicola Toll,1942 (Coleophoridae)                  | 80. Anticlea badiata (Lang,1789) (Geometridae)                                 |
| 13. Setina aurata (Ménétriés,1832) (Arctiidae)                                   | 47. Stigmatophora anonymella (Riedl,1965) (Cosmopterigidae)         | 81. Anticlea derivata ([Denis & Schiffermüller],1775) (Geometridae)            |
| 14. Spiris striata (Linnaeus,1758) (Arctiidae)                                   | 48. Eteobalea sumptuosella (Lederer,1855) (Cosmopterigidae)         | 82. Aplocera plagiata (Linnaeus,1758) (Geometridae)                            |
| 15. Tyria jacobaeae (Linnaeus,1758) (Arctiidae)                                  | 49. Vulcaniella glaseri (Riedl,1966) (Cosmopterigidae)              | 83. Artiora evonymaria (Hübner,[1799]) (Geometridae)                           |
| 16. Aglais urticae (Linnaeus,1758) (Argynnididae)                                | 50. Vulcaniella grabowiella (Staudinger,1859) (Cosmopterigidae)     | 84. Campaea margaritaria (Linnaeus,1761) (Geometridae)                         |
| 17. Argynnis (Fabriciana) adippe (Rottemburg,1775) (Argynnididae)                | 51. Vulcaniella pomposella (Zeller,1839) (Cosmopterigidae)          | 85. Camptogramma bilineatum (Linnaeus,1758) (Geometridae)                      |
| 18. Argynnis (Fabriciana) niobe (Linnaeus,1758) (Argynnididae)                   | 52. Dyspessa salicicola (Eversmann,1848) (Cossidae)                 | 86. Catarhoe putridaria (Herrich-Schäffer,[1852]) (Geometridae)                |
| 19. Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775) (Argynnididae) | 53. Dyspessa ulula (Borkhausen,1790) (Cossidae)                     | 87. Chiasmia clathrata (Linnaeus,1758) (Geometridae)                           |
| 20. Argynnis (Speyeria) aglaja (Linnaeus,1758) (Argynnididae)                    | 54. Dyspessa infusata (Staudinger,1892) (Cossidae)                  | 88. Chloroclysta miata (Linnaeus,1758) (Geometridae)                           |
| 21. Argynnis (s.str.) paphia (Linnaeus,1758) (Argynnididae)                      | 55. Isoceras bipunctatum (Staudinger,1887) (Cossidae)               | 89. Colotois pennaria (Linnaeus,1761) (Geometridae)                            |
| 22. Boloria (Clossiana) euphrosyne (Linnaeus,1758) (Argynnididae)                | 56. Zeugera pyrina (Linnaeus,1761) (Cossidae)                       | 90. Cosmorhoe ocellata (Linnaeus,1758) (Geometridae)                           |
| 23. Brenthis hecate ([Denis & Schiffermüller],1775) (Argynnididae)               | 57. Amata rossica (Turati,1917) (Ctenuchidae)                       | 91. Dyscia (s.str.) conspersaria ([Denis & Schiffermüller],1775) (Geometridae) |
| 24. Vanessa (Cynthia) cardui (Linnaeus,1758) (Argynnididae)                      | 58. Dysauxes (s.str.) ancilla (Linnaeus,1767) (Ctenuchidae)         | 92. Erannis defoliaria (Linnaeus,1761) (Geometridae)                           |
| 25. Euphydryas (Eurodryas) aurinia (Rottemburg,1775) (Argynnididae)              | 59. Dysauxes (s.str.) famula (Freyer,1836) (Ctenuchidae)            | 93. Euphyia chalusata Wiltshire,1970 (Geometridae)                             |
| 26. Inachis io (Linnaeus,1758) (Argynnididae)                                    | 60. Cilia asiatica A.Bang-Haas,1907 (Drepanidae)                    | 94. Eupithecia achyrdaghica Wehrli,1929 (Geometridae)                          |
| 27. Issoria lathonia (Linnaeus,1758) (Argynnididae)                              | 61. Cilia glauca (Scopoli,1763) (Drepanidae)                        | 95. Eupithecia alliaria Staudinger,1870 (Geometridae)                          |
| 28. Limenitis (Azuritis) reducta Staudinger,1901 (Argynnididae)                  | 62. Watsonalla binaria (Hufnagel,1767) (Drepanidae)                 | 96. Eupithecia breviculata (Donzel,1837) (Geometridae)                         |
| 29. Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779) (Argynnididae)             | 63. Elachista anatoliensis Traugott-Olsen,1990 (Elachistidae)       | 97. Eupithecia schiefereri Dietze,1904 (Geometridae)                           |
| 30. Melitaea (Cinclidia) (phoebe) punica Oberthür,1876 (Argynnididae)            | 64. Epermenia (Calotropis) chaerophylla (Goeze,1783) (Epermeniidae) | 98. Eupithecia denticulata (Treitschke,1828) (Geometridae)                     |
| 31. Melitaea (Didymaeformis) didyma (Esper,[1779]) (Argynnididae)                | 65. Ethmia amasina (Staudinger,1879) (Ethmiidae)                    | 99. Eupithecia extraversaria Herrich-Schäffer,[1852] (Geometridae)             |
| 32. Melitaea (Didymaeformis) fascelis (Fabricius,1787) (Argynnididae)            | 66. Ethmia derbendella Sattler,1967 (Ethmiidae)                     | 100. Eupithecia extremata (Fabricius,1787) (Geometridae)                       |
| 33. Melitaea (s.str.) cinxia (Linnaeus,1758) (Argynnididae)                      | 67. Ethmia rothschildi (Rebel,1912) (Ethmiidae)                     |  |
| 34. Melitaea (Melicta) athalia (Rottemburg,1775) (Argynnididae)                  | 68. Aroga velocella (Zeller,1839) (Gelechiidae)                     |  |



101. *Eupithecia graphata* (Treitschke, 1828) (Geometridae)  
 102. *Eupithecia indigata* (Hübner, 1813) (Geometridae)  
 103. *Eupithecia kunzi* Pinker, 1976 (Geometridae)  
 104. *Eupithecia ochridata* Schütze & Pinker, 1968 (Geometridae)  
 105. *Eupithecia pseudocastigata* Pinker, 1976 (Geometridae)  
 106. *Eupithecia reisserata* Pinker, 1976 (Geometridae)  
 107. *Eupithecia semigraphata* Bruand, 1847 (Geometridae)  
 108. *Eupithecia spissilineata* (Metzner, 1846) (Geometridae)  
 109. *Heliomata glarearia* (Brahm, 1791) (Geometridae)  
 110. *Hydria cervicalis* (Scopoli, 1763) (Geometridae)  
 111. *Idaea maritima* (Bruand, 1846) (Geometridae)  
 112. *Lobophora halterata* (Hufnagel, 1767) (Geometridae)  
 113. *Lythria cruentaria* (Hufnagel, 1767) (Geometridae)  
 114. *Orthostixis cribraria* (Hübner, 1799) (Geometridae)  
 115. *Ourapteryx sambucaria* (Linnaeus, 1758) (Geometridae)  
 116. *Phigalia pendaria* (Fabricius, 1787) (Geometridae)  
 117. *Philereme transversata* (Hufnagel, 1767) (Geometridae)  
 118. *Protorhoe corollaria* (Herrich-Schäffer, 1848) (Geometridae)  
 119. *Pseudopanthera macularia* (Linnaeus, 1758) (Geometridae)  
 120. *Pydna badiaria* (Freyer, 1841) (Geometridae)  
 121. *Rhodostrophia auctata* (Staudinger, 1879) (Geometridae)  
 122. *Rhodostrophia calabra* (Petagna, 1786) (Geometridae)  
 123. *Scopula beckeraria* (Lederer, 1853) (Geometridae)  
 124. *Scopula decorata* ([Denis & Schiffermüller, 1775] (Geometridae)  
 125. *Scopula nigropunctata* (Hufnagel, 1767) (Geometridae)  
 126. *Scopula ornata* (Scopoli, 1763) (Geometridae)  
 127. *Scopula rubiginata* (Hufnagel, 1767) (Geometridae)  
 128. *Scotopteryx bipunctaria* ([Denis & Schiffermüller, 1775] (Geometridae)  
 129. *Scotopteryx chenopodiata* (Linnaeus, 1758) (Geometridae)  
 130. *Scotopteryx moeniata* (Scopoli, 1763) (Geometridae)  
 131. *Scotopteryx vicinaria* (Duponchel, 1830) (Geometridae)  
 132. *Theria rupicapra* ([Denis & Schiffermüller, 1775] (Geometridae)  
 133. *Acrocercops brongniardella* (Fabricius, 1798) (Gracillariidae)  
 134. *Heliodines roesella* (Linnaeus, 1758) (Heliodinidae)  
 135. *Carcharodus* (Lavatheria) *lavatherae* (Esper, 1783) (Hesperiidae)  
 136. *Carcharodus* (Reverdinus) *orientalis* Reverdin, 1913 (Hesperiidae)  
 137. *Carcharodus* (s.str.) *alcaeae* (Esper, 1780) (Hesperiidae)  
 138. *Erynnis* (Hesperopegasus) *marloyi* (Boisduval, 1834) (Hesperiidae)  
 139. *Erynnis* (s.str.) *tages* (Linnaeus, 1758) (Hesperiidae)  
 140. *Muschampia nomas* (Lederer, 1855) (Hesperiidae)  
 141. *Muschampia proteides* (F. Wagner, 1929) (Hesperiidae)  
 142. *Ochlodes venatus* (Bremer & Grey, 1852) (Hesperiidae)  
 143. *Pyrgus armoricanus* (Oberthür, 1910) (Hesperiidae)  
 144. *Pyrgus malvae* (Linnaeus, 1758) (Hesperiidae)  
 145. *Pyrgus melotis* (Duponchel, 1834) (Hesperiidae)  
 146. *Pyrgus serratalae* (Rambur, 1839) (Hesperiidae)  
 147. *Pyrgus sidae* (Esper, 1784) (Hesperiidae)  
 148. *Spialia* (Neospialia) *orbifer* (Hübner, 1823) (Hesperiidae)  
 149. *Thymelicus lineolus* (Ochsenheimer, 1808) (Hesperiidae)  
 150. *Thymelicus sylvestris* (Poda, 1761) (Hesperiidae)  
 151. *Dendrolimus pini* (Linnaeus, 1758) (Lasiocampidae)  
 152. *Eriogaster* (s.str.) *inspersa* (Staudinger, 1879) (Lasiocampidae)  
 153. *Eriogaster* (s.str.) *rimicola* (Schrank, 1802) (Lasiocampidae)  
 154. *Lasiocampa eversmanni* (Kindermann, 1843) (Lasiocampidae)  
 155. *Lasiocampa grandis* (Rogenhofer, 1891) (Lasiocampidae)  
 156. *Lasiocampa trifolii* ([Denis & Schiffermüller, 1775] (Lasiocampidae)  
 157. *Malacosoma castrensis* (Linnaeus, 1758) (Lasiocampidae)  
 158. *Malacosoma neustrium* (Linnaeus, 1758) (Lasiocampidae)  
 159. *Phyllodesma* (s.str.) *tremulifolium* (Hübner, 1810) (Lasiocampidae)  
 160. *Poecilocampa alpina* (Frey & Wulfschlegel, 1874) (Lasiocampidae)  
 161. *Trichiura* (s.str.) *verenae* Witt, 1981 (Lasiocampidae)  
 162. *Libythea* (s.str.) *celtis* (Laicharting, 1782) (Libytheidae)  
 163. *Callophrys rubi* (Linnaeus, 1758) (Lycanidae)  
 164. *Celastrina argiolus* (Linnaeus, 1758) (Lycanidae)  
 165. *Cupido* (s.str.) *minimus* (Fuessly, 1775) (Lycanidae)  
 166. *Cupido* (s.str.) *osiris* (Meigen, 1829) (Lycanidae)  
 167. *Glauropsyche* (s.str.) *alexis* (Poda, 1761) (Lycanidae)  
 168. *Glauropsyche* (Iolana) *lessei* Bernardi, 1964 (Lycanidae)  
 169. *Lampides boeticus* (Linnaeus, 1767) (Lycanidae)  
 170. *Lycena* (Alciphronia) *alciphron* (Rottburg, 1775) (Lycanidae)  
 171. *Lycena* (Heodes) *virgaureae* (Linnaeus, 1758) (Lycanidae)  
 172. *Lycena* (Loweia) *tityrus* (Poda, 1761) (Lycanidae)  
 173. *Lycena* (Thersamonia) *thersamon* (Esper, 1784) (Lycanidae)  
 174. *Lycena* (Thersamonia) *thetis* (Klug, 1834) (Lycanidae)  
 175. *Lycena* (s.str.) *phlaeas* (Linnaeus, 1761) (Lycanidae)  
 176. *Plebejus* (Kretania) *carmon* (Gerhard, 1851) (Lycanidae)  
 177. *Plebejus* (Lycacides) *idas* (Linnaeus, 1761) (Lycanidae)  
 178. *Plebejus* (Plebejides) *modicus* Verity, 1935 (Lycanidae)  
 179. *Plebejus* (s.str.) *argus* (Linnaeus, 1758) (Lycanidae)  
 180. *Polyommatus* (Aricia) (Eumedonia) *eumedon* (Esper, 1780) (Lycanidae)  
 181. *Polyommatus* (Aricia) (Ultraaricia) *anteros* (Freyer, 1838) (Lycanidae)  
 182. *Polyommatus* (Aricia) (s.str.) *agestis* ([Denis & Schiffermüller, 1775] (Lycanidae)  
 183. *Polyommatus* (Aricia) (s.str.) *artaxerxes* (Fabricius, 1793) (Lycanidae)  
 184. *Polyommatus* (s.str.) (Agrodiaetus) *admetus* (Esper, 1783) (Lycanidae)  
 185. *Polyommatus* (s.str.) (Agrodiaetus) *demavendi* (Pfeiffer, 1938) (Lycanidae)  
 186. *Polyommatus* (s.str.) (Agrodiaetus) *ripartii* (Freyer, 1830) (Lycanidae)  
 187. *Polyommatus* (s.str.) (Agrodiaetus) *poseidon* (Herrich-Schäffer, 1851) (Lycanidae)  
 188. *Polyommatus* (s.str.) (Agrodiaetus) *Transcaspicus* (Gerhard, 1851) (Lycanidae)  
 189. *Polyommatus* (s.str.) (Cyaniris) *bellis* (Freyer, 1842) (Lycanidae)  
 190. *Polyommatus* (s.str.) (Lysandra) *bellargus* (Rottburg, 1775) (Lycanidae)  
 191. *Polyommatus* (s.str.) (Lysandra) *osmar* (Gerhard, 1851) (Lycanidae)  
 192. *Polyommatus* (s.str.) (Meleageria) *daphnis* ([Denis & Schiffermüller, 1775] (Lycanidae)  
 193. *Polyommatus* (s.str.) (Neolysandra) *coelestinus* (Eversmann, 1843) (Lycanidae)  
 194. *Polyommatus* (s.str.) (Plebicula) *amandus* (Schneider, 1792) (Lycanidae)  
 195. *Polyommatus* (s.str.) (Plebicula) *dorylas* ([Denis & Schiffermüller, 1775] (Lycanidae)  
 196. *Polyommatus* (s.str.) (Sublysandra) *cornelius* (Freyer, 1850) (Lycanidae)  
 197. *Polyommatus* (s.str.) (Sublysandra) *myrrhus* (Herrich-Schäffer, 1852) (Lycanidae)  
 198. *Polyommatus* (s.str.) (Thersitesia) *thersites* (Canterer, 1835) (Lycanidae)  
 199. *Polyommatus* (s.str.) *eroides* (Frivaldsky, 1835) (Lycanidae)  
 200. *Polyommatus* (s.str.) *icarus* (Rottburg, 1775) (Lycanidae)  
 201. *Pseudophilotes vicrama* (Moore, 1865) (Lycanidae)  
 202. *Quercusia quercus* (Linnaeus, 1758) (Lycanidae)  
 203. *Rubrapterus bavius* (Eversmann, 1832) (Lycanidae)  
 204. *Satyrion* (Nordmannia) *acaciae* (Fabricius, 1787) (Lycanidae)  
 205. *Satyrion* (Nordmannia) *ilicis* (Esper, 1779) (Lycanidae)  
 206. *Satyrion* (Strymonidia) *spini* (Fabricius, 1787) (Lycanidae)  
 207. *Satyrion* (Strymonidia) *w-album* (Knoch, 1782) (Lycanidae)  
 208. *Tarucus* (s.str.) *balkanicus* (Freyer, 1843) (Lycanidae)  
 209. *Tomares* (nogelii) *nogelii* (Freyer, 1851) (Lycanidae)  
 210. *Turanana endymion* (Freyer, 1850) (Lycanidae)  
 211. *Euproctis chrysorrhoea* (Linnaeus, 1758) (Lymantriidae)  
 212. *Leucoma salicis* (Linnaeus, 1758) (Lymantriidae)  
 213. *Lymantria dispar* (Linnaeus, 1758) (Lymantriidae)  
 214. *Parocneria detrita* (Esper, 1785) (Lymantriidae)  
 215. *Parocneria terebinthi* (Freyer, 1838) (Lymantriidae)  
 216. *Stigmella cocciferae* Nieukerken & Johansson, 2003 (Nepticulidae)  
 217. *Stigmella roborella* (Johansson, 1971) (Nepticulidae)  
 218. *Stigmella samiatella* (Zeller, 1839) (Nepticulidae)  
 219. *Trifurcula* (Glaucolipsis) *melanoptera* van Nieukerken & Puplesis, 1991 (Nepticulidae)  
 220. *Trifurcula* (Levarchama) *eurema* (Tutt, 1899) (Nepticulidae)  
 221. *Trifurcula* (s.str.) *subnitidella* (Duponchel, 1843) (Nepticulidae)  
 222. *Abrostola clarissa* (Staudinger, 1900) (Noctuidae)  
 223. *Acronicta* (Triaena) *aceris* (Linnaeus, 1758) (Noctuidae)  
 224. *Acronicta* (Triaena) *psi* (Linnaeus, 1758) (Noctuidae)  
 225. *Acronicta* (Viminia) *euphorbiae* (Denis, 1785) (Noctuidae)  
 226. *Agrochola* (Anchoscelis) *deleta* (Staudinger, 1881) (Noctuidae)  
 227. *Agrochola* (Anchoscelis) *helvola* (Linnaeus, 1758) (Noctuidae)  
 228. *Agrochola* (Anchoscelis) *humilis* (Fabricius, 1787) (Noctuidae)  
 229. *Agrochola* (Anchoscelis) *kindermannii* (Fischer v. Röslerstamm, 1841) (Noctuidae)  
 230. *Agrochola* (Anchoscelis) *litura* (Linnaeus, 1761) (Noctuidae)  
 231. *Agrochola* (Anchoscelis) *luteogrisea* (W. Warren, 1911) (Noctuidae)

232. *Agrochola* (Anchoscelis) *macilenta* (Hübner, [1809]) (Noctuidae)  
 233. *Agrochola* (Anchoscelis) *nitida* (Fabricius, 1787) (Noctuidae)  
 234. *Agrochola* (Anchoscelis) *rupicapra* (Staudinger, 1879) (Noctuidae)  
 235. *Agrochola* (Frivaldskyola) *mansueta* (Herrich-Schäffer, [1850]) (Noctuidae)  
 236. *Agrotis* (Crassagrotis) *bigramma* (Esper, [1790]) (Noctuidae)  
 237. *Agrotis* (Crassagrotis) *obesa* (Boisduval, 1829) (Noctuidae)  
 238. *Agrotis* (s.str.) *cinerea* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 239. *Agrotis* (s.str.) *exclamationis* (Linnaeus, 1758) (Noctuidae)  
 240. *Agrotis* (s.str.) *ipsilon* (Hufnagel, 1766) (Noctuidae)  
 241. *Agrotis* (s.str.) *segetum* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 242. *Agrotis* (s.str.) *trux* (Hübner, [1824]) (Noctuidae)  
 243. *Allophyes* *asiatica* (Staudinger, 1892) (Noctuidae)  
 244. *Ammoconia* *senex* (Geyer, [1828]) (Noctuidae)  
 245. *Amphipyra* *stix* Herrich-Schäffer, [1850] (Noctuidae)  
 246. *Amphipyra* *tetra* (Fabricius, 1787) (Noctuidae)  
 247. *Amphipyra* *tragopoginis* (Clerck, 1759) (Noctuidae)  
 248. *Antitype* *chi* (Linnaeus, 1758) (Noctuidae)  
 249. *Antitype* *jonis* (Lederer, 1865) (Noctuidae)  
 250. *Apamea* (s.str.) *anceps* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 251. *Apamea* (s.str.) *lithoxylaea* (Fabricius, 1787) (Noctuidae)  
 252. *Apamea* (s.str.) *sicula* (Turati, 1909) (Noctuidae)  
 253. *Aporophyla* *australis* (Boisduval, 1829) (Noctuidae)  
 254. *Asteroscopus* *syriaca* (W. Warren, 1910) (Noctuidae)  
 255. *Atethmia* *centrago* (Haworth, [1809]) (Noctuidae)  
 256. *Atethmia* *pinker* (Boursin, 1970) (Noctuidae)  
 257. *Auchmis* (s.str.) *detersa* (Esper, [1791]) (Noctuidae)  
 258. *Autographa* *gamma* (Linnaeus, 1758) (Noctuidae)  
 259. *Bena bicolorana* (Fuessly, 1775) (Noctuidae)  
 260. *Calocucullia* *celsiae* (Herrich-Schäffer, 1850) (Noctuidae)  
 261. *Calophasia* *barthae* F. Wagner, 1929 (Noctuidae)  
 262. *Calophasia* *lunula* (Hufnagel, 1766) (Noctuidae)  
 263. *Calymma* *communimacula* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 264. *Caradrina* (Boursinidrina) *rjabovi* (Boursin, 1936) (Noctuidae)  
 265. *Caradrina* (Paradrina) *clavipalpis* (Scopoli, 1763) (Noctuidae)  
 266. *Caradrina* (Paradrina) *flavirena* (Guenée, 1852) (Noctuidae)  
 267. *Caradrina* (Paradrina) *jacobsi* (Rothschild, 1914) (Noctuidae)  
 268. *Caradrina* (Paradrina) *wullschlegeli* (Püngeler, 1903) (Noctuidae)  
 269. *Caradrina* (Platyperigea) *terrea* (Freyer, [1840]) (Noctuidae)  
 270. *Caradrina* (s.str.) *agrotina* (Staudinger, 1892) (Noctuidae)  
 271. *Catocala* (Ephesia) *nymphaea* (Esper, [1787]) (Noctuidae)  
 272. *Catocala* (s.str.) *conversa* (Esper, 1783) (Noctuidae)  
 273. *Catocala* (s.str.) *disjuncta* (Geyer, [1828]) (Noctuidae)  
 274. *Catocala* (s.str.) *fraxini* (Linnaeus, 1758) (Noctuidae)  
 275. *Catocala* (s.str.) *promissa* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 276. *Catocala* (s.str.) *weiserti* Hacker, 1999 (Noctuidae)  
 277. *Cerastis* *rubricosa* (Fabricius, 1787) (Noctuidae)  
 278. *Charanyca* *trigrammica* (Hufnagel, 1766) (Noctuidae)  
 279. *Chazaria* *incarnata* (Freyer, 1838) (Noctuidae)  
 280. *Chersotis* (s.str.) *capnistis* (Lederer, 1872) (Noctuidae)  
 281. *Chersotis* (s.str.) *fimbriola* (Esper, [1798]) (Noctuidae)  
 282. *Chersotis* (s.str.) *laeta* (Rebel, 1904) (Noctuidae)  
 283. *Chersotis* (s.str.) *margaritacea* (Villers, 1789) (Noctuidae)  
 284. *Chersotis* (s.str.) *rectangula* (Fabricius, 1787) (Noctuidae)  
 285. *Chersotis* (s.str.) *semna* (Püngeler, 1906) (Noctuidae)  
 286. *Chloantha* *hypericii* (Fabricius, 1787) (Noctuidae)  
 287. *Chrysodeixis* *chalcites* (Esper, [1789]) (Noctuidae)  
 288. *Cleoceris* *scoriacea* (Esper, [1789]) (Noctuidae)  
 289. *Cleonymia* (Serryvania) *opposita* (Lederer, 1870) (Noctuidae)  
 290. *Colocasia* *coryli* (Linnaeus, 1758) (Noctuidae)  
 291. *Conistra* (Dasycampa) *erythrocephala* (Fabricius, 1787) (Noctuidae)  
 292. *Conistra* (s.str.) *ligula* (Esper, 1791) (Noctuidae)  
 293. *Conistra* (s.str.) *metria* Boursin, 1940 (Noctuidae)  
 294. *Conistra* (s.str.) *torrida* (Lederer, 1857) (Noctuidae)  
 295. *Conistra* (s.str.) *veronicae* (Hübner, [1813]) (Noctuidae)  
 296. *Cosmia* (Calymnia) *trapezina* (Linnaeus, 1758) (Noctuidae)  
 297. *Craniophora* *ligustri* (Fabricius, 1787) (Noctuidae)  
 298. *Craniophora* *pontica* (Staudinger, 1879) (Noctuidae)  
 299. *Cryphia* (Bryoleuca) *raptricula* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 300. *Cryphia* (Bryoleuca) *seladona* (Christoph, 1885) (Noctuidae)  
 301. *Cryphia* (Bryopsis) *muralis* (Forster, 1771) (Noctuidae)  
 302. *Cryphia* (Euthales) *algae* (Fabricius, 1775) (Noctuidae)  
 303. *Cryphia* (s.str.) *recepticula* (Hübner, [1803]) (Noctuidae)  
 304. *Cucullia* (Shargacucullia) *prenanthis* Boisduval, 1840 (Noctuidae)  
 305. *Cucullia* (s.str.) *mixta* Freyer, 1841 (Noctuidae)  
 306. *Dasyptolia* (s.str.) *templi* (Thunberg, 1792) (Noctuidae)  
 307. *Diarsia* *rubi* (Vieweg, 1790) (Noctuidae)  
 308. *Dichagyris* (Grisygoga) *candelisequa* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 309. *Dichagyris* (Yigoga) *forcipula* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 310. *Dichagyris* (Yigoga) *latipennis* (Püngeler, 1909) (Noctuidae)  
 311. *Dichagyris* (Yigoga) *nigrescens* (Hofner, 1888) (Noctuidae)  
 312. *Dichagyris* (s.str.) *erubescens* (Staudinger, 1892) (Noctuidae)  
 313. *Dichonia* (Gripesia) *aprilina* (Linnaeus, 1758) (Noctuidae)  
 314. *Dichonia* (Gripesia) *pinker* Kobes, 1973 (Noctuidae)  
 315. *Dichonia* (Gripesia) *wegneri* Kobes & Fibiger, 2003 (Noctuidae)  
 316. *Dichonia* (s.str.) *aeruginea* (Hübner, [1803]) (Noctuidae)  
 317. *Dichonia* (s.str.) *convergens* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 318. *Dicycla* *oo* (Linnaeus, 1758) (Noctuidae)  
 319. *Diloba* *caeruleocephala* (Linnaeus, 1758) (Noctuidae)  
 320. *Drasteria* *cailino* (Lefèbvre, 1827) (Noctuidae)  
 321. *Drasteria* *saisani* (Staudinger, 1882) (Noctuidae)  
 322. *Dryobotodes* (s.str.) *carbonis* (F. Wagner, 1931) (Noctuidae)  
 323. *Dryobotodes* (s.str.) *eremita* (Fabricius, 1775) (Noctuidae)  
 324. *Dypterygia* *scabriuscula* (Linnaeus, 1758) (Noctuidae)  
 325. *Earias* *clorana* (Linnaeus, 1761) (Noctuidae)  
 326. *Egira* *conspicillaris* (Linnaeus, 1758) (Noctuidae)  
 327. *Elaphria* *venustula* (Hübner, 1790) (Noctuidae)  
 328. *Acontia* (Emmelia) *trabealis* (Scopoli, 1763) (Noctuidae)  
 329. *Enargia* *pinker* De Freina & Hacker, 1985 (Noctuidae)  
 330. *Epilecta* *linogrisea* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 331. *Episema* *korsakovi* (Christoph, 1885) (Noctuidae)  
 332. *Episema* *lederi* Christoph, 1885 (Noctuidae)  
 333. *Eublemma* (chlorotica-gr.) *chloroticum* (Lederer, 1858) (Noctuidae)  
 334. *Euchalcia* (s.str.) *taurica* (Osthelder, 1933) (Noctuidae)  
 335. *Eugnorisma* (Metagnorisma) *pontica* (Staudinger, 1892) (Noctuidae)  
 336. *Eugnorisma* (s.str.) *chaldaica* (Boisduval, 1840) (Noctuidae)  
 337. *Eutelia* *adoratrix* (Staudinger, 1892) (Noctuidae)  
 338. *Eutelia* *adulatrix* (Hübner, [1813]) (Noctuidae)  
 339. *Euxoa* (s.str.) *birivia* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 340. *Euxoa* (s.str.) *conspicua* (Hübner, [1824]) (Noctuidae)  
 341. *Euxoa* (s.str.) *cos* (Hübner, [1824]) (Noctuidae)  
 342. *Euxoa* (s.str.) *distinguenda* (Lederer, 1857) (Noctuidae)  
 343. *Euxoa* (s.str.) *glabella* (Wagner, 1930) (Noctuidae)  
 344. *Euxoa* (s.str.) *hastifera* (Donzel, 1847) (Noctuidae)  
 345. *Euxoa* (s.str.) *nigricans* (Linnaeus, 1761) (Noctuidae)  
 346. *Euxoa* (s.str.) *segnilis* (Duponchel, 1836) (Noctuidae)  
 347. *Euxoa* (s.str.) *temera* (Hübner, [1808]) (Noctuidae)  
 348. *Euxoa* (s.str.) *vitta* (Esper, [1789]) (Noctuidae)  
 349. *Gortyna* *moesiaca* Herrich-Schäffer, [1849] (Noctuidae)  
 350. *Hada* *plebeja* (Linnaeus, 1761) (Noctuidae)  
 351. *Hadena* (Anepia) *syriaca* (Osthelder, 1933) (Noctuidae)  
 352. *Hadena* (s.str. (Albimaculia)) *gueneei* (Staudinger, 1901) (Noctuidae)  
 353. *Hadena* (s.str. (Albimaculia)) *humilis* (Christoph, 1893) (Noctuidae)  
 354. *Hadena* (s.str. (Anatolidena)) *staudingeri* (F. Wagner, 1931) (Noctuidae)  
 355. *Hadena* (s.str. (Hadenobilis)) *melanochroa* (Staudinger, 1892) (Noctuidae)  
 356. *Hadena* (s.str. (Hadenobilis)) *vulcanica* (Turati, 1907) (Noctuidae)  
 357. *Hadena* (s.str. (Magnoliadena)) *magnolii* (Boisduval, 1828) (Noctuidae)  
 358. *Hadula* (Calocestra (Hadumendax)) *mendax* (Staudinger, 1879) (Noctuidae)  
 359. *Hadula* (Calocestra (Hadutrifolium)) *trifolii* (Hufnagel, 1766) (Noctuidae)  
 360. *Haemerosia* *renalis* (Hübner, [1813]) (Noctuidae)  
 361. *Hecatera* *bicolorata* (Hufnagel, 1766) (Noctuidae)  
 362. *Helicoverpa* *armigera* (Hübner, [1808]) (Noctuidae)  
 363. *Heliophobus* *reticulata* (Goeze, 1781) (Noctuidae)  
 364. *Heterophysa* *dumetorum* (Geyer, 1834) (Noctuidae)  
 365. *Hoplodrina* *ambigua* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 366. *Hoplodrina* *respersa* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 367. *Hoplodrina* *superstes* (Ochsenheimer, 1816) (Noctuidae)  
 368. *Hypena* *munitalis* Mann, 1861 (Noctuidae)  
 369. *Hypenodes* *anatolica* Schwingenschuss, 1938 (Noctuidae)  
 370. *Janthinea* *friwaldskii* (Duponchel, 1835) (Noctuidae)

371. *Lacanobia* (s.str.) w-latinum (Hufnagel,1766) (Noctuidae)  
 372. *Lasionycta proxima* (Hübner,[1809]) (Noctuidae)  
 373. *Leucania comma* (Linnaeus,1761) (Noctuidae)  
 374. *Luperina diversa* (Staudinger,1892) (Noctuidae)  
 375. *Lycophorus ankarensis* (Rebel,1931) (Noctuidae)  
 376. *Lygephila cracca* (Fabricius,1787) (Noctuidae)  
 377. *Lygephila lusoria* (Linnaeus,1758) (Noctuidae)  
 378. *Lygephila pastinum* (Treitschke,1826) (Noctuidae)  
 379. *Meganola albula* ([Denis & Schiffermüller],1775) (Noctuidae)  
 380. *Meganola gigantula* (Staudinger,1879) (Noctuidae)  
 381. *Meganola strigula* ([Denis & Schiffermüller],1775) (Noctuidae)  
 382. *Mesogona acetosellae* (Goeze,1781) (Noctuidae)  
 383. *Mythimna (Aletia) l-album* (Linnaeus,1767) (Noctuidae)  
 384. *Mythimna (Aletia) sassanidica* (Hacker,1986) (Noctuidae)  
 385. *Mythimna (Aletia) vitellina* (Hübner,[1808]) (Noctuidae)  
 386. *Mythimna (Hyphilare) ferrago* (Fabricius,1787) (Noctuidae)  
 387. *Noctua (Divaena) haywardi* (Tams,1926) (Noctuidae)  
 388. *Noctua (Lampra) fimbriata* (Schreber,1759) (Noctuidae)  
 389. *Noctua (Lampra) tirrenica* (Biebinge, Speidel & Hanigk,1983) (Noctuidae)  
 390. *Noctua (Latanocua) orbona* (Hufnagel,1766) (Noctuidae)  
 391. *Noctua (Paranoctua) comes* (Hübner,[1813]) (Noctuidae)  
 392. *Noctua (s.str.) pronuba* (Linnaeus,1758) (Noctuidae)  
 393. *Nola cicatricalis* (Treitschke,1835) (Noctuidae)  
 394. *Nola subchlamyda* (Staudinger,1870) (Noctuidae)  
 395. *Odice suava* (Hübner,[1813]) (Noctuidae)  
 396. *Oligia latruncula* ([Denis & Schiffermüller],1775) (Noctuidae)  
 397. *Oligia turcia* (Rezbanyai-Reser,1997) (Noctuidae)  
 398. *Ophiura lunaris* (Goeze,1781) (Noctuidae)  
 399. *Oria musculosa* (Hübner,[1808]) (Noctuidae)  
 400. *Orthosia (Dioszeghyana) schmidtii* (Dioszeghy,1935) (Noctuidae)  
 401. *Orthosia (s.str.) incerta* (Hufnagel,1766) (Noctuidae)  
 402. *Orthosia rubricosa* (Esper,[1786]) (Noctuidae)  
 403. *Panolis flammea* ([Denis & Schiffermüller],1775) (Noctuidae)  
 404. *Parascotia robiginosa* (Staudinger,1892) (Noctuidae)  
 405. *Perigrapha (Opacographa) rorida* (Frivaldsky,1835) (Noctuidae)  
 406. *Periphanes victorina* (Sodoffsky,1849) (Noctuidae)  
 407. *Phlogophora meticolosa* (Linnaeus,1758) (Noctuidae)  
 408. *Polia sagittigera* (Hufnagel,1766) (Noctuidae)  
 409. *Polymixis (Myxinia) rufocincta* (Geyer,1828) (Noctuidae)  
 410. *Polymixis (Parabrachionycha) trisignata* (Ménétrières,1847) (Noctuidae)  
 411. *Polyphaenis viridis* (De Villiers,1789) (Noctuidae)  
 412. *Powellinia carthalina* (Christoph,1893) (Noctuidae)  
 413. *Pseudoips prasinana* (Linnaeus,1758) (Noctuidae)  
 414. *Pyrois cinnamomea* (Goeze,1781) (Noctuidae)  
 415. *Pyrrhia treitschkii* (Frivaldsky,1835) (Noctuidae)  
 416. *Rhyacia (s.str.) simulans* (Hufnagel,1766) (Noctuidae)  
 417. *Rileyana fovea* (Treitschke,1825) (Noctuidae)  
 418. *Scotochrosta pulla* ([Denis & Schiffermüller],1775) (Noctuidae)  
 419. *Standfussiana lucerna* (Linnaeus,1758) (Noctuidae)  
 420. *Standfussiana nictymera* (Boisduval,[1837]) (Noctuidae)  
 421. *Tholera hilaris* (Staudinger,1901) (Noctuidae)  
 422. *Trichoplusia ni* (Hübner,[1803]) (Noctuidae)  
 423. *Tyta luctuosa* ([Denis & Schiffermüller],1775) (Noctuidae)  
 424. *Ulochlana hirta* (Hübner,[1813]) (Noctuidae)  
 425. *Valeria oleagina* (Esper,[1786]) (Noctuidae)  
 426. *Valerietta niphopasta* (Hampson,1906) (Noctuidae)  
 427. *Victrix (s.str.) karsiana* (Staudinger,1879) (Noctuidae)  
 428. *Xanthia (Cirrha) ocellaris* (Borkhausen,1792) (Noctuidae)  
 429. *Xanthia icteritia* (Hufnagel,1766) (Noctuidae)  
 430. *Xylina lunifera* W.Warren,1910 (Noctuidae)  
 431. *Xylocampa mustapha* (Oberthür,1920) (Noctuidae)  
 432. *Zekelia (Rhynchodontodes) antiqualis* (Hübner,[1809]) (Noctuidae)  
 433. *Cerura (s.str.) vinula* (Linnaeus,1758) (Notodontidae)  
 434. *Clostera curtula* (Linnaeus,1758) (Notodontidae)  
 435. *Clostera pigra* (Hufnagel,1766) (Notodontidae)  
 436. *Dicranura ulmi* ([Denis & Schiffermüller],1775) (Notodontidae)  
 437. *Drymonia dodonaea* ([Denis & Schiffermüller],1775) (Notodontidae)  
 438. *Drymonia querna* (Fabricius,1787) (Notodontidae)  
 439. *Drymonia ruficornis* (Hufnagel,1766) (Notodontidae)  
 440. *Furcula bifida* (Brahm,1787) (Notodontidae)  
 441. *Furcula furcula* (Linnaeus,1761) (Notodontidae)  
 442. *Furcula interrupta* (Christoph,1867) (Notodontidae)  
 443. *Harpyia milhauseri* (Fabricius,1775) (Notodontidae)  
 444. *Notodonta tritophus* ([Denis & Schiffermüller],1775) (Notodontidae)  
 445. *Peridea anceps* (Goeze,1781) (Notodontidae)  
 446. *Peridea korbi* (Rebel,1918) (Notodontidae)  
 447. *Phalera bucephaloides* (Ochsenheimer,1810) (Notodontidae)  
 448. *Pheosia tremula* (Linnaeus,1761) (Notodontidae)  
 449. *Pterostoma palpinum* (Linnaeus,1761) (Notodontidae)  
 450. *Rhegmaphila alpina* (Bellier,1881) (Notodontidae)  
 451. *Spatalia argentina* ([Denis & Schiffermüller],1775) (Notodontidae)  
 452. *Epicalima formosella* ([Denis & Schiffermüller],1775) (Oecophoridae)  
 453. *Esperia imitatrix* (Zeller,1847) (Oecophoridae)  
 454. *Pleurota metricella* (Zeller,1847) (Oecophoridae)  
 455. *Pleurota pyropella* ([Denis & Schiffermüller],1775) (Oecophoridae)  
 456. *Pleurota tristatella* (Staudinger,1871) (Oecophoridae)  
 457. *Archon apollinus* (Herbst,1798) (Papilionidae)  
 458. *Iphiclides podalirius* (Linnaeus,1758) (Papilionidae)  
 459. *Papilio (s.str. (Alexanoria)) alexanor* Esper,[1800] (Papilionidae)  
 460. *Papilio (s.str.) machaon* Linnaeus,1758 (Papilionidae)  
 461. *Parnassius (Driopa) mnemosyne* (Linnaeus,1758) (Papilionidae)  
 462. *Parnassius (s.str.) apollo* (Linnaeus,1758) (Papilionidae)  
 463. *Zerynthia (Allancastrina) cerisyi* (Godart,1822) (Papilionidae)  
 464. *Zerynthia (Allancastrina) deyrollei* (Oberthür,1869) (Papilionidae)  
 465. *Anthocharis cardamines* (Linnaeus,1758) (Pieridae)  
 466. *Anthocharis gruenieri* Herrich-Schäffer,[1851] (Pieridae)  
 467. *Aporia (s.str.) crataegi* (Linnaeus,1758) (Pieridae)  
 468. *Colias (Eriocolias) crocea* (Fourcroy,1785) (Pieridae)  
 469. *Colias (Neocolias) aurorina* Herrich-Schäffer,[1850] (Pieridae)  
 470. *Colias (s.str.) alfaciensis* Ribbe,1905 (Pieridae)  
 471. *Euchloe (s.str.) ausonia* (Hübner,[1804]) (Pieridae)  
 472. *Gonepteryx (s.str.) rhamni* (Linnaeus,1758) (Pieridae)  
 473. *Leptidea duponcheli* (Staudinger,1871) (Pieridae)  
 474. *Leptidea sinapis* (Linnaeus,1758) (Pieridae)  
 475. *Pieris (Artogeia) ergane* (Geyer,[1828]) (Pieridae)  
 476. *Pieris (Artogeia) pseudorapae* Verity,1908 (Pieridae)  
 477. *Pieris (Artogeia) rapae* (Linnaeus,1758) (Pieridae)  
 478. *Pieris (s.str.) brassicae* (Linnaeus,1758) (Pieridae)  
 479. *Pontia chloridice* (Hübner,[1813]) (Pieridae)  
 480. *Pontia edusa* (Fabricius,1777) (Pieridae)  
 481. *Zegris eupheme* (Esper,[1804]) (Pieridae)  
 482. *Apertona helicoidella* (Vallot,1827) (Psychidae)  
 483. *Canephora hirsuta* (Poda,1761) (Psychidae)  
 484. *Megalophanes viciella* ([Denis & Schiffermüller],1775) (Psychidae)  
 485. *Psyche crassiorella* (Bruand,[1851]) (Psychidae)  
 486. *Rebelia surientella* (Bruand,1858) (Psychidae)  
 487. *Adaina microdactyla* (Hübner,[1813]) (Pterophoridae)  
 488. *Agdistis adactyla* (Hübner,[1819]) (Pterophoridae)  
 489. *Agdistis heydeni* (Zeller,1852) (Pterophoridae)  
 490. *Agdistis satanas* (Millière,1876) (Pterophoridae)  
 491. *Capperia celeusi* (Frey,1886) (Pterophoridae)  
 492. *Capperia fusca* (Hofmann,1898) (Pterophoridae)  
 493. *Capperia marginella* (Zeller,1847) (Pterophoridae)  
 494. *Crombrugghia laeta* (Zeller,1847) (Pterophoridae)  
 495. *Emmelina monodactyla* (Linnaeus,1758) (Pterophoridae)  
 496. *Marasmarcha ehrenbergiana* Zeller,1841 (Pterophoridae)  
 497. *Merrifieldia baliodactyla* (Zeller,1841) (Pterophoridae)  
 498. *Merrifieldia malacodactyla* (Zeller,1847) (Pterophoridae)  
 499. *Oxyptilus parvidactylus* (Haworth,[1811]) (Pterophoridae)  
 500. *Procapperia ankaraica* Fazekas,2003 (Pterophoridae)  
 501. *Procapperia maculata* (Constant,1865) (Pterophoridae)  
 502. *Pterophorus pentadactylus* (Linnaeus,1758) (Pterophoridae)  
 503. *Stenoptilia arida* (Zeller,1847) (Pterophoridae)  
 504. *Stenoptilia mannii* (Zeller,1852) (Pterophoridae)  
 505. *Stenoptilia pinkeri* Arenberger,1984 (Pterophoridae)  
 506. *Wheeleria elbursi* (Arenberger,1981) (Pterophoridae)  
 507. *Wheeleria ivae* (Kasy,1960) (Pterophoridae)  
 508. *Wheeleria phlomidis* (Staudinger,1871) (Pterophoridae)  
 509. *Agriphila inquinatella* ([Denis & Schiffermüller],1775) (Pyralidae)  
 510. *Agriphila tersella* (Lederer,1855) (Pyralidae)  
 511. *Agriphila tolli* (Bleszynski,1952) (Pyralidae)  
 512. *Ancylolysis (Heterographis) candidatella* (Lederer,1858) (Pyralidae)



513. *Ancylolus* (Heterographis) *convexella* (Lederer, 1855) (Pyralidae)
514. *Ancylolus* (Heterographis) *faustinella* (Zeller, 1867) (Pyralidae)
515. *Ancylolus* (Heterographis) *gracilella* Ragonot, 1887 (Pyralidae)
516. *Ancylolus* (Heterographis) *harmoniella* (Ragonot, 1887) (Pyralidae)
517. *Ancylolus* (Heterographis) *samaritanella* (Zeller, 1867) (Pyralidae)
518. *Ancylolus* (s.str.) *maculifera* Staudinger, 1870 (Pyralidae)
519. *Ancylolus* (s.str.) *sareptella* (Herrich-Schäffer, 1860) (Pyralidae)
520. *Anthophilopsis* *baphialis* (Staudinger, 1870) (Pyralidae)
521. *Aphomia* *sociella* (Linnaeus, 1758) (Pyralidae)
522. *Asalebria* (Exophora) *exasperata* (Staudinger, 1879) (Pyralidae)
523. *Catoptria* *confusella* (Staudinger, 1881) (Pyralidae)
524. *Chrysocrambus* *craterellus* (Scopoli, 1763) (Pyralidae)
525. *Chrysocrambus* *linetellus* (Fabricius, 1781) (Pyralidae)
526. *Conobathra* *repandana* (Fabricius, 1798) (Pyralidae)
527. *Ecpyrrhorhoe* *diffusalis* (Guenée, 1854) (Pyralidae)
528. *Elegia* *fallax* (Staudinger, 1881) (Pyralidae)
529. *Endotricha* *flammealis* ([Denis & Schiffermüller], 1775) (Pyralidae)
530. *Epascestria* *pustulalis* (Hübner, 1823) (Pyralidae)
531. *Epheles* *cruentalis* (Geyer, 1832) (Pyralidae)
532. *Epipischnia* *pseudolydella* Amsel, 1953 (Pyralidae)
533. *Euchromius* *pulverosus* (Christoph, 1887) (Pyralidae)
534. *Euzophera* (s.str.) *pulchella* Ragonot, 1887 (Pyralidae)
535. *Evergestis* *frumentalis* (Linnaeus, 1761) (Pyralidae)
536. *Homoeosoma* (s.str.) *subbalatellum* (Mann, 1864) (Pyralidae)
537. *Hyperlais* *dulcinalis* (Treitschke, 1835) (Pyralidae)
538. *Loxostege* *mucosalis* (Herrich-Schäffer, 1848) (Pyralidae)
539. *Mecyna* *subsequalis* (Herrich-Schäffer, 1851) (Pyralidae)
540. *Mecyna* *trinalis* ([Denis & Schiffermüller], 1775) (Pyralidae)
541. *Megasis* *rippertella* (Zeller, 1839) (Pyralidae)
542. *Metallosticha* *argyrogrammos* (Zeller, 1847) (Pyralidae)
543. *Metasia* (s.str.) *carnealis* (Treitschke, 1829) (Pyralidae)
544. *Metasia* (s.str.) *suppandalis* (Hübner, 1823) (Pyralidae)
545. *Myelois* (s.str.) *circumvoluta* (Fourcroy, 1785) (Pyralidae)
546. *Noctuella* *superba* (Freyer, 1844) (Pyralidae)
547. *Nomophila* *noctuella* ([Denis & Schiffermüller], 1775) (Pyralidae)
548. *Oncocera* *semirubella* (Scopoli, 1763) (Pyralidae)
549. *Panstegia* *limbopunctalis* (Herrich-Schäffer, 1849) (Pyralidae)
550. *Paracorsia* *repandalis* ([Denis & Schiffermüller], 1775) (Pyralidae)
551. *Pempeliella* *dilutella* ([Denis & Schiffermüller], 1775) (Pyralidae)
552. *Phycita* *roborella* ([Denis & Schiffermüller], 1775) (Pyralidae)
553. *Phycitodes* *albatella* (Ragonot, 1887) (Pyralidae)
554. *Phycitodes* *binavella* (Hübner, 1813) (Pyralidae)
555. *Phycitodes* *inquinatella* (Ragonot, 1887) (Pyralidae)
556. *Praeepischnia* *lydella* (Lederer, 1865) (Pyralidae)
557. *Psammotis* *pulveralis* (Hübner, 1796) (Pyralidae)
558. *Pterothridia* *impurella* (Duponchel, 1836) (Pyralidae)
559. *Pterothridia* *rufella* (Duponchel, 1836) (Pyralidae)
560. *Pyralis* *farinalis* (Linnaeus, 1758) (Pyralidae)
561. *Pyralis* *regalis* [Denis & Schiffermüller], 1775 (Pyralidae)
562. *Pyrausta* (Haematia) *castalis* Treitschke, 1829 (Pyralidae)
563. *Pyrausta* (Haematia) *despicata* (Scopoli, 1763) (Pyralidae)
564. *Pyrausta* (Haematia) *sanguinalis* (Linnaeus, 1767) (Pyralidae)
565. *Pyrausta* (Haematia) *virginalis* Duponchel, 1832 (Pyralidae)
566. *Pyrausta* (s.str.) *aurata* (Scopoli, 1763) (Pyralidae)
567. *Sciota* (s.str.) *insignella* (Mann, 1862) (Pyralidae)
568. *Selagia* *spadicella* (Hübner, 1796) (Pyralidae)
569. *Sitochroa* *verticalis* (Linnaeus, 1758) (Pyralidae)
570. *Synaphe* *consecratalis* (Lederer, 1855) (Pyralidae)
571. *Synaphe* *moldavica* (Esper, 1789) (Pyralidae)
572. *Tegostoma* *perlepidalis* (Guenée, 1854) (Pyralidae)
573. *Tretopteryx* *pertusalis* (Geyer, 1832) (Pyralidae)
574. *Udea* *ferrugalis* (Hübner, 1796) (Pyralidae)
575. *Udea* *fimbriatralis* (Duponchel, 1834) (Pyralidae)
576. *Ulotricha* *egregialis* (Herrich-Schäffer, 1838) (Pyralidae)
577. *Saturnia* (Perisomena) *caecigena* Kupido, 1825 (Saturniidae)
578. *Saturnia* (s.str.) *pyri* ([Denis & Schiffermüller], 1775) (Saturniidae)
579. *Arethusana* *arethusana* ([Denis & Schiffermüller], 1775) (Satyridae)
580. *Brintesia* *circe* (Fabricius, 1775) (Satyridae)
581. *Chazara* (Neochazara) *anthe* (Hoffmannsegg, 1804) (Satyridae)
582. *Chazara* (s.str.) *briseis* (Linnaeus, 1764) (Satyridae)
583. *Coenonympha* (s.str.) *arcania* (Linnaeus, 1761) (Satyridae)
584. *Coenonympha* (s.str.) *leander* (Fabricius, 1787) (Satyridae)
585. *Coenonympha* (s.str.) *pamphilus* (Linnaeus, 1758) (Satyridae)
586. *Erebia* *medusa* ([Denis & Schiffermüller], 1775) (Satyridae)
587. *Hipparchia* (Neohipparchia) *fatua* (Freyer, 1844) (Satyridae)
588. *Hipparchia* (Neohipparchia) *statilinus* (Hufnagel, 1766) (Satyridae)
589. *Hipparchia* (Parahipparchia) *aristaeus* (Bonelli, 1826) (Satyridae)
590. *Hipparchia* (s.str.) *syriaca* (Staudinger, 1871) (Satyridae)
591. *Hyponephele* (s.str.) *lupina* (Costa, 1836) (Satyridae)
592. *Hyponephele* (s.str.) *zuvandica* Samodurov & Koroljev, 1996 (Satyridae)
593. *Kirinia* (Melike) *roxelana* (Cramer, 1777) (Satyridae)
594. *Lasiommata* *maera* (Linnaeus, 1758) (Satyridae)
595. *Lasiommata* *megea* (Linnaeus, 1767) (Satyridae)
596. *Lasiommata* *petropolitana* (Fabricius, 1787) (Satyridae)
597. *Maniola* (s.str.) *jurtina* (Linnaeus, 1758) (Satyridae)
598. *Melanargia* (Turcargia) *larissa* (Geyer, 1828) (Satyridae)
599. *Melanargia* (s.str.) *galathea* (Linnaeus, 1758) (Satyridae)
600. *Pararge* *ageria* (Linnaeus, 1758) (Satyridae)
601. *Pseudochazara* (Achazara) *anthelea* (Hübner, 1824) (Satyridae)
602. *Pseudochazara* (s.str.) *beroe* (Freyer, 1843) (Satyridae)
603. *Pseudochazara* (s.str.) *mniszechii* (Herrich-Schäffer, 1851) (Satyridae)
604. *Synanthedon* *rubiana* Kallies, M. Petersen & Riefenstahl, 1998 (Sesiidae)
605. *Deilephila* *porcellus* (Linnaeus, 1758) (Sphingidae)
606. *Deilephila* *suellus* Staudinger, 1878 (Sphingidae)
607. *Hemaris* (Cochrania) *croatica* (Esper, 1779) (Sphingidae)
608. *Hyles* *conspicua* (Rothschild & Jordan, 1903) (Sphingidae)
609. *Hyles* *livornica* (Esper, 1780) (Sphingidae)
610. *Laothoe* *populeti* (Bienert, 1870) (Sphingidae)
611. *Macroglossum* *stellatarum* (Linnaeus, 1758) (Sphingidae)
612. *Marumba* *quercus* ([Denis & Schiffermüller], 1775) (Sphingidae)
613. *Rethera* *komarovi* (Christoph, 1885) (Sphingidae)
614. *Smerinthus* *kindermanni* Lederer, 1852 (Sphingidae)
615. *Sphinx* *ligustri* Linnaeus, 1758 (Sphingidae)
616. *Sphinx* *pinastri* Linnaeus, 1758 (Sphingidae)
617. *Thaumetopoea* (s.str.) *processionea* (Linnaeus, 1758) (Thaumetopoeidae)
618. *Achlya* *flavicornis* (Linnaeus, 1758) (Thyatridae)
619. *Asphalia* *ruficollis* (Fabricius, 1787) (Thyatridae)
620. *Cymatophorima* *diluta* ([Denis & Schiffermüller], 1775) (Thyatridae)
621. *Polyplaca* *korbi* Rebel, 1901 (Thyatridae)
622. *Tethea* *ocularis* (Linnaeus, 1767) (Thyatridae)
623. *Hapsifera* *luridella* Zeller, 1847 (Tineidae)
624. *Rhodobates* *laevigatellus* (Herrich-Schäffer, 1854) (Tineidae)
625. *Aethes* *bilbaensis* (Rössler, 1877) (Tortricidae)
626. *Aethes* *eryngiella* (Vallot, 1829) (Tortricidae)
627. *Aethes* *kasyi* Razowski, 1962 (Tortricidae)
628. *Aethes* *margarotana* (Duponchel, 1836) (Tortricidae)
629. *Aethes* *mauritanica* (Walsingham, 1898) (Tortricidae)
630. *Aethes* *nefandana* (Kennel, 1899) (Tortricidae)
631. *Agapeta* *hamana* (Linnaeus, 1758) (Tortricidae)
632. *Cnephasia* (s.str.) *sedana* (Constant, 1884) (Tortricidae)
633. *Cochylimorpha* *alternana* (Stephens, 1834) (Tortricidae)
634. *Cochylimorpha* *diana* (Kennel, 1899) (Tortricidae)
635. *Cochylis* *epilinana* Duponchel, 1842 (Tortricidae)
636. *Diceratura* *rhodograpta* Djakonov, 1929 (Tortricidae)
637. *Epinotia* *festivana* (Hübner, 1799) (Tortricidae)
638. *Epinotia* *thapsiana* (Zeller, 1847) (Tortricidae)
639. *Eugnosta* *lathoniana* (Hübner, 1800) (Tortricidae)
640. *Eugnosta* *magnificana* (Rebel, 1914) (Tortricidae)
641. *Isotrias* *hybridana* (Hübner, 1817) (Tortricidae)
642. *Notocelia* *aquana* (Hübner, 1799) (Tortricidae)
643. *Olethreutes* (s.str.) *arcuana* (Linnaeus, 1761) (Tortricidae)
644. *Phalonidia* *contractana* (Zeller, 1847) (Tortricidae)
645. *Phtheochroa* *rugosana* (Hübner, 1799) (Tortricidae)
646. *Rhyacionia* *buoliana* ([Denis & Schiffermüller], 1775) (Tortricidae)
647. *Spilonota* *ocellana* ([Denis & Schiffermüller], 1775) (Tortricidae)
648. *Tortrix* *viridana* (Linnaeus, 1758) (Tortricidae)
649. *Digitivalva* *glaseri* Gaedike, 1971 (Yponomeutidae)
650. *Nipponympha* *albella* (Zeller, 1847) (Yponomeutidae)
651. *Paraswammerdamia* *lutarea* (Haworth, 1828) (Yponomeutidae)
652. *Pseudoswammerdamia* *combinella* (Hübner, 1786) (Yponomeutidae)
653. *Yponomeuta* *malinellus* Zeller, 1838 (Yponomeutidae)

- |  |  |   |
|--|--|---|
| 654. Ypsolopha albiramella (Mann,1861)<br>(Yponomeutidae)      | 660. Jordanita (Gregorita) minutissima<br>(Oberthür,1916) (Zygaenidae)           | 666. Zygaena (Mesembrynus) purpuralis<br>(Brünnich,1763) (Zygaenidae)         |
| 655. Ypsolopha excisella (Lederer,1855)<br>(Yponomeutidae)     | 661. Jordanita (Lucasiterna) subsolana<br>(Staudinger,1862) (Zygaenidae)         | 667. Zygaena (s.str.) dorycnii<br>Ochsenheimer,1808 (Zygaenidae)              |
| 656. Ypsolopha ustella (Clerck,1759)<br>(Yponomeutidae)        | 662. Jordanita (Roccia) volgensis<br>(Möschler,1862) (Zygaenidae)                | 668. Zygaena (s.str.) filipendulae<br>(Linnaeus,1758) (Zygaenidae)            |
| 657. Ypsolopha vittella (Linnaeus,1758)<br>(Yponomeutidae)     | 663. Jordanita (s.str.) chloros (Hübner,[1813])<br>(Zygaenidae)                  | 669. Zygaena (s.str.) loniceræ (Scheven,1777)<br>(Zygaenidae)                 |
| 658. Adscita (s.str.) obscura (Zeller,1847)<br>(Zygaenidae)    | 664. Jordanita (s.str.) graeca (Jordan,1907)<br>(Zygaenidae)                     | 670. Zygaena (Agrumenia) loti ([Denis &<br>Schiffermüller],1775) (Zygaenidae) |
| 659. Adscita (s.str.) statices (Linnaeus,1758)<br>(Zygaenidae) | 665. Zygaena (Mesembrynus) minos ([Denis &<br>Schiffermüller],1775) (Zygaenidae) |   |

## Hatay (31) [Turkey]

- |   |   |   |
|---|---|---|
| 1. Adela chlorista (Meyrick,1912) (Adelidae)  | 36. Brachodes candefacta (Lederer,1858)<br>(Brachodidae)                  | 70. Ennomos (Deuteronomos) freidbergi<br>Hausmann,1997 (Geometridae)                |
| 2. Alucita cancellata (Meyrick,1908)<br>(Alucitidae)  | 37. Brachodes buxus Kallies,2001<br>(Brachodidae)                         | 71. Ennomos (s.str.) effractarius Freyer,[1842]<br>(Geometridae)                    |
| 3. Alucita cinnerethella Amsel,1935 (Alucitidae)  | 38. Brahmaea (s.str.) ledereri Rogenhofer,1873<br>(Brahmaeidae)           | 72. Epirrhoe galiata ([Denis &<br>Schiffermüller],1775) (Geometridae)               |
| 4. Cymbalophora oetzeni (Lederer,1855)<br>(Arctiidae)   | 39. Prochoreutis stellaris (Zeller,1847)<br>(Choreutidae)                 | 73. Eumera turcosyrca Wehrli,1932<br>(Geometridae)                                  |
| 5. Diaphora mendica (Linnaeus,1761)<br>(Arctiidae)  | 40. Coleophora trifariella Zeller,1849<br>(Coleophoridae)                 | 74. Eupithecia schiefereri Dietze,1904<br>(Geometridae)                             |
| 6. Muscula muscula (Staudinger,1899)<br>(Arctiidae)   | 41. Eteobalea siciliae (Riedl,1966)<br>(Cosmopterigidae)                  | 75. Eupithecia denticulata (Treitschke,1828)<br>(Geometridae)                       |
| 7. Ocnogyna (s.str.) bellieri (Lederer,1855)<br>(Arctiidae)                                       | 42. Toliella fulguritella (Ragonot,1895)<br>(Cosmopterigidae)             | 76. Eupithecia extremata (Fabricius,1787)<br>(Geometridae)                          |
| 8. Ocnogyna (s.str.) loewii (Zeller,1846)<br>(Arctiidae)  | 43. Dyspessa pallidata Staudinger,1901<br>(Cossidae)                      | 77. Eupithecia gratiosata Herrich-Schäffer,1861<br>(Geometridae)                    |
| 9. Paidia (s.str.) albescens (Staudinger,1892)<br>(Arctiidae)                                     | 44. Dyspessacossus fereidun Groum-<br>Grshimailo,1895 (Cossidae)          | 78. Eupithecia mystica Dietze,1910<br>(Geometridae)                                 |
| 10. Aglais urticae (Linnaeus,1758) (Argynnidae)   | 45. Amata aequipuncta (Turati,1917)<br>(Ctenuchidae)                      | 79. Eupithecia spadiceata Zerny,1933<br>(Geometridae)                               |
| 11. Argynnis (Fabriciana) adippe<br>(Rottemburg,1775) (Argynnidae)                                | 46. Amata antiochena (Lederer,1861)<br>(Ctenuchidae)                      | 80. Eupithecia syriacata Staudinger,1879<br>(Geometridae)                           |
| 12. Argynnis (Fabriciana) niobe (Linnaeus,1758)<br>(Argynnidae)                                   | 47. Amata taurica (Turati,1917) (Ctenuchidae)                             | 81. Eupithecia tantillaria Boisduval,1840<br>(Geometridae)                          |
| 13. Argynnis (Pandoriana) pandora ([Denis &<br>Schiffermüller],1775) (Argynnidae)                 | 48. Dysauxes (s.str.) famula (Freyer,1836)<br>(Ctenuchidae)               | 82. Eupithecia unedonata (Mabille,1868)<br>(Geometridae)                            |
| 14. Argynnis (Speyeria) aglaja (Linnaeus,1758)<br>(Argynnidae)                                    | 49. Ethmia quadrinotella (Mann,1861)<br>(Ethmiidae)                       | 83. Glossotrophia (Libanonia) sacraria (A.Bang-<br>Haas,1910) (Geometridae)         |
| 15. Argynnis (s.str.) paphia (Linnaeus,1758)<br>(Argynnidae)                                      | 50. Deltophora maculata (Staudinger,1879)<br>(Gelechiidae)                | 84. Gnopharmia colchidaria (Lederer,1870)<br>(Geometridae)                          |
| 16. Boloria (Clossiana) euphrosyne<br>(Linnaeus,1758) (Argynnidae)                                | 51. Dirhinosis nitidula (Stainton,1867)<br>(Gelechiidae)                  | 85. Gnophos (Dicrognophos) amanensis<br>Wehrli,1934 (Geometridae)                   |
| 17. Brenthis daphne (Bergsträsser,1780)<br>(Argynnidae)   | 52. Metzneria agraphella (Ragonot,1895)<br>(Gelechiidae)                  | 86. Gnophos (Dicrognophos) sartatus<br>(Treitschke,1827) (Geometridae)              |
| 18. Vanessa (Cynthia) cardui (Linnaeus,1758)<br>(Issoria lathonia (Linnaeus,1758)<br>(Argynnidae) | 53. Mirificarma (s.str. (s.str.)) aflavella<br>(Amsel,1935) (Gelechiidae) | 87. Hyposcotis (Euchrognophos) subtaurica<br>(Wehrli,1932) (Geometridae)            |
| 19. Issoria lathonia (Linnaeus,1758)<br>(Argynnidae)  | 54. Erannis ankeraria (Staudinger,1861)<br>(Geometridae)                  | 88. Hyposcotis (Kemtrognophos) onustaria<br>(Herrich-Schäffer,[1852]) (Geometridae) |
| 20. Limenitis (Azuritis) reducta Staudinger,1901<br>(Argynnidae)                                  | 55. Aleucis mimetes (Wehrli,1932)<br>(Geometridae)                        | 89. Idaea aversata (Linnaeus,1758)<br>(Geometridae)                                 |
| 21. Melitaea (Cinclidia) (phoebe) phoebe<br>(Goeze,1779) (Argynnidae)                             | 56. Aleucis orientalis (Staudinger,1892)<br>(Geometridae)                 | 90. Idaea consanguinaria (Lederer,1853)<br>(Geometridae)                            |
| 22. Melitaea (Cinclidia) (phoebe) punica<br>Oberthür,1876 (Argynnidae)                            | 57. Aplasta ononaria (Fuessly,1783)<br>(Geometridae)                      | 91. Idaea degeneraria (Hübner,[1799])<br>(Geometridae)                              |
| 23. Melitaea (Cinclidia) collina Lederer,1861<br>(Argynnidae)                                     | 58. Apochima flabellaria (Heeger,1838)<br>(Geometridae)                   | 92. Idaea determinata (Staudinger,1876)<br>(Geometridae)                            |
| 24. Melitaea (Didymaeformis) didyma<br>(Esper,[1779]) (Argynnidae)                                | 59. Ascotis selenaria ([Denis &<br>Schiffermüller],1775) (Geometridae)    | 93. Idaea dimidiata (Hufnagel,1767)<br>(Geometridae)                                |
| 25. Melitaea (Didymaeformis) fascelis<br>(Fabricius,1787) (Argynnidae)                            | 60. Catarrhoe cupreata (Herrich-Schäffer,1839)<br>(Geometridae)           | 94. Idaea distinctaria (Boisduval,1840)<br>(Geometridae)                            |
| 26. Melitaea (s.str.) arduinna (Fabricius,1787)<br>(Argynnidae)                                   | 61. Catarrhoe permixtaria (Guenée,[1858])<br>(Geometridae)                | 95. Idaea elongaria (Rambur,1833)<br>(Geometridae)                                  |
| 27. Melitaea (s.str.) cinxia (Linnaeus,1758)<br>(Argynnidae)                                      | 62. Chesistege korbi (Bohatsch,1910)<br>(Geometridae)                     | 96. Idaea filicata (Hübner,[1799]) (Geometridae)                                    |
| 28. Melitaea (Melicta) athalia<br>(Rottemburg,1775) (Argynnidae)                                  | 63. Chiasmia (Godonela) syriacaria<br>(Staudinger,1871) (Geometridae)     | 97. Idaea fuscovenosa (Goeze,1781)<br>(Geometridae)                                 |
| 29. Nymphalis polychloros (Linnaeus,1758)<br>(Argynnidae)   | 64. Chrysocraspeda charites (Oberthür,1916)<br>(Geometridae)              | 98. Idaea holliata (Homburg,1909)<br>(Geometridae)                                  |
| 30. Nymphalis xanthomelas (Esper,[1781])<br>(Argynnidae)  | 65. Cleta filacearia (Herrich-Schäffer,[1847])<br>(Geometridae)           | 99. Idaea intermedia (Staudinger,1879)<br>(Geometridae)                             |
| 31. Polygonia (Comma) c-album (Linnaeus,1758)<br>(Argynnidae)                                     | 66. Crocallis (s.str.) tusciaria (Borkhausen,1793)<br>(Geometridae)       | 100. Idaea ossiculata (Lederer,1871)<br>(Geometridae)                               |
| 32. Precis (Junonia) orithya (Linnaeus,1758)<br>(Argynnidae)                                      | 67. Culpinia prouti (Thierry-Mieg,1913)<br>(Geometridae)                  | 101. Idaea ostrinaria (Hübner,[1813])<br>(Geometridae)                              |
| 33. Vanessa (s.str.) atalanta (Linnaeus,1758)<br>(Argynnidae)                                     | 68. Cyclophora linearia (Hübner,[1799])<br>(Geometridae)                  | 102. Idaea palaestinis (Sterneck,1933)<br>(Geometridae)                             |
| 34. Aprominta bifasciata (Staudinger,1870)<br>(Autostichidae)                                     | 69. Dasycorsa modesta (Staudinger,1879)<br>(Geometridae)                  | 103. Idaea politaria (Hübner,[1799])<br>(Geometridae)                               |
| 35. Mylothra pyrrhella Ragonot,1895<br>(Autostichidae)  |   |   |

104. *Idaea subpurpurata* (Staudinger, 1900) (Geometridae)
105. *Idaea subsericeata* (Haworth, [1809]) (Geometridae)
106. *Idaea taurica* (A. Bang-Haas, 1907) (Geometridae)
107. *Idaea textaria* (Lederer, 1861) (Geometridae)
108. *Idaea tineata* (Thierry-Mieg, 1911) (Geometridae)
109. *Idaea trigeminata* (Haworth, [1809]) (Geometridae)
110. *Idaea troglodytaria* (Herrich-Schäffer, [1852]) (Geometridae)
111. *Lythria purpuraria* (Linnaeus, 1758) (Geometridae)
112. *Neognopharmia stevenaria* (Boisduval, 1840) (Geometridae)
113. *Nychiodes (Eunychiodes) amygdalaria* (Herrich-Schäffer, [1848]) (Geometridae)
114. *Nychiodes (Eunychiodes) divergaria* (Staudinger, 1892) (Geometridae)
115. *Nychiodes (Fritzwagneria) waltheri* F. Wagner, 1919 (Geometridae)
116. *Odontognophos zacharius* (Staudinger, 1879) (Geometridae)
117. *Orthostixis cribraria* (Hübner, [1799]) (Geometridae)
118. *Oulobophora externata* Freyer, 1846 (Geometridae)
119. *Peribatodes rhomboidarius* [Denis & Schiffermüller, 1775] (Geometridae)
120. *Peribatodes umbrarius* (Hübner, [1809]) (Geometridae)
121. *Phaiogramma etruscaria* (Zeller, 1849) (Geometridae)
122. *Phaselia serrularia* (Eversmann, 1847) (Geometridae)
123. *Problepsis ocellata* (Frivaldszky, 1845) (Geometridae)
124. *Proteuchloris neriaria* (Herrich-Schäffer, [1852]) (Geometridae)
125. *Protorhoe corollaria* (Herrich-Schäffer, [1848]) (Geometridae)
126. *Rhodostrophia calabra* (Petagna, 1786) (Geometridae)
127. *Scopula congruata* (Zeller, 1847) (Geometridae)
128. *Scopula flaccidaria* (Zeller, 1852) (Geometridae)
129. *Scopula imitaria* (Hübner, [1799]) (Geometridae)
130. *Scopula submutata* (Treitschke, 1828) (Geometridae)
131. *Scopula turbulentaria* (Staudinger, 1870) (Geometridae)
132. *Scopula vigilata* (Wagner, 1926) (Geometridae)
133. *Scotopteryx vicinaria* (Duponchel, 1830) (Geometridae)
134. *Stueningia wolffii* Hausmann, 1993 (Geometridae)
135. *Carcharodus (Lavatheria) stauderi* Reverdin, 1913 (Hesperiidae)
136. *Carcharodus (Reverdinus) orientalis* Reverdin, 1913 (Hesperiidae)
137. *Carcharodus (s.str.) alceae* (Esper, [1780]) (Hesperiidae)
138. *Erynnis (Hesperopegasus) marloyi* (Boisduval, [1834]) (Hesperiidae)
139. *Erynnis (s.str.) tages* (Linnaeus, 1758) (Hesperiidae)
140. *Gegenes nostrodamus* (Fabricius, 1793) (Hesperiidae)
141. *Gegenes pumilio* (Hoffmannsegg, 1804) (Hesperiidae)
142. *Muschampia nomas* (Lederer, 1855) (Hesperiidae)
143. *Muschampia proto* (Ochsenheimer, 1808) (Hesperiidae)
144. *Ochlodes venatus* (Bremer & Grey, [1852]) (Hesperiidae)
145. *Pelopidas thrax* (Hübner, [1821]) (Hesperiidae)
146. *Pyrgus melotis* (Duponchel, [1834]) (Hesperiidae)
147. *Pyrgus serratalae* (Rambur, [1839]) (Hesperiidae)
148. *Spialia (Neospialia) orbifer* (Hübner, [1823]) (Hesperiidae)
149. *Spialia (s.str.) osthelderi* (Pfeiffer, 1932) (Hesperiidae)
150. *Thymelicus hyrax* (Lederer, 1861) (Hesperiidae)
151. *Thymelicus lineolus* (Ochsenheimer, 1808) (Hesperiidae)
152. *Thymelicus sylvestris* (Poda, 1761) (Hesperiidae)
153. *Lasiocampa terreni* (Herrich-Schäffer, 1847) (Lasiocampidae)
154. *Trichiura (s.str.) stroehlei* Zolotuhin, 2007 (Lasiocampidae)
155. *Lemonia sacrosancta* Püngeler, 1902 (Lemoniidae)
156. *Libythea (s.str.) celtis* (Laicharting, 1782) (Libytheidae)
157. *Latoia inexpectata* (Staudinger, 1895) (Limacodidae)
158. *Callophrys rubi* (Linnaeus, 1758) (Lycaenidae)
159. *Celastrina argiolus* (Linnaeus, 1758) (Lycaenidae)
160. *Chilades (Freyeria) trochylus* (Freyer, [1843]) (Lycaenidae)
161. *Chilades (Lachides) galba* (Lederer, 1855) (Lycaenidae)
162. *Cigaritis acamas* (Klug, 1834) (Lycaenidae)
163. *Cigaritis ciliata* Lederer, 1861 (Lycaenidae)
164. *Cupido (s.str.) osiris* (Meigen, [1829]) (Lycaenidae)
165. *Glaucopsyche (s.str.) alexis* (Poda, 1761) (Lycaenidae)
166. *Lampides boeticus* (Linnaeus, 1767) (Lycaenidae)
167. *Leptotes pirithous* (Linnaeus, 1767) (Lycaenidae)
168. *Lycaena (Alciphronia) alciphron* (Rottemburg, 1775) (Lycaenidae)
169. *Lycaena (Heodes) ottomanus* (Lefébvre, [1830]) (Lycaenidae)
170. *Lycaena (Loweia) tityrus* (Poda, 1761) (Lycaenidae)
171. *Lycaena (Thersamonia) thersamon* (Esper, [1784]) (Lycaenidae)
172. *Lycaena (s.str.) phlaeas* (Linnaeus, 1761) (Lycaenidae)
173. *Plebejus (Kretania) carmon* (Gerhard, [1851]) (Lycaenidae)
174. *Plebejus (Plebejides) nichollae* (Elwes, 1901) (Lycaenidae)
175. *Polyommatus (Aricia (Ultraaricia)) bassoni* (T. Larsen, 1974) (Lycaenidae)
176. *Polyommatus (Aricia (s.str.)) agestis* ([Denis & Schiffermüller, 1775] (Lycaenidae)
177. *Polyommatus (s.str. (Agrodiatus (Actisia))) pseudactis* (Forster, 1960) (Lycaenidae)
178. *Polyommatus (s.str. (Cyaniris)) antiochenus* (Lederer, 1861) (Lycaenidae)
179. *Polyommatus (s.str. (Lysandra)) syriacus* (Tutt, 1914) (Lycaenidae)
180. *Polyommatus (s.str. (Meleageria)) daphnis* ([Denis & Schiffermüller, 1775] (Lycaenidae)
181. *Polyommatus (s.str. (Plebicula)) amandus* (Schneider, 1792) (Lycaenidae)
182. *Polyommatus (s.str. (Sublysandra)) cornelius* (Freyer, [1850]) (Lycaenidae)
183. *Polyommatus (s.str. (Thersitesia)) thersites* (Canterer, [1835]) (Lycaenidae)
184. *Polyommatus (s.str.) bollandi* Dumont, 1998 (Lycaenidae)
185. *Polyommatus (s.str.) icarus* (Rottemburg, 1775) (Lycaenidae)
186. *Pseudophilotes vicrama* (Moore, 1865) (Lycaenidae)
187. *Rubrapterus bavius* (Eversmann, 1832) (Lycaenidae)
188. *Satyrus (Nordmannia) abdominalis* (Gerhard, [1850]) (Lycaenidae)
189. *Satyrus (Nordmannia) ilicis* (Esper, [1779]) (Lycaenidae)
190. *Satyrus (Nordmannia) zabni* Oorschot & Brink, 1991 (Lycaenidae)
191. *Satyrus (Strymonidia) spini* (Fabricius, 1787) (Lycaenidae)
192. *Tomares (nogelii) nesimachus* (Oberthür, 1893) (Lycaenidae)
193. *Turanana endymion* (Freyer, [1850]) (Lycaenidae)
194. *Zizeeria (s.str.) karsandra* (Moore, 1865) (Lycaenidae)
195. *Orgyia trigotephra* Boisduval, 1829 (Lymantriidae)
196. *Parocneria detrita* (Esper, [1785]) (Lymantriidae)
197. *Parocneria toelgi* (Rebel, 1917) (Lymantriidae)
198. *Abrostola clarissa* (Staudinger, 1900) (Noctuidae)
199. *Abrostola triplasia* (Linnaeus, 1758) (Noctuidae)
200. *Acrapex taurica* (Staudinger, 1900) (Noctuidae)
201. *Acronicta (Subacronicta) megacephala* (Fabricius, 1787) (Noctuidae)
202. *Acronicta (Triaena) pasiphae* Draudt, 1936 (Noctuidae)
203. *Agrochola (Anchoscelis) consueta* (Herrich-Schäffer, [1852]) (Noctuidae)
204. *Agrochola (Anchoscelis) helvola* (Linnaeus, 1758) (Noctuidae)
205. *Agrochola (Anchoscelis) osthelderi* Boursin, 1951 (Noctuidae)
206. *Agrochola (Frivaldszkyola) staudingeri* Ronkay, 1984 (Noctuidae)
207. *Agrochola (s.str.) pistacina* (Goeze, 1781) (Noctuidae)
208. *Agrotis (Putagrotis) herzogii* (Rebel, 1911) (Noctuidae)
209. *Agrotis (Putagrotis) puta* (Hübner, [1803]) (Noctuidae)
210. *Agrotis (s.str.) segetum* ([Denis & Schiffermüller, 1775] (Noctuidae)
211. *Allophyes metaxys* Boursin, 1953 (Noctuidae)
212. *Amphipyra pyramidea* (Linnaeus, 1758) (Noctuidae)
213. *Antitype chionodes* Boursin, 1968 (Noctuidae)
214. *Apamea (s.str.) maraschi* (Draudt, 1934) (Noctuidae)
215. *Apamea (s.str.) sicula* (Turati, 1909) (Noctuidae)
216. *Apamea (s.str.) syriaca* (Osthelder, 1933) (Noctuidae)
217. *Asteroscopus syriaca* (W. Warren, 1910) (Noctuidae)
218. *Autographa gamma* (Linnaeus, 1758) (Noctuidae)
219. *Autophila (Cheirophanes) anaphanes* Boursin, 1940 (Noctuidae)
220. *Autophila (s.str.) einsleri* Amsel, 1935 (Noctuidae)
221. *Bryophilopsis roederi* (Standfuss, 1892) (Noctuidae)
222. *Callopietria juvenina* (Stoll, [1782]) (Noctuidae)
223. *Calocucculia celsiae* (Herrich-Schäffer, 1850) (Noctuidae)
224. *Calophasia platyptera* (Esper, [1788]) (Noctuidae)
225. *Caradrina (Eremodrina) zernyi* (Boursin, 1936) (Noctuidae)
226. *Caradrina (Paradrina) atriluna* Guenée, 1852 (Noctuidae)
227. *Caradrina (Paradrina) flavirena* (Guenée, 1852) (Noctuidae)
228. *Caradrina (s.str.) agrotina* (Staudinger, 1892) (Noctuidae)
229. *Catocala (Ephesia) eutychea* (Treitschke, 1835) (Noctuidae)
230. *Catocala (s.str.) disjuncta* (Geyer, [1828]) (Noctuidae)
231. *Cerocala sana* Staudinger, 1901 (Noctuidae)
232. *Clytie (s.str.) syriaca* (Bugnion, 1837) (Noctuidae)
233. *Condica viscosa* (Freyer, 1831) (Noctuidae)
234. *Conistra (s.str.) acutula* (Staudinger, 1892) (Noctuidae)
235. *Cornutiplusia circumflexa* (Linnaeus, 1767) (Noctuidae)
236. *Cryphia (Bryoleuca) labecula* (Lederer, 1855) (Noctuidae)
237. *Cucullia (Shargacucullia) verbasci* (Linnaeus, 1758) (Noctuidae)
238. *Cucullia (s.str.) calendulae* Treitschke, 1835 (Noctuidae)
239. *Dasytopia (s.str.) ferdinandi* Rühl, 1892 (Noctuidae)



240. *Dichonia* (s.str.) *aeruginea* (Hübner, [1803]) (Noctuidae)  
 241. *Diloba caeruleocephala* (Linnaeus, 1758) (Noctuidae)  
 242. *Earias insulana* (Boisduval, 1833) (Noctuidae)  
 243. *Egira anatolica* (Hering, 1933) (Noctuidae)  
 244. *Eublemma* (Honeyania) *ragusanum* (Freyer, 1844) (Noctuidae)  
 245. *Eublemma* (bulla-gr.) *suppurum* (Staudinger, 1892) (Noctuidae)  
 246. *Eublemma* (cochylioides-gr.) *cochylioides* (Guenée, 1852) (Noctuidae)  
 247. *Eublemma* (ostrina-gr.) *ostrinum* (Hübner, [1808]) (Noctuidae)  
 248. *Euchalcia* (Pseudochalcia) *kitchingi* Hacker & Ronkay, 1992 (Noctuidae)  
 249. *Euchalcia* (s.str.) *dorsiflava* (Standfuss, 1892) (Noctuidae)  
 250. *Euchalcia* (s.str.) *emichi* (Rogenhofer, 1873) (Noctuidae)  
 251. *Eutelia adoratrix* (Staudinger, 1892) (Noctuidae)  
 252. *Eutelia adulatrix* (Hübner, [1813]) (Noctuidae)  
 253. *Euxoa* (s.str.) *nigricans* (Linnaeus, 1761) (Noctuidae)  
 254. *Exophyla rectangularis* (Geyer, [1828]) (Noctuidae)  
 255. *Hadena* (Anepia) *sancta* (Staudinger, 1859) (Noctuidae)  
 256. *Hadena* (Anepia) *silenes* (Hübner, [1822]) (Noctuidae)  
 257. *Hadena* (s.str. (Albimaculia)) *gueneei* (Staudinger, 1901) (Noctuidae)  
 258. *Hadena* (s.str. (Hadenobilis)) *vulcanica* (Turati, 1907) (Noctuidae)  
 259. *Hadula* (Caloestra (Hadutrifolium)) *trifolii* (Hufnagel, 1766) (Noctuidae)  
 260. *Hecatera rhodocharis* (Brandt, 1938) (Noctuidae)  
 261. *Heliothis peltigera* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 262. *Heliothis viriplaca* (Hufnagel, 1766) (Noctuidae)  
 263. *Hoplodrina ambigua* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 264. *Hypena* (s.str.) *obsistalis* (Hübner, [1813]) (Noctuidae)  
 265. *Hypenodes kalchbergi* Staudinger, 1876 (Noctuidae)  
 266. *Hypenodes orientalis* Staudinger, 1901 (Noctuidae)  
 267. *Idia calvaria* ([Denis & Schiffermüller], 1775) (Noctuidae)  
 268. *Jodia croceago* (Fabricius, 1787) (Noctuidae)  
 269. *Leucania palaestinae* Staudinger, 1897 (Noctuidae)  
 270. *Leucania putrescens* (Hübner, [1824]) (Noctuidae)  
 271. *Metalopha* (Antholopha) *gloriosa* (Staudinger, 1892) (Noctuidae)  
 272. *Minucia bimaculata* Osthelder, 1933 (Noctuidae)  
 273. *Mythimna* (Aletia) *consanguis* (Guenée, 1852) (Noctuidae)  
 274. *Mythimna* (Aletia) *prominens* Walker, 1856 (Noctuidae)  
 275. *Mythimna* (Aletia) *vitellina* (Hübner, [1808]) (Noctuidae)  
 276. *Noctua* (Latanocua) *orbona* (Hufnagel, 1766) (Noctuidae)  
 277. *Noctua* (Paranoctua) *comes* (Hübner, [1813]) (Noctuidae)  
 278. *Nola cicatricalis* (Treitschke, 1835) (Noctuidae)  
 279. *Nycteola columbana* (Turner, 1925) (Noctuidae)  
 280. *Oligia strigilis* (Linnaeus, 1758) (Noctuidae)  
 281. *Orthosia* (Monima) *dalmatica* (Wagner, 1909) (Noctuidae)  
 282. *Orthosia* (s.str.) *incerta* (Hufnagel, 1766) (Noctuidae)  
 283. *Parallelia algira* (Linnaeus, 1767) (Noctuidae)  
 284. *Parallelia torrida* (Guenée, 1852) (Noctuidae)  
 285. *Parascotia detersa* (Staudinger, 1892) (Noctuidae)  
 286. *Peridroma saucia* (Hübner, [1808]) (Noctuidae)  
 287. *Perigrapha* (Opacographa (Turcographa)) *rorida* (Frivaldsky, 1835) (Noctuidae)  
 288. *Phyllophila melacheila* (Staudinger, 1896) (Noctuidae)  
 289. *Polymixis* (Bischoffia) *bischoffi* (Herrich-Schäffer, 1850) (Noctuidae)  
 290. *Polymixis* (Myxinia) *rufocincta* (Geyer, 1828) (Noctuidae)  
 291. *Polymixis* (s.str.) *ancepsoides* Poole, 1989 (Noctuidae)  
 292. *Polyphaenis propinqua* Staudinger, 1895 (Noctuidae)  
 293. *Pseudenargia regina* (Staudinger, 1892) (Noctuidae)  
 294. *Sesamia cretica* Lederer, 1857 (Noctuidae)  
 295. *Spodoptera exiguum* (Hübner, [1808]) (Noctuidae)  
 296. *Spodoptera littoralis* (Boisduval, 1833) (Noctuidae)  
 297. *Spudaea castanea* Osthelder, 1933 (Noctuidae)  
 298. *Standfussiana nictymera* (Boisduval, [1837]) (Noctuidae)  
 299. *Valerietta niphopasta* (Hampson, 1906) (Noctuidae)  
 300. *Xestia* (s.str.) *kermesina* (Mabille, 1869) (Noctuidae)  
 301. *Zethes insularis* Rambur, 1833 (Noctuidae)  
 302. *Cerura* (s.str.) *vinula* (Linnaeus, 1758) (Notodontidae)  
 303. *Clostera pigra* (Hufnagel, 1766) (Notodontidae)  
 304. *Furcula interrupta* Christoph, 1867 (Notodontidae)  
 305. *Spatalia argentina* ([Denis & Schiffermüller], 1775) (Notodontidae)  
 306. *Agonopterix cachritis* (Staudinger, 1859) (Oecophoridae)  
 307. *Depressaria amblyopa* Meyrick, 1921 (Oecophoridae)  
 308. *Depressaria discipunctella* Herrich-Schäffer, 1854 (Oecophoridae)  
 309. *Archon apollinus* (Herbst, 1798) (Papilionidae)  
 310. *Iphiclidea podalirius* (Linnaeus, 1758) (Papilionidae)  
 311. *Papilio* (s.str. (Alexanoria)) *alexanor* Esper, [1800] (Papilionidae)  
 312. *Papilio* (s.str.) *machaon* Linnaeus, 1758 (Papilionidae)  
 313. *Parnassius* (Driopa) *mnemosyne* (Linnaeus, 1758) (Papilionidae)  
 314. *Zerynthia* (Allancastris) *cerisyi* (Godart, 1822) (Papilionidae)  
 315. *Zerynthia* (Allancastris) *deyrollei* (Oberthür, 1869) (Papilionidae)  
 316. *Anthocharis cardamines* (Linnaeus, 1758) (Pieridae)  
 317. *Anthocharis damone* Boisduval, 1836 (Pieridae)  
 318. *Anthocharis grueneri* Herrich-Schäffer, [1851] (Pieridae)  
 319. *Aporia* (s.str.) *crataegi* (Linnaeus, 1758) (Pieridae)  
 320. *Colias* (Eriocolias) *crocea* (Fourcroy, 1785) (Pieridae)  
 321. *Colotis* (s.str.) *fausta* (Olivier, [1804]) (Pieridae)  
 322. *Euchloe* (Elphinstonia) *penia* (Freyer, [1852]) (Pieridae)  
 323. *Euchloe* (s.str.) *ausonia* (Hübner, [1804]) (Pieridae)  
 324. *Euchloe* (s.str.) *belemia* (Esper, [1800]) (Pieridae)  
 325. *Gonepteryx* (Isogonepteryx) *cleopatra* (Linnaeus, 1767) (Pieridae)  
 326. *Gonepteryx* (s.str.) *farinosa* (Zeller, 1847) (Pieridae)  
 327. *Gonepteryx* (s.str.) *rhamni* (Linnaeus, 1758) (Pieridae)  
 328. *Leptidea duponcheli* (Staudinger, 1871) (Pieridae)  
 329. *Leptidea sinapis* (Linnaeus, 1758) (Pieridae)  
 330. *Pieris* (Artogeia) *ergane* (Geyer, [1828]) (Pieridae)  
 331. *Pieris* (Artogeia) *mannii* (Mayer, 1851) (Pieridae)  
 332. *Pieris* (Artogeia) *pseudorapae* Verity, 1908 (Pieridae)  
 333. *Pieris* (Artogeia) *rapae* (Linnaeus, 1758) (Pieridae)  
 334. *Pieris* (s.str.) *brassicae* (Linnaeus, 1758) (Pieridae)  
 335. *Pontia edusa* (Fabricius, 1777) (Pieridae)  
 336. *Zegris eupheme* (Esper, [1804]) (Pieridae)  
 337. *Emmeline monodactyla* (Linnaeus, 1758) (Pterophoridae)  
 338. *Paracapperia anatolica* (Caradja, 1920) (Pterophoridae)  
 339. *Platytilia tetradactyla* (Linnaeus, 1758) (Pterophoridae)  
 340. *Pterophorus pentadactylus* (Linnaeus, 1758) (Pterophoridae)  
 341. *Achyra nudalis* (Hübner, 1796) (Pyralidae)  
 342. *Acrobasis glaucella* Staudinger, 1859 (Pyralidae)  
 343. *Actenia beatalis* Kalchberg, 1897 (Pyralidae)  
 344. *Actenia honestalis* (Treitschke, 1829) (Pyralidae)  
 345. *Aglossa caprealis* (Hübner, [1809]) (Pyralidae)  
 346. *Agriphila latistria* (Haworth, [1811]) (Pyralidae)  
 347. *Agriphila paleatella* (Zeller, 1847) (Pyralidae)  
 348. *Agriphiloides longipalpellus* Bleszynski, 1965 (Pyralidae)  
 349. *Alophia combustella* (Herrich-Schäffer, [1855]) (Pyralidae)  
 350. *Anania verbascata* (Fabricius, 1787) (Pyralidae)  
 351. *Ancylolomia palpella* ([Denis & Schiffermüller], 1775) (Pyralidae)  
 352. *Ancylolomia pectinatella* (Zeller, 1847) (Pyralidae)  
 353. *Ancylolomia tentaculella* (Hübner, 1796) (Pyralidae)  
 354. *Ancylosis* (Heterographis) *convexella* (Lederer, 1855) (Pyralidae)  
 355. *Ancylosis* (Heterographis) *rhodochrella* (Herrich-Schäffer, 1855) (Pyralidae)  
 356. *Ancylosis* (s.str.) *cinnamomella* (Duponchel, 1836) (Pyralidae)  
 357. *Anthophilopsis baphialis* (Staudinger, 1870) (Pyralidae)  
 358. *Antigastra catalaunalis* (Duponchel, 1833) (Pyralidae)  
 359. *Arsissa divaricella* (Ragonot, 1887) (Pyralidae)  
 360. *Bradyrrhoa cantenerella* (Duponchel, 1837) (Pyralidae)  
 361. *Calamotropa hierichuntica* Zeller, 1867 (Pyralidae)  
 362. *Catoptria dimorphella* (Staudinger, 1881) (Pyralidae)  
 363. *Chilo pulverosellus* Ragonot, 1895 (Pyralidae)  
 364. *Cybalomia pentadalis* (Lederer, 1855) (Pyralidae)  
 365. *Cynaeda dentalis* ([Denis & Schiffermüller], 1775) (Pyralidae)  
 366. *Diasemiopsis ramburialis* (Duponchel, 1831) (Pyralidae)  
 367. *Duponchelia fovealis* (Zeller, 1847) (Pyralidae)  
 368. *Ecpyrrorrhoe rubiginalis* (Hübner, 1796) (Pyralidae)  
 369. *Elegia fallax* (Staudinger, 1881) (Pyralidae)  
 370. *Ematheudes punctellus* (Treitschke, 1833) (Pyralidae)  
 371. *Ematheudes varicellus* Ragonot, 1887 (Pyralidae)  
 372. *Endotricha flammealis* ([Denis & Schiffermüller], 1775) (Pyralidae)  
 373. *Epactotena octogenalis* (Lederer, 1863) (Pyralidae)  
 374. *Epascestria pustulalis* (Hübner, [1823]) (Pyralidae)  
 375. *Ephelis cruentalis* (Geyer, [1832]) (Pyralidae)  
 376. *Epidauria phoeniciella* Ragonot, 1895 (Pyralidae)  
 377. *Epischia illotella* Zeller, 1839 (Pyralidae)  
 378. *Etiella zinckenella* (Treitschke, 1832) (Pyralidae)  
 379. *Euchromius bellus* (Hübner, 1796) (Pyralidae)  
 380. *Euchromius ocellus* (Haworth, [1811]) (Pyralidae)  
 381. *Euchromius rayatellus* (Amsel, 1949) (Pyralidae)

382. *Euchromius superbellus* (Zeller, 1849) (Pyralidae)
383. *Euclasta* (s.str.) *splendialis* (Herrich-Schäffer, [1848]) (Pyralidae)
384. *Eurhodope* (s.str.) *monogrammos* (Zeller, 1867) (Pyralidae)
385. *Euzophera* (s.str.) *imperfectella* Ragonot, 1895 (Pyralidae)
386. *Euzopherodes lutisignella* (Mann, 1869) (Pyralidae)
387. *Evergestis mundalis* (Guenée, 1854) (Pyralidae)
388. *Evergestis umbrosalis* (Fischer v. Röslerstamm, [1842]) (Pyralidae)
389. *Glaucocharis euchromiella* (Ragonot, 1895) (Pyralidae)
390. *Hannemannea tacapella* (Ragonot, 1887) (Pyralidae)
391. *Heliothela wulfeniana* (Scopoli, 1763) (Pyralidae)
392. *Hellula undalis* (Fabricius, 1781) (Pyralidae)
393. *Heosphora ramulosella* Ragonot, 1895 (Pyralidae)
394. *Homoeosoma* (s.str.) *subalbatellum* (Mann, 1864) (Pyralidae)
395. *Hypotia colchicalis* (Herrich-Schäffer, [1855]) (Pyralidae)
396. *Hypsopygia costalis* (Fabricius, 1775) (Pyralidae)
397. *Hypsotropa paucipunctella* Ragonot, 1895 (Pyralidae)
398. *Lambaesia straminella* (Zerny, 1914) (Pyralidae)
399. *Lamoria ruficostella* Ragonot, 1888 (Pyralidae)
400. *Loxostege foviferalis* (Hampson, 1900) (Pyralidae)
401. *Metallostichodes vinaceella* (Ragonot, 1895) (Pyralidae)
402. *Metasia* (s.str.) *albicostalis* Hampson, 1900 (Pyralidae)
403. *Metasia* (s.str.) *carnealis* (Treitschke, 1829) (Pyralidae)
404. *Metaxmeste sericatalis* (Herrich-Schäffer, [1848]) (Pyralidae)
405. *Myelois* (Gnathogutta) *pluripunctella* (Ragonot, 1887) (Pyralidae)
406. *Myelois* (Gnathogutta) *umbratella* (Treitschke, 1832) (Pyralidae)
407. *Myelois* (s.str.) *quadripunctella* Zerny, 1914 (Pyralidae)
408. *Noctuelia vespertalis* Herrich-Schäffer, [1855] (Pyralidae)
409. *Nomophila noctuella* ([Denis & Schiffermüller], 1775) (Pyralidae)
410. *Orthopygia almanalis* (Rebel, 1917) (Pyralidae)
411. *Orthopygia fulvociliialis* (Duponchel, 1834) (Pyralidae)
412. *Panstegia aerealis* (Hübner, 1793) (Pyralidae)
413. *Phycitodes binaevella* (Hübner, [1813]) (Pyralidae)
414. *Phycitodes lacteella* (Rothschild, 1915) (Pyralidae)
415. *Phycitodes nigrilimbella* (Ragonot, 1887) (Pyralidae)
416. *Polyocha cremoricosta* Ragonot, 1895 (Pyralidae)
417. *Polyocha venosa* (Zeller, 1847) (Pyralidae)
418. *Pyla fusca* (Haworth, [1811]) (Pyralidae)
419. *Pyralis farinalis* (Linnaeus, 1758) (Pyralidae)
420. *Pyralis regalis* [Denis & Schiffermüller], 1775 (Pyralidae)
421. *Pyrausta* (Haematia) *sanguinalis* (Linnaeus, 1767) (Pyralidae)
422. *Pyrausta* (Haematia) *virginalis* Duponchel, 1832 (Pyralidae)
423. *Pyrausta* (s.str.) *cuprinalis* Ragonot, 1895 (Pyralidae)
424. *Pyrausta* (s.str.) *falcatalis* (Guenée, 1854) (Pyralidae)
425. *Pyrausta* (s.str.) *pauperalis* (Staudinger, 1879) (Pyralidae)
426. *Pyrausta* (s.str.) *trimaculalis* (Staudinger, 1867) (Pyralidae)
427. *Reskovitsia alborivulalis* (Eversmann, 1843) (Pyralidae)
428. *Scirpophaga praelata* (Scopoli, 1763) (Pyralidae)
429. *Stemmatophora subustalis* Lederer, 1853 (Pyralidae)
430. *Synaphe bombycalis* ([Denis & Schiffermüller], 1775) (Pyralidae)
431. *Synaphe consecratalis* (Lederer, 1855) (Pyralidae)
432. *Synaphe moldavica* (Esper, [1789]) (Pyralidae)
433. *Synaphe syriaca* (Rebel, 1903) (Pyralidae)
434. *Synclera traducalis* (Zeller, 1852) (Pyralidae)
435. *Tretopteryx pertusalis* (Geyer, [1832]) (Pyralidae)
436. *Udea ferrugalis* (Hübner, 1796) (Pyralidae)
437. *Udea fimbriatralis* (Duponchel, 1834) (Pyralidae)
438. *Uresiphita polygonalis* ([Denis & Schiffermüller], 1775) (Pyralidae)
439. *Brintesia circe* (Fabricius, 1775) (Satyridae)
440. *Chazara* (s.str.) *briseis* (Linnaeus, 1764) (Satyridae)
441. *Coenonympha* (s.str.) *arcania* (Linnaeus, 1761) (Satyridae)
442. *Hipparchia* (Neohipparchia) *fatua* (Freyer, 1844) (Satyridae)
443. *Hipparchia* (Neohipparchia) *parisatis* (Kollar, [1849]) (Satyridae)
444. *Hipparchia* (Parahipparchia) *aristaeus* (Bonelli, 1826) (Satyridae)
445. *Hipparchia* (Parahipparchia) *mersina* (Staudinger, 1871) (Satyridae)
446. *Hipparchia* (Parahipparchia) *pellucida* (Stauder, 1924) (Satyridae)
447. *Hipparchia* (s.str.) *syriaca* (Staudinger, 1871) (Satyridae)
448. *Hyponephele* (s.str.) *lupina* (Costa, [1836]) (Satyridae)
449. *Kirinia* (Melike) *roxelana* (Cramer, [1777]) (Satyridae)
450. *Lasiommata maera* (Linnaeus, 1758) (Satyridae)
451. *Lasiommata megera* (Linnaeus, 1767) (Satyridae)
452. *Maniola* (Telmessiola) *telmessia* (Zeller, 1847) (Satyridae)
453. *Maniola* (s.str.) *jurtina* (Linnaeus, 1758) (Satyridae)
454. *Maniola* (s.str.) *megala* (Oberthür, 1909) (Satyridae)
455. *Melanargia* (Turcargia) *syriaca* (Oberthür, 1894) (Satyridae)
456. *Melanargia* (Turcargia) *titea* (Klug, 1832) (Satyridae)
457. *Pararge aegeria* (Linnaeus, 1758) (Satyridae)
458. *Pseudochazara* (Achazara) *anthelea* (Hübner, [1824]) (Satyridae)
459. *Pseudochazara* (Achazara) *telephassa* (Geyer, [1827]) (Satyridae)
460. *Satyrus* (s.str. (s.str.)) *favonius* Staudinger, [1892] (Satyridae)
461. *Ypthima asterope* (Klug, 1832) (Satyridae)
462. *Scythris* (monochreella-gr.) *monochreella* Ragonot, 1896 (Scythridae)
463. *Scythris* (scopolella-gr.) *apicalis* (Zeller, 1847) (Scythridae)
464. *Scythris balanophora* Meyrick, 1916 (Scythridae)
465. *Chamaesphesia haberhaueri* (Staudinger, 1878) (Sesiidae)
466. *Chamaesphesia nigrifrons* (Le Cerf, 1911) (Sesiidae)
467. *Osminia fenusaeformis* (Herrich-Schäffer, 1852) (Sesiidae)
468. *Paranthrene insolita* Le Cerf, 1914 (Sesiidae)
469. *Paranthrene tabaniformis* (Rottensburg, 1775) (Sesiidae)
470. *Pyropteron triannuliformis* (Freyer, 1845) (Sesiidae)
471. *Sesia pimplaeformis* Oberthür, 1872 (Sesiidae)
472. *Synanthedon myopaeformis* (Borkhausen, 1789) (Sesiidae)
473. *Synanthedon stomoxiformis* (Hübner, 1790) (Sesiidae)
474. *Synanthedon syriaca* Spatenka, 2001 (Sesiidae)
475. *Akbesia davidi* (Oberthür, 1884) (Sphingidae)
476. *Dolbina elegans* (A. Bang-Haas, 1912) (Sphingidae)
477. *Hemaris* (s.str.) *dentata* (Staudinger, 1887) (Sphingidae)
478. *Macroglossum stellatarum* (Linnaeus, 1758) (Sphingidae)
479. *Thaumetopoea* (Traumatocampa) *pityocampa* ([Denis & Schiffermüller], 1775) (Thaumetopoeidae)
480. *Thaumetopoea* (Traumatocampa) *wilkinsoni* Tams, 1925 (Thaumetopoeidae)
481. *Thaumetopoea* (s.str.) *solitaria* (Freyer, [1838]) (Thaumetopoeidae)
482. *Cymatophorima diluta* ([Denis & Schiffermüller], 1775) (Thyatiridae)
483. *Polyploca korbi* Rebel, 1901 (Thyatiridae)
484. *Episcardia* (Bilobatana) *fuscoviola* (Ragonot, 1895) (Tineidae)
485. *Edosa lardatella* (Lederer, 1858) (Tineidae)
486. *Euplocamus delagrangi* Ragonot, 1895 (Tineidae)
487. *Hapsifera luridella* Zeller, 1847 (Tineidae)
488. *Hapsifera multiguttella* (Ragonot, 1895) (Tineidae)
489. *Monopsis meleodes* Meyrick, 1917 (Tineidae)
490. *Neurothausia ankerella* (Mann, 1867) (Tineidae)
491. *Aethes deaurana* (Peyerimhoff, 1877) (Tortricidae)
492. *Aethes margarotana* (Duponchel, 1836) (Tortricidae)
493. *Aethes capnospila* (Meyrick, 1912) (Tortricidae)
494. *Aphelia* (Zelotheres) *insincera* (Meyrick, 1912) (Tortricidae)
495. *Cacoecimorpha pronubana* (Hübner, [1799]) (Tortricidae)
496. *Cnephasia* (s.str.) *kenneli* Obratzsov, 1956 (Tortricidae)
497. *Cochylidia implicitana* (Wocke, 1856) (Tortricidae)
498. *Cochylimorpha kurdistan* (Amsel, 1959) (Tortricidae)
499. *Cochylimorpha langeana* (Kalchberg, 1897) (Tortricidae)
500. *Cydia selliferana* (Kennel, 1901) (Tortricidae)
501. *Dichelia alexiana* (Kennel, 1919) (Tortricidae)
502. *Epinoia cedricida* (Diakonoff, 1969) (Tortricidae)
503. *Eugnosta lathoniana* (Hübner, [1800]) (Tortricidae)
504. *Lobesia* (s.str.) *glebifera* (Meyrick, 1912) (Tortricidae)
505. *Phtheochroa chalcantia* (Meyrick, 1912) (Tortricidae)
506. *Phtheochroa duponchelana* (Duponchel, 1843) (Tortricidae)
507. *Trachysmia palpana* (Ragonot, 1894) (Tortricidae)
508. *Niphonympha albella* (Zeller, 1847) (Yponomeutidae)
509. *Adscita* (s.str.) *obscura* (Zeller, 1847) (Zygaenidae)
510. *Adscita* (s.str.) *statices* (Linnaeus, 1758) (Zygaenidae)
511. *Clelea fusca* (Leech, 1887) (Zygaenidae)
512. *Jordanita* (Roccia) *hector* (Jordan, 1909) (Zygaenidae)
513. *Zygaena* (Agrumenia) *carniolica* (Scopoli, 1763) (Zygaenidae)
514. *Zygaena* (Mesembrynus) *minos* ([Denis & Schiffermüller], 1775) (Zygaenidae)
515. *Zygaena* (Mesembrynus) *purpuralis* (Brünnich, 1763) (Zygaenidae)
516. *Zygaena* (s.str.) *amanica* Reiss, 1935 (Zygaenidae)
517. *Zygaena* (s.str.) *filipendulae* (Linnaeus, 1758) (Zygaenidae)
518. *Zygaena* (s.str.) *graslini* Lederer, 1855 (Zygaenidae)
519. *Zygaena* (Agrumenia) *loti* ([Denis & Schiffermüller], 1775) (Zygaenidae)
520. *Zygaena* (s.str.) *ramburi* Herrich-Schäffer, 1861 (Zygaenidae)
521. *Zygaena* (s.str.) *viciae* ([Denis & Schiffermüller], 1775) (Zygaenidae)

**C o n t e n t s :** Koçak,A.Ö. & M.Yalçın, *Bembix olivacea* (F.) in Van Province of East Turkey (*Crabronidae*, *Hymenoptera*), p. 1 – Koçak,A.Ö., Kemal,M., Yalçın,M. & B.Bakan, *Cerocoma festiva* in Van Province of East Turkey (*Meloidae*, *Coleoptera*), p. 4 - Koçak,A.Ö. & M. Kemal, Number of the species of the Lepidoptera fauna of the selected countries with sample lists of some classical localities in the Old World, p. 8 - **Editorial**, p. 56.

## Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

**Web Page of the Cesa:** <http://www.cesa-tr.org/>

**Scientific Serials:** Priamus & Supplement (ISSN 1015-8243)<sup>6</sup>, Miscellaneous Papers (ISSN 1015-8235)<sup>7</sup>, Memoirs (ISSN-8227)<sup>8</sup>, DVD Films<sup>9</sup>, Iconographia Insectorum<sup>10</sup>, Cesa Publications on African Lepidoptera (series)<sup>11</sup>, Cesa News [online]<sup>12</sup>, Cesa Books<sup>13</sup>

**Owners / Sahipleri - Editors / Yayıncılar:** Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

**Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu:** Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Assoc. Prof. Dr. Selma Seven (Gazi University, Turkey); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Assoc. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Asst. Prof. Dr. Fevzi Özgökçe, Asst. Prof. Dr. Mural Ünal (Yüzüncü Yıl University, Van, Turkey).

**ALL RIGHTS RESERVED**

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: [cesa\\_tr@yahoo.com.tr](mailto:cesa_tr@yahoo.com.tr)

All serials are recorded regularly by the Zoological Record,  
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom  
[ts-emea-york.dcsadmins@thomson.com](mailto:ts-emea-york.dcsadmins@thomson.com)

<sup>6</sup> <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

<sup>7</sup> <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

<sup>8</sup> <http://www.cesa-tr.org/Memoirs.htm> -

<sup>9</sup> <http://www.cesa-tr.org/CDF.htm>

<sup>10</sup> <http://www.cesa-tr.org/Icon.htm>

<sup>11</sup> [http://www.metafro.be/Members/Cesa/internet\\_sayfas305/base\\_view](http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view) - pdf available

<sup>12</sup> <http://www.cesa-tr.org/Cesanews.htm>

<sup>13</sup> <http://www.cesa-tr.org/Cesabooks.htm>